

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020322\
 Data File : BN018571.D
 Acq On : 03 Feb 2022 14:59
 Operator : CG/JU
 Sample : N1307-01
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0Q00

Quant Time: Feb 04 02:04:23 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN020222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 02 14:08:46 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.927	152	417	0.400	ng/ul	0.00
4) Naphthalene-d8	10.728	136	1482	0.400	ng/ul #	0.00
9) Acenaphthene-d10	14.553	164	869	0.400	ng/ul #	0.00
13) Phenanthrene-d10	17.289	188	1733	0.400	ng/ul #	0.00
17) Chrysene-d12	21.465	240	1518	0.400	ng/ul #	0.00
23) Perylene-d12	23.861	264	1483	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.295	96	1012	2.114	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.317	152	679	0.336	ng/ul	0.00
18) Fluoranthene-d10	19.314	212	1749	0.403	ng/ul	0.00
Target Compounds						
					Qvalue	
12) Fluorene	15.599	166	765	0.233	ng/ul#	97
14) Pentachlorophenol	16.943	266	30422	94.165	ng/ul	99
19) Fluoranthene	19.342	202	256	0.042	ng/ul#	32
20) Pyrene	19.709	202	568	0.092	ng/ul#	68

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020322\
Data File : BN018571.D
Acq On : 03 Feb 2022 14:59
Operator : CG/JU
Sample : N1307-01
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0Q00

Quant Time: Feb 04 02:04:23 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN020222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 02 14:08:46 2022
Response via : Initial Calibration

