

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020524\
 Data File : BN029527.D
 Acq On : 06 Feb 2024 03:10
 Operator : MA/JU
 Sample : P1344-02
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-191-GW-638-640

Quant Time: Feb 06 04:25:29 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 01 01:51:59 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.890	152	4463	0.400	ng	0.00
7) Naphthalene-d8	10.690	136	12209	0.400	ng	0.00
13) Acenaphthene-d10	14.532	164	5335	0.400	ng	0.00
19) Phenanthrene-d10	17.280	188	10096	0.400	ng	0.00
29) Chrysene-d12	21.483	240	7727	0.400	ng	# 0.00
35) Perylene-d12	23.858	264	8118	0.400	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.464	112	500	0.047	ng	0.00
5) Phenol-d6	7.060	99	465	0.038	ng	0.00
8) Nitrobenzene-d5	9.057	82	2749	0.270	ng	0.00
11) 2-Methylnaphthalene-d10	12.280	152	4707	0.283	ng	0.00
14) 2,4,6-Tribromophenol	16.027	330	147	0.086	ng	0.00
15) 2-Fluorobiphenyl	13.164	172	6582	0.287	ng	0.00
27) Fluoranthene-d10	19.317	212	7704	0.315	ng	0.00
31) Terphenyl-d14	19.926	244	5459	0.285	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.369	88	5652	0.900	ng	# 88
34) Bis(2-ethylhexyl)phtha...	21.411	149	3987	0.222	ng	# 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020524\
Data File : BN029527.D
Acq On : 06 Feb 2024 03:10
Operator : MA/JU
Sample : P1344-02
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BP-VPB-191-GW-638-640


Quant Time: Feb 06 04:25:29 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 01 01:51:59 2024
Response via : Initial Calibration







#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.890 min Scan# 6
 Delta R.T. -0.008 min
 Lab File: BN029527.D
 Acq: 06 Feb 2024 03:10

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-191-GW-638-640






Tgt Ion:152 Resp: 4463
 Ion Ratio Lower Upper
 152 100
 150 157.5 123.0 184.4
 115 67.0 51.4 77.0



#2
 1,4-Dioxane
 Concen: 0.900 ng
 RT: 3.369 min Scan# 40
 Delta R.T. -0.007 min
 Lab File: BN029527.D
 Acq: 06 Feb 2024 03:10

Tgt Ion: 88 Resp: 5652
 Ion Ratio Lower Upper
 88 100
 43 47.8 23.3 34.9#
 58 68.7 53.8 80.6





#4

2-Fluorophenol

Concen: 0.047 ng

RT: 5.464 min Scan# 31

Delta R.T. -0.000 min

Lab File: BN029527.D

Acq: 06 Feb 2024 03:10

Instrument :

BNA_N

ClientSampleId :

BP-VPB-191-GW-638-640





Tgt Ion:112 Resp: 500

Ion Ratio Lower Upper

112 100

64 55.4 47.2 70.8

63 29.2 25.8 38.6



#5

Phenol-d6

Concen: 0.038 ng

RT: 7.060 min Scan# 551

Delta R.T. -0.000 min

Lab File: BN029527.D

Acq: 06 Feb 2024 03:10




Tgt Ion: 99 Resp: 465

Ion Ratio Lower Upper

99 100

42 31.8 16.9 25.3#

71 0.0 30.0 45.0#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.690 min Scan# 948
Delta R.T. -0.000 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10




Instrument :
BNA_N
ClientSampleId :
BP-VPB-191-GW-638-640

Tgt Ion:	136	Resp:	12209
Ion	Ratio	Lower	Upper
136	100		
137	11.6	9.7	14.5
54	8.5	6.6	10.0
68	7.7	5.7	8.5



#8
Nitrobenzene-d5
Concen: 0.270 ng
RT: 9.057 min Scan# 794
Delta R.T. -0.000 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10

Tgt Ion:	82	Resp:	2749
Ion	Ratio	Lower	Upper
82	100		
128	39.5	31.6	47.4
54	49.4	38.2	57.4








#11
2-Methylnaphthalene-d10
Concen: 0.283 ng
RT: 12.280 min Scan# 11
Delta R.T. -0.008 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10




Instrument :
BNA_N
ClientSampleId :
BP-VPB-191-GW-638-640

Tgt Ion:152 Resp: 4707
Ion Ratio Lower Upper
152 100
151 24.5 17.1 25.7



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.532 min Scan# 1545
Delta R.T. -0.000 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10

Tgt Ion:164 Resp: 5335
Ion Ratio Lower Upper
164 100
162 103.4 82.6 123.8
160 50.6 41.5 62.3








#14
2,4,6-Tribromophenol
Concen: 0.086 ng
RT: 16.027 min Scan# 1
Delta R.T. -0.000 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10




Instrument :
BNA_N
ClientSampleId :
BP-VPB-191-GW-638-640


Tgt Ion:330 Resp: 147
Ion Ratio Lower Upper
330 100
332 90.5 76.0 114.0
141 53.1 43.4 65.2



#15
2-Fluorobiphenyl
Concen: 0.287 ng
RT: 13.164 min Scan# 1417
Delta R.T. -0.000 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10

Tgt Ion:172 Resp: 6582
Ion Ratio Lower Upper
172 100
171 35.3 28.0 42.0
170 23.6 18.7 28.1









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.280 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10




Instrument :
BNA_N
ClientSampleId :
BP-VPB-191-GW-638-640


Tgt Ion:188 Resp: 10096
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.0 10.0 15.0



#27
Fluoranthene-d10
Concen: 0.315 ng
RT: 19.317 min Scan# 2052
Delta R.T. -0.005 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10

Tgt Ion:212 Resp: 7704
Ion Ratio Lower Upper
212 100
106 17.7 13.2 19.8
104 9.8 7.7 11.5









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.483 min Scan# 2469
Delta R.T. -0.009 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10




Instrument :
BNA_N
ClientSampleId :
BP-VPB-191-GW-638-640


Tgt Ion:240 Resp: 7727
Ion Ratio Lower Upper
240 100
120 14.1 16.7 25.1#
236 28.3 23.9 35.9



#31
Terphenyl-d14
Concen: 0.285 ng
RT: 19.926 min Scan# 2183
Delta R.T. -0.005 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10

Tgt Ion:244 Resp: 5459
Ion Ratio Lower Upper
244 100
212 12.0 8.2 12.4
122 18.3 15.6 23.4









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.222 ng
RT: 21.411 min Scan# 2461
Delta R.T. -0.009 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10

Instrument :
BNA_N
ClientSampleId :
BP-VPB-191-GW-638-640

Tgt Ion:149 Resp: 3987
Ion Ratio Lower Upper
149 100
167 23.2 20.1 30.1
279 2.4 2.5 3.7#



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.858 min Scan# 3069
Delta R.T. -0.012 min
Lab File: BN029527.D
Acq: 06 Feb 2024 03:10

Tgt Ion:264 Resp: 8118
Ion Ratio Lower Upper
264 100
260 27.0 21.2 31.8
265 47.5 41.5 62.3

