

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020924\
 Data File : BN029643.D
 Acq On : 10 Feb 2024 11:34
 Operator : MA/JU
 Sample : PB158919BS
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS919

Quant Time: Feb 11 22:10:51 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN020724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Feb 08 00:25:29 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.881	152	232991	20.000	ng/u1	0.00
20) Naphthalene-d8	10.675	136	911772	20.000	ng/u1	-0.01
38) Acenaphthene-d10	14.522	164	455451	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.275	188	841011	20.000	ng/u1	0.00
79) Chrysene-d12	21.475	240	719496	20.000	ng/u1	0.00
88) Perylene-d12	23.845	264	794900	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.329	96	40957	5.782	ng/uL	0.00
4) Pyridine-d5	3.734	84	532931	28.211	ng/u1	0.00
7) Phenol-d5	7.046	99	621992	28.541	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.222	67	407604	28.025	ng/u1	0.00
11) 2-Chlorophenol-d4	7.405	132	480373	30.418	ng/u1	-0.01
15) 4-Methylphenol-d8	8.593	113	456027	28.058	ng/u1	0.00
21) Nitrobenzene-d5	9.046	128	220138	31.108	ng/u1	0.00
24) 2-Nitrophenol-d4	9.763	143	203757	33.061	ng/u1	-0.01
28) 2,4-Dichlorophenol-d3	10.299	165	389053	31.981	ng/u1	0.00
31) 4-Chloroaniline-d4	10.822	131	551695	26.583	ng/u1	-0.01
46) Dimethylphthalate-d6	13.946	166	997462	29.416	ng/u1	0.00
49) Acenaphthylene-d8	14.216	160	1224708	30.413	ng/u1	0.00
54) 4-Nitrophenol-d4	14.728	143	187889	29.194	ng/u1	0.00
60) Fluorene-d10	15.516	176	842699	29.213	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.640	200	126742	30.929	ng/u1	0.00
73) Anthracene-d10	17.375	188	1210493	30.712	ng/u1	0.00
81) Pyrene-d10	19.669	212	1316890	30.499	ng/u1	-0.01
92) Benzo(a)pyrene-d12	23.692	264	1326313	33.345	ng/u1	-0.01
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.358	88	86175	11.746	ng/uL	99
5) Pyridine	3.752	79	573053	29.322	ng/u1	95
6) Benzaldehyde	7.028	77	336805	34.477	ng/u1	97
8) Phenol	7.075	94	661669	29.625	ng/u1	97
10) Bis(2-Chloroethyl)ether	7.317	93	549629	29.265	ng/u1	98
12) 2-Chlorophenol	7.440	128	513722	31.005	ng/u1	100
13) 2-Methylphenol	8.322	108	467959	29.034	ng/u1	98
14) 2,2'-oxybis(1-Chloropr...	8.411	45	710954	28.984	ng/u1	99
16) Acetophenone	8.711	105	747764	28.908	ng/u1	97
17) N-Nitroso-di-n-propyla...	8.699	70	394800	29.562	ng/u1	99
18) 4-Methylphenol	8.658	108	496272	29.139	ng/u1	99
19) Hexachloroethane	8.946	117	231100	30.056	ng/u1	97
22) Nitrobenzene	9.087	77	618710	30.857	ng/u1	98
23) Isophorone	9.616	82	1041102	29.809	ng/u1	99
25) 2-Nitrophenol	9.799	139	238852	33.938	ng/u1	97
26) 2,4-Dimethylphenol	9.858	107	460780	27.318	ng/u1	98
27) Bis(2-Chloroethoxy)met...	10.105	93	667491	30.073	ng/u1	98
29) 2,4-Dichlorophenol	10.328	162	389652	30.998	ng/u1	98
30) Naphthalene	10.728	128	1562768	29.987	ng/u1	99
32) 4-Chloroaniline	10.846	127	473386	23.106	ng/u1	99
33) Hexachlorobutadiene	10.999	225	238299	30.717	ng/u1	94
34) Caprolactam	11.622	113	66903	15.995	ng/u1	95
35) 4-Chloro-3-methylphenol	11.969	107	450840	31.051	ng/u1	99
36) 2-Methylnaphthalene	12.340	142	959945	30.048	ng/u1	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020924\
 Data File : BN029643.D
 Acq On : 10 Feb 2024 11:34
 Operator : MA/JU
 Sample : PB158919BS
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS919

Quant Time: Feb 11 22:10:51 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN020724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Feb 08 00:25:29 2024
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.563	142	940183	29.684	ng/ul	99
39) 1,2,4,5-Tetrachloroben...	12.704	216	416292	30.836	ng/ul	95
40) Hexachlorocyclopentadiene	12.675	237	226769	25.698	ng/ul#	93
41) 2,4,6-Trichlorophenol	12.952	196	243453	31.287	ng/ul	98
42) 2,4,5-Trichlorophenol	13.022	196	270664	30.956	ng/ul	99
43) 1,1'-Biphenyl	13.357	154	1177170	30.647	ng/ul	99
44) 2-Chloronaphthalene	13.399	162	916643	30.706	ng/ul	99
45) 2-Nitroaniline	13.610	65	287612	32.770	ng/ul	96
47) Dimethylphthalate	13.993	163	1060344	30.548	ng/ul	99
48) 2,6-Dinitrotoluene	14.116	165	203395	32.747	ng/ul	99
50) Acenaphthylene	14.246	152	1500642	31.051	ng/ul	99
51) 3-Nitroaniline	14.440	138	215589	29.824	ng/ul	100
52) Acenaphthene	14.587	153	964440	30.210	ng/ul	97
53) 2,4-Dinitrophenol	14.646	184	86445	27.425	ng/ul	94
55) 4-Nitrophenol	14.746	109	171779	29.190	ng/ul	94
56) Dibenzofuran	14.922	168	1269556	30.115	ng/ul	98
57) 2,4-Dinitrotoluene	14.898	165	293105	33.518	ng/ul	93
58) 2,3,4,6-Tetrachlorophenol	15.146	232	193245	31.142	ng/ul	98
59) Diethylphthalate	15.357	149	1071555	30.053	ng/ul	99
61) Fluorene	15.575	166	998734	29.972	ng/ul	95
62) 4-Chlorophenyl-phenyle...	15.575	204	452396	30.354	ng/ul	96
63) 4-Nitroaniline	15.604	138	231521	35.485	ng/ul	98
66) 4,6-Dinitro-2-methylph...	15.657	198	141063	31.224	ng/ul	96
67) N-Nitrosodiphenylamine	15.787	169	834462	31.841	ng/ul	97
68) 4-Bromophenyl-phenylether	16.469	248	257492	32.347	ng/ul	89
69) Hexachlorobenzene	16.569	284	294104	32.779	ng/ul	96
70) Atrazine	16.745	200	150322	18.359	ng/ul	97
71) Pentachlorophenol	16.916	266	144652	27.761	ng/ul	94
72) Phenanthrene	17.316	178	1516672	31.176	ng/ul	99
74) Anthracene	17.404	178	1532352	31.385	ng/ul	97
75) 1,2,3,4-Tetrachloroben...	13.316	216	408419	33.094	ng/ul	96
76) Pentachlorobenzene	14.834	250	349231	31.603	ng/ul	96
77) Carbazole	17.681	167	1405675	31.521	ng/ul	99
78) Di-n-butylphthalate	18.263	149	1711469	31.915	ng/ul	99
80) Fluoranthene	19.334	202	1626947	31.019	ng/ul	97
82) Pyrene	19.698	202	1726421	31.114	ng/ul	100
83) Butylbenzylphthalate	20.622	149	725433	32.080	ng/ul	96
84) 3,3'-Dichlorobenzidine	21.398	252	426123	30.577	ng/ul	91
85) Benzo(a)anthracene	21.457	228	1640301	31.034	ng/ul	97
86) Bis(2-ethylhexyl)phtha...	21.404	149	1103007	31.533	ng/ul	99
87) Chrysene	21.510	228	1513395	30.553	ng/ul	99
89) Di-n-octyl phthalate	22.333	149	1864308	30.257	ng/ul	100
90) Benzo(b)fluoranthene	23.122	252	1604089	32.038	ng/ul	99
91) Benzo(k)fluoranthene	23.175	252	1650002	32.197	ng/ul	98
93) Benzo(a)pyrene	23.745	252	1584961	33.009	ng/ul	95
94) Indeno(1,2,3-cd)pyrene	26.298	276	1949540	33.343	ng/ul	97
95) Dibenzo(a,h)anthracene	26.321	278	1622816	33.997	ng/ul	97
96) Benzo(g,h,i)perylene	27.057	276	1590486	32.523	ng/ul	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020924\
 Data File : BN029643.D
 Acq On : 10 Feb 2024 11:34
 Operator : MA/JU
 Sample : PB158919BS
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS919

Quant Time: Feb 11 22:10:51 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN020724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Feb 08 00:25:29 2024
 Response via : Initial Calibration









#2
 1,4-Dioxane
 Concen: 11.746 ng/uL
 RT: 3.358 min Scan# 46
 Delta R.T. -0.006 min
 Lab File: BN029643.D
 Acq: 10 Feb 2024 11:34




Instrument :
 BNA_N
 ClientSampleId :
 SLCS919


Tgt Ion: 88 Resp: 86175
 Ion Ratio Lower Upper
 88 100
 43 28.9 22.1 33.1
 58 69.8 56.5 84.7



#5
 Pyridine
 Concen: 29.322 ng/uL
 RT: 3.752 min Scan# 113
 Delta R.T. -0.006 min
 Lab File: BN029643.D
 Acq: 10 Feb 2024 11:34

Tgt Ion: 79 Resp: 573053
 Ion Ratio Lower Upper
 79 100
 52 64.2 55.4 83.0
 51 31.2 26.9 40.3









#6
Benzaldehyde
Concen: 34.477 ng/ul
RT: 7.028 min Scan# 61
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion: 77 Resp: 336805
Ion Ratio Lower Upper
77 100
105 93.1 71.0 106.4
106 88.5 69.4 104.0



#8
Phenol
Concen: 29.625 ng/ul
RT: 7.075 min Scan# 678
Delta R.T. 0.000 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion: 94 Resp: 661669
Ion Ratio Lower Upper
94 100
65 28.9 23.9 35.9
66 37.4 32.2 48.2









#10
Bis(2-Chloroethyl)ether
Concen: 29.265 ng/ul
RT: 7.317 min Scan# 718
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion: 93 Resp: 549629
Ion Ratio Lower Upper
93 100
63 74.5 61.4 92.2
95 31.3 24.9 37.3



#12
2-Chlorophenol
Concen: 31.005 ng/ul
RT: 7.440 min Scan# 740
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:128 Resp: 513722
Ion Ratio Lower Upper
128 100
64 49.8 39.8 59.6
130 31.9 25.6 38.4









#13
2-Methylphenol
Concen: 29.034 ng/ul
RT: 8.322 min Scan# 890
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:108 Resp: 467959
Ion Ratio Lower Upper
108 100
107 90.8 71.2 106.8



#14
2,2'-oxybis(1-Chloropropane)
Concen: 28.984 ng/ul
RT: 8.411 min Scan# 905
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion: 45 Resp: 710954
Ion Ratio Lower Upper
45 100
77 16.5 12.7 19.1
79 12.4 9.4 14.2









#16
Acetophenone
Concen: 28.908 ng/ul
RT: 8.711 min Scan# 91
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:105 Resp: 747764
Ion Ratio Lower Upper
105 100
77 81.1 67.4 101.0
51 25.6 20.7 31.1



#17
N-Nitroso-di-n-propylamine
Concen: 29.562 ng/ul
RT: 8.699 min Scan# 954
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion: 70 Resp: 394800
Ion Ratio Lower Upper
70 100
42 54.7 43.0 64.4
101 9.0 7.4 11.2
130 19.2 15.1 22.7









#18
4-Methylphenol
Concen: 29.139 ng/ul
RT: 8.658 min Scan# 945
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:108 Resp: 496272
Ion Ratio Lower Upper
108 100
107 111.7 88.7 133.1



#19
Hexachloroethane
Concen: 30.056 ng/ul
RT: 8.946 min Scan# 996
Delta R.T. -0.011 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:117 Resp: 231100
Ion Ratio Lower Upper
117 100
201 77.2 64.4 96.6
199 48.4 38.3 57.5









#22
Nitrobenzene
Concen: 30.857 ng/ul
RT: 9.087 min Scan# 1109
Delta R.T. -0.011 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion: 77 Resp: 618710
Ion Ratio Lower Upper
77 100
123 40.7 33.6 50.4
65 13.3 10.6 16.0



#23
Isophorone
Concen: 29.809 ng/ul
RT: 9.616 min Scan# 1110
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion: 82 Resp: 1041102
Ion Ratio Lower Upper
82 100
95 7.0 5.8 8.6
138 16.3 12.6 19.0





#25

2-Nitrophenol

Concen: 33.938 ng/ul

RT: 9.799 min Scan# 1140

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:139 Resp: 238852

Ion Ratio Lower Upper

139 100

65 55.4 46.6 70.0

109 33.2 27.0 40.4



#26

2,4-Dimethylphenol

Concen: 27.318 ng/ul

RT: 9.858 min Scan# 1151

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:107 Resp: 460780


Ion Ratio Lower Upper

107 100

121 49.5 40.0 60.0

122 82.5 67.6 101.4









#27
 Bis(2-Chloroethoxy)methane
 Concen: 30.073 ng/ul
 RT: 10.105 min Scan# 1193
 Delta R.T. -0.006 min
 Lab File: BN029643.D
 Acq: 10 Feb 2024 11:34




Instrument :
 BNA_N
 ClientSampleId :
 SLCS919


Tgt Ion: 93 Resp: 667491
 Ion Ratio Lower Upper
 93 100
 95 31.2 25.7 38.5
 123 10.7 8.2 12.2



#29
 2,4-Dichlorophenol
 Concen: 30.998 ng/ul
 RT: 10.328 min Scan# 1231
 Delta R.T. -0.006 min
 Lab File: BN029643.D
 Acq: 10 Feb 2024 11:34

Tgt Ion:162 Resp: 389652
 Ion Ratio Lower Upper
 162 100
 164 65.0 53.3 79.9
 98 41.6 33.8 50.8









#30
Naphthalene
Concen: 29.987 ng/ul
RT: 10.728 min Scan# 1298
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:128 Resp: 1562768
Ion Ratio Lower Upper
128 100
129 10.9 9.0 13.6
127 13.3 10.4 15.6



#32
4-Chloroaniline
Concen: 23.106 ng/ul
RT: 10.846 min Scan# 1319
Delta R.T. -0.011 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:127 Resp: 473386
Ion Ratio Lower Upper
127 100
129 32.6 26.4 39.6





#33

Hexachlorobutadiene

Concen: 30.717 ng/ul

RT: 10.999 min Scan# 11

Delta R.T. -0.011 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:225 Resp: 238299

Ion Ratio Lower Upper

225 100

223 60.9 51.6 77.4

227 59.3 52.2 78.2



#34

Caprolactam

Concen: 15.995 ng/ul

RT: 11.622 min Scan# 1451

Delta R.T. 0.000 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:113 Resp: 66903


Ion Ratio Lower Upper

113 100

55 156.8 125.3 187.9

56 117.6 103.4 155.0









#35
4-Chloro-3-methylphenol
Concen: 31.051 ng/ul
RT: 11.969 min Scan# 1510
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:107 Resp: 450840
Ion Ratio Lower Upper
107 100
144 23.7 18.8 28.2
142 74.7 60.6 90.8



#36
2-Methylnaphthalene
Concen: 30.048 ng/ul
RT: 12.340 min Scan# 1573
Delta R.T. -0.011 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:142 Resp: 959945
Ion Ratio Lower Upper
142 100
141 89.4 70.4 105.6





#37

1-Methylnaphthalene

Concen: 29.684 ng/ul

RT: 12.563 min Scan# 1611

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:142 Resp: 940183

Ion Ratio Lower Upper

142 100

141 93.7 73.8 110.8

116 3.7 3.3 4.9



#39

1,2,4,5-Tetrachlorobenzene

Concen: 30.836 ng/ul

RT: 12.704 min Scan# 1635

Delta R.T. -0.011 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Tgt Ion:216 Resp: 416292




Ion Ratio Lower Upper


216 100

214 81.7 60.4 90.6

179 23.8 18.6 28.0

108 25.3 19.0 28.6





#40

Hexachlorocyclopentadiene

Concen: 25.698 ng/ul

RT: 12.675 min Scan# 1630

Delta R.T. -0.011 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:237 Resp: 226769

Ion Ratio Lower Upper

237 100

235 57.0 50.2 75.4

272 9.5 9.5 14.3#



#41

2,4,6-Trichlorophenol

Concen: 31.287 ng/ul

RT: 12.952 min Scan# 1677

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:196 Resp: 243453


Ion Ratio Lower Upper

196 100

198 94.1 76.8 115.2

200 32.0 24.6 37.0









#42
2,4,5-Trichlorophenol
Concen: 30.956 ng/ul
RT: 13.022 min Scan# 1689
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:196 Resp: 270664
Ion Ratio Lower Upper
196 100
198 94.9 75.3 112.9
200 31.2 24.7 37.1



#43
1,1'-Biphenyl
Concen: 30.647 ng/ul
RT: 13.357 min Scan# 1746
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:154 Resp: 1177170
Ion Ratio Lower Upper
154 100
153 40.3 32.8 49.2
76 15.6 12.9 19.3





#44

2-Chloronaphthalene

Concen: 30.706 ng/ul

RT: 13.399 min Scan# 1753

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:162 Resp: 916643

Ion Ratio Lower Upper

162 100

164 32.2 25.5 38.3

127 43.2 35.7 53.5



#45

2-Nitroaniline

Concen: 32.770 ng/ul

RT: 13.610 min Scan# 1789

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion: 65 Resp: 287612


Ion Ratio Lower Upper

65 100

92 67.0 54.3 81.5

138 94.7 71.2 106.8









#47
Dimethylphthalate
Concen: 30.548 ng/ul
RT: 13.993 min Scan# 1854
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:163 Resp: 1060344
Ion Ratio Lower Upper
163 100
194 3.7 2.7 4.1
164 10.3 8.2 12.2



#48
2,6-Dinitrotoluene
Concen: 32.747 ng/ul
RT: 14.116 min Scan# 1875
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:165 Resp: 203395
Ion Ratio Lower Upper
165 100
89 70.9 55.8 83.8
121 25.0 19.8 29.6





#50

Acenaphthylene

Concen: 31.051 ng/ul

RT: 14.246 min Scan# 1897

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:152 Resp: 1500642

Ion Ratio Lower Upper

152 100

151 19.6 15.4 23.2

153 12.6 10.5 15.7



#51

3-Nitroaniline

Concen: 29.824 ng/ul

RT: 14.440 min Scan# 1930

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:138 Resp: 215589


Ion Ratio Lower Upper

138 100

108 11.5 9.4 14.2

92 128.8 102.7 154.1









#52
Acenaphthene
Concen: 30.210 ng/ul
RT: 14.587 min Scan# 1955
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:153 Resp: 964440
Ion Ratio Lower Upper
153 100
152 49.5 39.2 58.8
154 89.5 74.6 111.8



#53
2,4-Dinitrophenol
Concen: 27.425 ng/ul
RT: 14.646 min Scan# 1965
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:184 Resp: 86445
Ion Ratio Lower Upper
184 100
63 83.4 71.2 106.8
154 67.9 58.8 88.2









#55
4-Nitrophenol
Concen: 29.190 ng/ul
RT: 14.746 min Scan# 1981
Delta R.T. 0.000 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:109 Resp: 171779
Ion Ratio Lower Upper
109 100
139 122.3 94.6 142.0
65 126.1 108.5 162.7



#56
Dibenzofuran
Concen: 30.115 ng/ul
RT: 14.922 min Scan# 2012
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:168 Resp: 1269556
Ion Ratio Lower Upper
168 100
139 39.9 32.8 49.2









#57
2,4-Dinitrotoluene
Concen: 33.518 ng/ul
RT: 14.898 min Scan# 2008
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:165 Resp: 293105
Ion Ratio Lower Upper
165 100
63 53.0 46.7 70.1
182 2.6 1.9 2.9



#58
2,3,4,6-Tetrachlorophenol
Concen: 31.142 ng/ul
RT: 15.146 min Scan# 2050
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:232 Resp: 193245
Ion Ratio Lower Upper
232 100
131 60.2 46.9 70.3
130 3.3 2.6 4.0
166 36.3 29.4 44.2









#59
Diethylphthalate
Concen: 30.053 ng/ul
RT: 15.357 min Scan# 2086
Delta R.T. -0.011 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:149 Resp: 1071555
Ion Ratio Lower Upper
149 100
177 19.9 15.8 23.6
150 12.4 9.6 14.4



#61
Fluorene
Concen: 29.972 ng/ul
RT: 15.575 min Scan# 2123
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:166 Resp: 998734
Ion Ratio Lower Upper
166 100
165 102.8 77.4 116.0
167 13.6 10.9 16.3









#62
4-Chlorophenyl-phenylether
Concen: 30.354 ng/ul
RT: 15.575 min Scan# 2123
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:204 Resp: 452396
Ion Ratio Lower Upper
204 100
206 34.4 27.5 41.3
141 71.0 60.5 90.7



#63
4-Nitroaniline
Concen: 35.485 ng/ul
RT: 15.604 min Scan# 2128
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:138 Resp: 231521
Ion Ratio Lower Upper
138 100
92 57.7 47.4 71.2
108 90.2 70.9 106.3









#66
4,6-Dinitro-2-methylphenol
Concen: 31.224 ng/ul
RT: 15.657 min Scan# 2137
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:198 Resp: 141063
Ion Ratio Lower Upper
198 100
182 4.5 3.9 5.9
77 34.5 29.8 44.8



#67
N-Nitrosodiphenylamine
Concen: 31.841 ng/ul
RT: 15.787 min Scan# 2159
Delta R.T. -0.012 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:169 Resp: 834462
Ion Ratio Lower Upper
169 100
168 65.9 54.5 81.7
167 34.5 29.8 44.6









#68
4-Bromophenyl-phenylether
Concen: 32.347 ng/ul
RT: 16.469 min Scan# 21
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:248 Resp: 257492
Ion Ratio Lower Upper
248 100
250 92.7 85.6 128.4
141 96.4 84.6 126.8



#69
Hexachlorobenzene
Concen: 32.779 ng/ul
RT: 16.569 min Scan# 2292
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:284 Resp: 294104
Ion Ratio Lower Upper
284 100
142 45.7 39.2 58.8
249 31.0 25.7 38.5





#70

Atrazine

Concen: 18.359 ng/ul

RT: 16.745 min Scan# 21

Delta R.T. -0.011 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:200 Resp: 150322

Ion Ratio Lower Upper

200 100

173 28.8 22.0 33.0

215 47.2 36.1 54.1



#71

Pentachlorophenol

Concen: 27.761 ng/ul

RT: 16.916 min Scan# 2351

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:266 Resp: 144652


Ion Ratio Lower Upper

266 100

264 62.4 45.8 68.6

268 61.2 51.6 77.4





#72

Phenanthrene

Concen: 31.176 ng/ul

RT: 17.316 min Scan# 2419

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:178 Resp: 1516672

Ion Ratio Lower Upper

178 100

179 15.4 12.5 18.7

176 19.9 15.7 23.5



#74

Anthracene

Concen: 31.385 ng/ul

RT: 17.404 min Scan# 2434

Delta R.T. -0.011 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:178 Resp: 1532352


Ion Ratio Lower Upper

178 100

179 15.3 11.6 17.4

176 19.0 14.2 21.2





#75

1,2,3,4-Tetrachlorobenzene

Concen: 33.094 ng/uL

RT: 13.316 min Scan# 1739

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:216 Resp: 408419

Ion Ratio Lower Upper

216 100

214 78.3 60.1 90.1

218 50.9 38.5 57.7



#76

Pentachlorobenzene

Concen: 31.603 ng/uL

RT: 14.834 min Scan# 1997

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:250 Resp: 349231


Ion Ratio Lower Upper

250 100

248 66.4 49.8 74.8

252 65.2 50.5 75.7





#77

Carbazole

Concen: 31.521 ng/ul

RT: 17.681 min Scan# 2482

Delta R.T. -0.011 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:167 Resp: 1405675

Ion Ratio Lower Upper

167 100

166 20.8 16.6 25.0

139 13.5 11.4 17.0



#78

Di-n-butylphthalate

Concen: 31.915 ng/ul

RT: 18.263 min Scan# 2580

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:149 Resp: 1711469


Ion Ratio Lower Upper

149 100

150 8.9 7.0 10.4

104 5.6 4.7 7.1





#80

Fluoranthene

Concen: 31.019 ng/ul

RT: 19.334 min Scan# 21

Delta R.T. -0.012 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:202 Resp: 1626947

Ion Ratio Lower Upper

202 100

101 15.3 11.1 16.7

100 12.0 8.9 13.3



#82

Pyrene

Concen: 31.114 ng/ul

RT: 19.698 min Scan# 2824

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:202 Resp: 1726421


Ion Ratio Lower Upper

202 100

101 17.8 14.2 21.4

100 14.5 11.4 17.2





#83

Butylbenzylphthalate

Concen: 32.080 ng/ul

RT: 20.622 min Scan# 2981

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:149 Resp: 725433

Ion Ratio Lower Upper

149 100

91 83.3 70.0 105.0

206 17.4 14.1 21.1



#84

3,3'-Dichlorobenzidine

Concen: 30.577 ng/ul

RT: 21.398 min Scan# 3113

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:252 Resp: 426123


Ion Ratio Lower Upper

252 100

254 70.3 49.8 74.6

126 15.9 12.2 18.4





#85

Benzo(a)anthracene

Concen: 31.034 ng/ul

RT: 21.457 min Scan# 3114

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:228 Resp: 1640301

Ion Ratio Lower Upper

228 100

229 19.9 15.0 22.6

226 27.8 21.0 31.6



#86

Bis(2-ethylhexyl)phthalate

Concen: 31.533 ng/ul

RT: 21.404 min Scan# 3114

Delta R.T. -0.011 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:149 Resp: 1103007


Ion Ratio Lower Upper

149 100

167 25.1 20.6 30.8

279 2.8 2.7 4.1









#87
Chrysene
Concen: 30.553 ng/ul
RT: 21.510 min Scan# 3133
Delta R.T. -0.006 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34




Instrument :
BNA_N
ClientSampleId :
SLCS919


Tgt Ion:228 Resp: 1513395
Ion Ratio Lower Upper
228 100
226 31.8 24.6 37.0
229 20.7 16.2 24.4



#89
Di-n-octyl phthalate
Concen: 30.257 ng/ul
RT: 22.333 min Scan# 3272
Delta R.T. -0.011 min
Lab File: BN029643.D
Acq: 10 Feb 2024 11:34

Tgt Ion:149 Resp: 1864308





#90

Benzo(b)fluoranthene

Concen: 32.038 ng/ul

RT: 23.122 min Scan# 3407

Delta R.T. -0.011 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:252 Resp: 1604089

Ion Ratio Lower Upper

252 100

253 21.3 17.5 26.3

125 13.8 11.1 16.7



#91

Benzo(k)fluoranthene

Concen: 32.197 ng/ul

RT: 23.175 min Scan# 3415

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:252 Resp: 1650002


Ion Ratio Lower Upper

252 100

253 21.8 18.2 27.4

125 13.2 11.2 16.8





#93

Benzo(a)pyrene

Concen: 33.009 ng/ul

RT: 23.745 min Scan# 3512

Delta R.T. -0.006 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34

Instrument :

BNA_N

ClientSampleId :

SLCS919





Tgt Ion:252 Resp: 1584961

Ion Ratio Lower Upper

252 100

253 20.6 18.8 28.2

125 14.1 12.2 18.2



#94

Indeno(1,2,3-cd)pyrene

Concen: 33.343 ng/ul

RT: 26.298 min Scan# 3946

Delta R.T. -0.011 min

Lab File: BN029643.D

Acq: 10 Feb 2024 11:34




Tgt Ion:276 Resp: 1949540


Ion Ratio Lower Upper

276 100

138 29.2 21.7 32.5

277 21.6 17.8 26.8









#95
 Dibenzo(a,h)anthracene
 Concen: 33.997 ng/ul
 RT: 26.321 min Scan# 3951
 Delta R.T. -0.017 min
 Lab File: BN029643.D
 Acq: 10 Feb 2024 11:34

Instrument :
 BNA_N
 ClientSampleId :
 SLCS919

Tgt Ion:278 Resp: 1622816

Ion	Ratio	Lower	Upper
278	100		
139	21.5	17.8	26.6
279	22.6	19.4	29.2



#96
 Benzo(g,h,i)perylene
 Concen: 32.523 ng/ul
 RT: 27.057 min Scan# 4075
 Delta R.T. -0.011 min
 Lab File: BN029643.D
 Acq: 10 Feb 2024 11:34

Tgt Ion:276 Resp: 1590486

Ion	Ratio	Lower	Upper
276	100		
138	31.0	23.9	35.9
277	26.0	18.6	28.0

