

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN021125\
 Data File : BN036429.D
 Acq On : 11 Feb 2025 18:28
 Operator : RC/JU
 Sample : PB166237BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB166237BL

Quant Time: Feb 12 00:14:20 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN021025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 11 01:17:14 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.753	152	2101	0.400	ng	0.00
7) Naphthalene-d8	10.562	136	4365	0.400	ng	0.02
13) Acenaphthene-d10	14.398	164	2717	0.400	ng	0.01
19) Phenanthrene-d10	17.148	188	6255	0.400	ng	0.01
29) Chrysene-d12	21.330	240	5496	0.400	ng	0.00
35) Perylene-d12	23.598	264	5334	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.348	112	1845	0.372	ng	0.00
5) Phenol-d6	6.937	99	1832	0.314	ng	0.00
8) Nitrobenzene-d5	8.918	82	1393	0.323	ng	0.01
11) 2-Methylnaphthalene-d10	12.161	152	2290	0.341	ng	0.02
14) 2,4,6-Tribromophenol	15.907	330	305	0.226	ng	0.02
15) 2-Fluorobiphenyl	13.040	172	3293	0.322	ng	0.02
27) Fluoranthene-d10	19.173	212	6554	0.377	ng	0.00
31) Terphenyl-d14	19.768	244	5047	0.430	ng	0.00
Target Compounds						
3) n-Nitrosodimethylamine	3.600	42	87	0.022	ng	# 11
34) Bis(2-ethylhexyl)phtha...	21.241	149	346	0.031	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN021125\
Data File : BN036429.D
Acq On : 11 Feb 2025 18:28
Operator : RC/JU
Sample : PB166237BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB166237BL


Quant Time: Feb 12 00:14:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN021025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 11 01:17:14 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.753 min Scan# 64
Delta R.T. -0.000 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28


Instrument :
BNA_N
ClientSampleId :
PB166237BL





Tgt Ion:152 Resp: 2101
Ion Ratio Lower Upper
152 100
150 152.9 123.7 185.5
115 65.2 52.5 78.7




#3
n-Nitrosodimethylamine
Concen: 0.022 ng
RT: 3.600 min Scan# 72
Delta R.T. 0.021 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28



Tgt Ion: 42 Resp: 87
Ion Ratio Lower Upper
42 100
74 0.0 71.8 107.6#
44 0.0 7.8 11.6#









#4
2-Fluorophenol
Concen: 0.372 ng
RT: 5.348 min Scan# 314
Delta R.T. -0.000 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28




Instrument :
BNA_N
ClientSampleId :
PB166237BL


Tgt Ion:112 Resp: 1845
Ion Ratio Lower Upper
112 100
64 67.8 53.4 80.0
63 39.1 30.3 45.5



#5
Phenol-d6
Concen: 0.314 ng
RT: 6.937 min Scan# 534
Delta R.T. -0.000 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28

Tgt Ion: 99 Resp: 1832
Ion Ratio Lower Upper
99 100
42 25.2 21.7 32.5
71 37.9 32.6 49.0









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.562 min Scan# 91
Delta R.T. 0.021 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28




Instrument :
BNA_N
ClientSampleId :
PB166237BL


Tgt Ion:	136	Resp:	4365
Ion	Ratio	Lower	Upper
136	100		
137	14.1	10.1	15.1
54	13.9	11.8	17.6
68	10.1	7.2	10.8



#8
Nitrobenzene-d5
Concen: 0.323 ng
RT: 8.918 min Scan# 781
Delta R.T. 0.010 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28

Tgt Ion:	82	Resp:	1393
Ion	Ratio	Lower	Upper
82	100		
128	46.2	31.9	47.9
54	67.8	53.1	79.7









#11
2-Methylnaphthalene-d10
Concen: 0.341 ng
RT: 12.161 min Scan# 1152
Delta R.T. 0.020 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28




Instrument :
BNA_N
ClientSampleId :
PB166237BL


Tgt Ion:152 Resp: 2290
Ion Ratio Lower Upper
152 100
151 19.7 16.6 25.0



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.398 min Scan# 1449
Delta R.T. 0.010 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28

Tgt Ion:164 Resp: 2717
Ion Ratio Lower Upper
164 100
162 102.7 84.1 126.1
160 53.2 41.4 62.0









#14
2,4,6-Tribromophenol
Concen: 0.226 ng
RT: 15.907 min Scan# 1585
Delta R.T. 0.024 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28




Instrument :
BNA_N
ClientSampleId :
PB166237BL


Tgt Ion:330 Resp: 305
Ion Ratio Lower Upper
330 100
332 94.8 76.6 114.8
141 47.5 37.8 56.8



#15
2-Fluorobiphenyl
Concen: 0.322 ng
RT: 13.040 min Scan# 1322
Delta R.T. 0.021 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28

Tgt Ion:172 Resp: 3293
Ion Ratio Lower Upper
172 100
171 39.4 29.6 44.4
170 26.7 19.8 29.6









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.148 min Scan# 1685
Delta R.T. 0.012 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28




Instrument :
BNA_N
ClientSampleId :
PB166237BL


Tgt Ion:188 Resp: 6255
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.3 9.8 14.6



#27
Fluoranthene-d10
Concen: 0.377 ng
RT: 19.173 min Scan# 1937
Delta R.T. 0.004 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28

Tgt Ion:212 Resp: 6554
Ion Ratio Lower Upper
212 100
106 14.3 11.5 17.3
104 8.7 7.1 10.7









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.330 min Scan# 21
Delta R.T. 0.009 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28




Instrument :
BNA_N
ClientSampleId :
PB166237BL


Tgt Ion:240 Resp: 5496
Ion Ratio Lower Upper
240 100
120 14.9 13.3 19.9
236 29.6 23.0 34.6



#31
Terphenyl-d14
Concen: 0.430 ng
RT: 19.768 min Scan# 2065
Delta R.T. -0.000 min
Lab File: BN036429.D
Acq: 11 Feb 2025 18:28

Tgt Ion:244 Resp: 5047
Ion Ratio Lower Upper
244 100
212 11.2 8.1 12.1
122 16.7 12.8 19.2









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.031 ng
 RT: 21.241 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BN036429.D
 Acq: 11 Feb 2025 18:28

Instrument :
 BNA_N
 ClientSampleId :
 PB166237BL

Tgt Ion:149 Resp: 346
 Ion Ratio Lower Upper
 149 100
 167 25.7 21.2 31.8
 279 2.9 2.7 4.1



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.598 min Scan# 2792
 Delta R.T. 0.002 min
 Lab File: BN036429.D
 Acq: 11 Feb 2025 18:28

Tgt Ion:264 Resp: 5334
 Ion Ratio Lower Upper
 264 100
 260 26.2 20.9 31.3
 265 102.1 60.7 91.1#

