

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN021521\
 Data File : BN013622.D
 Acq On : 15 Feb 2021 13:58
 Operator : CG/JU
 Sample : PB134636BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB134636BL

Quant Time: Feb 15 14:31:00 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN020821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 08 15:13:18 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.555	152	5754	0.40	ng	0.00
7) Naphthalene-d8	10.315	136	22091	0.40	ng	# 0.00
13) Acenaphthene-d10	14.181	164	11922	0.40	ng	0.00
19) Phenanthrene-d10	16.933	188	24407	0.40	ng	0.00
29) Chrysene-d12	21.141	240	21644	0.40	ng	# 0.00
36) Perylene-d12	23.305	264	20278	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.180	112	4203	0.34	ng	0.00
5) Phenol-d6	6.734	99	4816	0.31	ng	0.00
8) Nitrobenzene-d5	8.680	82	3649	0.30	ng	-0.01
11) 2-Methylnaphthalene-d10	11.906	152	9903	0.29	ng	0.00
14) 2,4,6-Tribromophenol	15.691	330	745	0.22	ng	0.01
15) 2-Fluorobiphenyl	12.798	172	13634	0.30	ng	0.00
27) Fluoranthene-d10	18.972	212	19161	0.29	ng	0.00
31) Terphenyl-d14	19.583	244	18031	0.37	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN021521\
Data File : BN013622.D
Acq On : 15 Feb 2021 13:58
Operator : CG/JU
Sample : PB134636BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB134636BL

Quant Time: Feb 15 14:31:00 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN020821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 08 15:13:18 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.555 min Scan# 593
Delta R.T. 0.000 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58




Instrument :
BNA_N
ClientSampleId :
PB134636BL


Tgt Ion:152 Resp: 5754
Ion Ratio Lower Upper
152 100
150 152.0 121.8 182.8
115 57.7 46.6 69.8



#4
2-Fluorophenol
Concen: 0.34 ng
RT: 5.180 min Scan# 298
Delta R.T. 0.000 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58

Tgt Ion:112 Resp: 4203
Ion Ratio Lower Upper
112 100
64 57.1 44.3 66.5
63 28.4 23.0 34.6









#5
Phenol-d6
Concen: 0.31 ng
RT: 6.734 min Scan# 491
Delta R.T. 0.000 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58




Instrument :
BNA_N
ClientSampleId :
PB134636BL


Tgt Ion:	99	Resp:	4816
Ion	Ratio	Lower	Upper
99	100		
42	18.5	15.2	22.8
71	31.1	26.1	39.1



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.315 min Scan# 845
Delta R.T. 0.000 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58

Tgt Ion:	136	Resp:	22091
Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.0	13.6
54	5.4	6.4	9.6#
68	4.1	4.5	6.7#









#8
Nitrobenzene-d5
Concen: 0.30 ng
RT: 8.680 min Scan# 716
Delta R.T. -0.013 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58




Instrument :
BNA_N
ClientSampleId :
PB134636BL


Tgt Ion: 82 Resp: 3649
Ion Ratio Lower Upper
82 100
128 35.9 39.2 58.8#
54 62.2 40.1 60.1#



#11
2-Methylnaphthalene-d10
Concen: 0.29 ng
RT: 11.906 min Scan# 1029
Delta R.T. -0.004 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58

Tgt Ion: 152 Resp: 9903
Ion Ratio Lower Upper
152 100
151 20.3 16.2 24.2









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.181 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58




Instrument :
BNA_N
ClientSampleId :
PB134636BL


Tgt Ion:	164	Resp:	11922
Ion	Ratio	Lower	Upper
164	100		
162	100.6	79.6	119.4
160	46.0	36.0	54.0



#14
2,4,6-Tribromophenol
Concen: 0.22 ng
RT: 15.691 min Scan# 1415
Delta R.T. 0.013 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58

Tgt Ion:	330	Resp:	745
Ion	Ratio	Lower	Upper
330	100		
332	0.0	0.0	0.0
141	40.5	26.8	40.2









#15
2-Fluorobiphenyl
Concen: 0.30 ng
RT: 12.798 min Scan# 1187
Delta R.T. 0.000 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58




Instrument :
BNA_N
ClientSampleId :
PB134636BL


Tgt Ion:	172	Resp:	13634
Ion	Ratio	Lower	Upper
172	100		
171	35.0	28.6	42.8
170	23.1	18.9	28.3



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.933 min Scan# 1516
Delta R.T. 0.000 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58

Tgt Ion:	188	Resp:	24407
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	9.8	9.0	13.6









#27
Fluoranthene-d10
Concen: 0.29 ng
RT: 18.972 min Scan# 1799
Delta R.T. 0.000 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58




Instrument :
BNA_N
ClientSampleId :
PB134636BL


Tgt Ion:	212	Resp:	19161
Ion Ratio	Lower	Upper	
212	100		
106	13.1	9.7	14.5
104	7.4	5.5	8.3



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.141 min Scan# 2114
Delta R.T. 0.000 min
Lab File: BN013622.D
Acq: 15 Feb 2021 13:58

Tgt Ion:	240	Resp:	21644
Ion Ratio	Lower	Upper	
240	100		
120	6.8	10.2	15.4#
236	25.5	21.3	31.9









#31
 Terphenyl-d14
 Concen: 0.37 ng
 RT: 19.583 min Scan# 1922
 Delta R.T. -0.005 min
 Lab File: BN013622.D
 Acq: 15 Feb 2021 13:58

Instrument :
 BNA_N
 ClientSampleId :
 PB134636BL

Tgt Ion:244 Resp: 18031
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.1 9.1
 122 12.3 9.8 14.8



#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.305 min Scan# 2496
 Delta R.T. 0.000 min
 Lab File: BN013622.D
 Acq: 15 Feb 2021 13:58

Tgt Ion:264 Resp: 20278
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.3 28.9
 265 35.1 66.2 99.4#

