

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN021521\
 Data File : BN013626.D
 Acq On : 15 Feb 2021 16:21
 Operator : CG/JU
 Sample : M1413-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 GWBR2-SC-93-021121-FD

Quant Time: Feb 15 17:02:34 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN020821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 08 15:13:18 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.555	152	7200	0.40	ng	0.00
7) Naphthalene-d8	10.315	136	28481	0.40	ng	0.00
13) Acenaphthene-d10	14.181	164	16805	0.40	ng	0.00
19) Phenanthrene-d10	16.934	188	34129	0.40	ng	# 0.00
29) Chrysene-d12	21.133	240	34628	0.40	ng	0.00
36) Perylene-d12	23.304	264	33101	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.179	112	2863	0.18	ng	0.00
5) Phenol-d6	6.734	99	2305	0.12	ng	0.00
8) Nitrobenzene-d5	8.680	82	6141	0.39	ng	-0.01
11) 2-Methylnaphthalene-d10	11.906	152	13053	0.29	ng	0.00
14) 2,4,6-Tribromophenol	15.678	330	2676	0.56	ng	0.00
15) 2-Fluorobiphenyl	12.798	172	19099	0.30	ng	0.00
27) Fluoranthene-d10	18.975	212	32802	0.36	ng	0.00
31) Terphenyl-d14	19.585	244	30237	0.39	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.190	88	1350	0.17	ng	# 30
9) Naphthalene	10.353	128	9114	0.13	ng	96
12) 2-Methylnaphthalene	11.982	142	3764	0.08	ng	# 94
17) Acenaphthene	14.245	154	1064	0.02	ng	# 92
18) Fluorene	15.234	166	2463	0.04	ng	# 93
24) Pentachlorophenol	16.593	266	282	0.25	ng	# 76
25) Phenanthrene	16.970	178	13452	0.14	ng	98
26) Anthracene	17.067	178	2228	0.03	ng	# 82
28) Fluoranthene	19.005	202	5631	0.06	ng	# 91
30) Pyrene	19.367	202	5204	0.05	ng	# 93
32) Benzo(a)anthracene	21.122	228	2487	0.03	ng	# 74
33) Chrysene	21.175	228	2399	0.02	ng	# 76
34) Bis(2-ethylhexyl)phtha...	21.069	149	5929	0.22	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN021521\
Data File : BN013626.D
Acq On : 15 Feb 2021 16:21
Operator : CG/JU
Sample : M1413-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD

Quant Time: Feb 15 17:02:34 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN020821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 08 15:13:18 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.555 min Scan# 593
 Delta R.T. 0.000 min
 Lab File: BN013626.D
 Acq: 15 Feb 2021 16:21




Instrument :
 BNA_N
 ClientSampleId :
 GWBR2-SC-93-021121-FD


Tgt Ion:152 Resp: 7200
 Ion Ratio Lower Upper
 152 100
 150 150.7 121.8 182.8
 115 56.9 46.6 69.8



#2
 1,4-Dioxane
 Concen: 0.17 ng
 RT: 3.190 min Scan# 51
 Delta R.T. -0.000 min
 Lab File: BN013626.D
 Acq: 15 Feb 2021 16:21

Tgt Ion: 88 Resp: 1350
 Ion Ratio Lower Upper
 88 100
 58 83.7 64.6 96.8
 43 164.0 26.6 40.0#









#4
2-Fluorophenol
Concen: 0.18 ng
RT: 5.179 min Scan# 298
Delta R.T. -0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:	112	Resp:	2863
Ion	Ratio	Lower	Upper
112	100		
64	55.9	44.3	66.5
63	28.1	23.0	34.6



#5
Phenol-d6
Concen: 0.12 ng
RT: 6.734 min Scan# 491
Delta R.T. -0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21


Tgt Ion:	99	Resp:	2305
Ion	Ratio	Lower	Upper
99	100		
42	0.0	15.2	22.8#
71	42.2	26.1	39.1#








#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.315 min Scan# 845
Delta R.T. -0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD







Tgt Ion:	136	Resp:	28481
Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.0	13.6
54	6.6	6.4	9.6
68	5.7	4.5	6.7



#8
Nitrobenzene-d5
Concen: 0.39 ng
RT: 8.680 min Scan# 716
Delta R.T. -0.013 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Tgt Ion:	82	Resp:	6141
Ion	Ratio	Lower	Upper
82	100		
128	37.7	39.2	58.8#
54	58.6	40.1	60.1









#9
Naphthalene
Concen: 0.13 ng
RT: 10.353 min Scan# 848
Delta R.T. -0.013 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:	128	Resp:	9114
Ion	Ratio	Lower	Upper
128	100		
129	12.4	9.0	13.4
127	15.0	10.4	15.6



#11
2-Methylnaphthalene-d10
Concen: 0.29 ng
RT: 11.906 min Scan# 1029
Delta R.T. -0.004 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Tgt Ion:	152	Resp:	13053
Ion	Ratio	Lower	Upper
152	100		
151	20.4	16.2	24.2









#12
2-Methylnaphthalene
Concen: 0.08 ng
RT: 11.982 min Scan# 1046
Delta R.T. -0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:142 Resp: 3764
Ion Ratio Lower Upper
142 100
141 90.5 70.5 105.7
115 43.5 27.4 41.0#



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.181 min Scan# 1296
Delta R.T. -0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Tgt Ion:164 Resp: 16805
Ion Ratio Lower Upper
164 100
162 101.2 79.6 119.4
160 45.7 36.0 54.0









#14
2,4,6-Tribromophenol
Concen: 0.56 ng
RT: 15.678 min Scan# 1414
Delta R.T. -0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:330 Resp: 2676
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 42.6 26.8 40.2#



#15
2-Fluorobiphenyl
Concen: 0.30 ng
RT: 12.798 min Scan# 1187
Delta R.T. -0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Tgt Ion:172 Resp: 19099
Ion Ratio Lower Upper
172 100
171 34.4 28.6 42.8
170 23.1 18.9 28.3









#17
Acenaphthene
Concen: 0.02 ng
RT: 14.245 min Scan# 1301
Delta R.T. -0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:154 Resp: 1064
Ion Ratio Lower Upper
154 100
153 108.7 88.4 132.6
152 68.5 43.0 64.4#



#18
Fluorene
Concen: 0.04 ng
RT: 15.234 min Scan# 1379
Delta R.T. -0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Tgt Ion:166 Resp: 2463
Ion Ratio Lower Upper
166 100
165 101.1 77.8 116.8
167 23.8 10.6 16.0#









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.934 min Scan# 1516
Delta R.T. 0.001 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:188 Resp: 34129
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.2 9.0 13.6#



#24
Pentachlorophenol
Concen: 0.25 ng
RT: 16.593 min Scan# 1488
Delta R.T. 0.001 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Tgt Ion:266 Resp: 282
Ion Ratio Lower Upper
266 100
264 47.5 51.6 77.4#
268 46.5 54.6 82.0#









#25
Phenanthrene
Concen: 0.14 ng
RT: 16.970 min Scan# 1519
Delta R.T. 0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:178 Resp: 13452
Ion Ratio Lower Upper
178 100
176 18.2 15.0 22.4
179 16.6 12.3 18.5



#26
Anthracene
Concen: 0.03 ng
RT: 17.067 min Scan# 1527
Delta R.T. 0.000 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Tgt Ion:178 Resp: 2228
Ion Ratio Lower Upper
178 100
176 19.7 14.6 21.8
179 0.0 12.2 18.2#









#27
Fluoranthene-d10
Concen: 0.36 ng
RT: 18.975 min Scan# 1798
Delta R.T. 0.003 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:212 Resp: 32802
Ion Ratio Lower Upper
212 100
106 13.5 9.7 14.5
104 7.6 5.5 8.3



#28
Fluoranthene
Concen: 0.06 ng
RT: 19.005 min Scan# 1804
Delta R.T. -0.002 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Tgt Ion:202 Resp: 5631
Ion Ratio Lower Upper
202 100
101 17.2 8.1 12.1#
203 18.6 13.9 20.9









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.133 min Scan# 2112
Delta R.T. -0.008 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:240 Resp: 34628
Ion Ratio Lower Upper
240 100
120 14.9 10.2 15.4
236 26.8 21.3 31.9



#30
Pyrene
Concen: 0.05 ng
RT: 19.367 min Scan# 1877
Delta R.T. -0.002 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Tgt Ion:202 Resp: 5204
Ion Ratio Lower Upper
202 100
200 18.5 16.3 24.5
203 22.4 14.0 21.0#









#31
Terphenyl-d14
Concen: 0.39 ng
RT: 19.585 min Scan# 1921
Delta R.T. -0.002 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:244 Resp: 30237
Ion Ratio Lower Upper
244 100
212 8.3 6.1 9.1
122 12.4 9.8 14.8



#32
Benzo(a)anthracene
Concen: 0.03 ng
RT: 21.122 min Scan# 2111
Delta R.T. 0.003 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Tgt Ion:228 Resp: 2487
Ion Ratio Lower Upper
228 100
226 35.0 20.5 30.7#
229 36.7 16.2 24.4#









#33
Chrysene
Concen: 0.02 ng
RT: 21.175 min Scan# 2116
Delta R.T. 0.003 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21




Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD


Tgt Ion:	228	Resp:	2399
Ion	Ratio	Lower	Upper
228	100		
226	37.5	24.3	36.5#
229	37.2	15.1	22.7#



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.22 ng
RT: 21.069 min Scan# 2106
Delta R.T. -0.008 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21


Tgt Ion:	149	Resp:	5929
Ion	Ratio	Lower	Upper
149	100		
167	25.8	22.1	33.1
279	5.7	3.5	5.3#





#36
Perylene-d12
Concen: 0.40 ng
RT: 23.304 min Scan# 2494
Delta R.T. -0.001 min
Lab File: BN013626.D
Acq: 15 Feb 2021 16:21

Instrument :
BNA_N
ClientSampleId :
GWBR2-SC-93-021121-FD



Tgt Ion:	264	Resp:	33101
Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.3	28.9
265	31.9	66.2	99.4#

