

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN021921\
 Data File : BN013682.D
 Acq On : 19 Feb 2021 14:21
 Operator : CG/JU
 Sample : M1448-02
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 GWBR3-115-138-021721

Quant Time: Feb 19 14:55:47 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN020821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 18 10:50:10 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.547	152	6166	0.40	ng	0.00
7) Naphthalene-d8	10.302	136	24904	0.40	ng	0.00
13) Acenaphthene-d10	14.181	164	14514	0.40	ng	0.00
19) Phenanthrene-d10	16.922	188	31258	0.40	ng	-0.01
29) Chrysene-d12	21.133	240	31985	0.40	ng	0.00
36) Perylene-d12	23.301	264	30084	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.180	112	2666	0.20	ng	0.00
5) Phenol-d6	6.726	99	2158	0.13	ng	0.00
8) Nitrobenzene-d5	8.680	82	4840	0.35	ng	0.00
11) 2-Methylnaphthalene-d10	11.902	152	12743	0.33	ng	0.00
14) 2,4,6-Tribromophenol	15.678	330	1723	0.42	ng	0.00
15) 2-Fluorobiphenyl	12.798	172	18861	0.35	ng	0.00
27) Fluoranthene-d10	18.970	212	33156	0.39	ng	0.00
31) Terphenyl-d14	19.581	244	30281	0.43	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.182	88	17176	2.49	ng	94
9) Naphthalene	10.353	128	44629	0.73	ng	100
12) 2-Methylnaphthalene	11.977	142	2940	0.07	ng	98
25) Phenanthrene	16.970	178	4716	0.06	ng	# 96
28) Fluoranthene	19.000	202	2206	0.02	ng	# 96
34) Bis(2-ethylhexyl)phtha...	21.070	149	5673	0.23	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN021921\
Data File : BN013682.D
Acq On : 19 Feb 2021 14:21
Operator : CG/JU
Sample : M1448-02
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721

Quant Time: Feb 19 14:55:47 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN020821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 18 10:50:10 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.547 min Scan# 592
Delta R.T. 0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21




Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721


Tgt Ion:152 Resp: 6166
Ion Ratio Lower Upper
152 100
150 156.9 121.8 182.8
115 59.7 46.6 69.8



#2
1,4-Dioxane
Concen: 2.49 ng
RT: 3.182 min Scan# 50
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Tgt Ion: 88 Resp: 17176
Ion Ratio Lower Upper
88 100
58 76.6 64.6 96.8
43 38.5 26.6 40.0









#4
2-Fluorophenol
Concen: 0.20 ng
RT: 5.180 min Scan# 298
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21




Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721


Tgt Ion:	112	Resp:	2666
Ion	Ratio	Lower	Upper
112	100		
64	56.6	44.3	66.5
63	28.7	23.0	34.6



#5
Phenol-d6
Concen: 0.13 ng
RT: 6.726 min Scan# 490
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Tgt Ion:	99	Resp:	2158
Ion	Ratio	Lower	Upper
99	100		
42	0.0	15.2	22.8
71	34.0	26.1	39.1









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.302 min Scan# 844
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21




Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721


Tgt Ion:	136	Resp:	24904
Ion	Ratio	Lower	Upper
136	100		
137	11.6	9.0	13.6
54	8.3	6.4	9.6
68	6.3	4.5	6.7



#8
Nitrobenzene-d5
Concen: 0.35 ng
RT: 8.680 min Scan# 716
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Tgt Ion:	82	Resp:	4840
Ion	Ratio	Lower	Upper
82	100		
128	40.8	39.2	58.8
54	52.9	40.1	60.1









#9
Naphthalene
Concen: 0.73 ng
RT: 10.353 min Scan# 848
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21




Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721


Tgt Ion:	128	Resp:	44629
Ion Ratio	Lower	Upper	
128	100		
129	11.1	9.0	13.4
127	13.2	10.4	15.6



#11
2-Methylnaphthalene-d10
Concen: 0.33 ng
RT: 11.902 min Scan# 1028
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Tgt Ion:	152	Resp:	12743
Ion Ratio	Lower	Upper	
152	100		
151	20.6	16.2	24.2









#12
2-Methylnaphthalene
Concen: 0.07 ng
RT: 11.977 min Scan# 1045
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21




Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721


Tgt Ion:	142	Resp:	2940
Ion Ratio	Lower	Upper	
142	100		
141	89.2	70.5	105.7
115	37.5	27.4	41.0



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.181 min Scan# 1296
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Tgt Ion:	164	Resp:	14514
Ion Ratio	Lower	Upper	
164	100		
162	98.6	79.6	119.4
160	42.9	36.0	54.0









#14
2,4,6-Tribromophenol
Concen: 0.42 ng
RT: 15.678 min Scan# 1414
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21




Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721


Tgt Ion:330 Resp: 1723
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 35.9 26.8 40.2



#15
2-Fluorobiphenyl
Concen: 0.35 ng
RT: 12.798 min Scan# 1187
Delta R.T. -0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Tgt Ion:172 Resp: 18861
Ion Ratio Lower Upper
172 100
171 34.5 28.6 42.8
170 21.9 18.9 28.3









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.922 min Scan# 1515
Delta R.T. -0.012 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21




Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721


Tgt Ion:188 Resp: 31258
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.0 9.0 13.6



#25
Phenanthrene
Concen: 0.06 ng
RT: 16.970 min Scan# 1519
Delta R.T. 0.000 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Tgt Ion:178 Resp: 4716
Ion Ratio Lower Upper
178 100
176 19.1 15.0 22.4
179 18.6 12.3 18.5#









#27
Fluoranthene-d10
Concen: 0.39 ng
RT: 18.970 min Scan# 1797
Delta R.T. -0.002 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21




Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721


Tgt Ion:212 Resp: 33156
Ion Ratio Lower Upper
212 100
106 13.3 9.7 14.5
104 7.2 5.5 8.3



#28
Fluoranthene
Concen: 0.02 ng
RT: 19.000 min Scan# 1803
Delta R.T. -0.002 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Tgt Ion:202 Resp: 2206
Ion Ratio Lower Upper
202 100
101 14.1 8.1 12.1#
203 17.4 13.9 20.9









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.133 min Scan# 2112
Delta R.T. 0.003 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21




Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721


Tgt Ion:240	Resp:	31985
Ion Ratio	Lower	Upper
240	100	
120	10.7	10.2 15.4
236	26.5	21.3 31.9



#31
Terphenyl-d14
Concen: 0.43 ng
RT: 19.581 min Scan# 1920
Delta R.T. -0.002 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Tgt Ion:244	Resp:	30281
Ion Ratio	Lower	Upper
244	100	
212	7.8	6.1 9.1
122	11.7	9.8 14.8









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.23 ng
RT: 21.070 min Scan# 2106
Delta R.T. 0.003 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Instrument :
BNA_N
ClientSampleId :
GWBR3-115-138-021721

Tgt Ion:149 Resp: 5673
Ion Ratio Lower Upper
149 100
167 27.3 22.1 33.1
279 5.1 3.5 5.3



#36
Perylene-d12
Concen: 0.40 ng
RT: 23.301 min Scan# 2493
Delta R.T. -0.001 min
Lab File: BN013682.D
Acq: 19 Feb 2021 14:21

Tgt Ion:264 Resp: 30084
Ion Ratio Lower Upper
264 100
260 24.0 19.3 28.9
265 31.0 66.2 99.4#

