

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN022119\
 Data File : BN004468.D
 Acq On : 21 Feb 2019 14:04
 Operator : JU/SJ
 Sample : PB117169BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SBLK69

Quant Time: Feb 21 22:15:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN020719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Feb 21 22:12:25 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.74	152	24822	20.00	ng/ul	0.00
18) Naphthalene-d8	10.53	136	119005	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.38	164	89912	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.13	188	266120	20.00	ng/ul	0.00
78) Chrysene-d12	21.33	240	405311	20.00	ng/ul	0.00
86) Perylene-d12	23.60	264	492625	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	
44) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
47) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul	
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
58) Fluorene-d10	15.37	176	373	0.06	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
71) Anthracene-d10	17.23	188	434	0.03	ng/ul	0.00
79) Pyrene-d10	0.00	212	0	0.00	ng/ul	
90) Benzo(a)pyrene-d12	23.60	264	490405	18.97	ng/ul	0.14

Target Compounds


					Qvalue	
84) Bis(2-ethylhexyl)phthalate	21.24	149	55548	4.812	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN022119\
Data File : BN004468.D
Acq On : 21 Feb 2019 14:04
Operator : JU/SJ
Sample : PB117169BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SBLK69

Quant Time: Feb 21 22:15:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN020719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Feb 21 22:12:25 2019
Response via : Initial Calibration





#84

Bis(2-ethylhexyl)phthalate

Concen: 4.812 ng/ul

RT: 21.24 min Scan# 3103

Delta R.T. -0.00 min

Lab File: BN004468.D


Acq: 21 Feb 2019 14:04

Instrument :

BNA_N

ClientSampleId :

SBLK69




Tgt Ion:149 Resp: 55548

Ion Ratio Lower Upper

149 100

167 27.4 22.7 34.1

279 5.7 4.3 6.5



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E

