




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN022124\
Data File : BN029923.D
Acq On : 22 Feb 2024 12:02
Operator : MA/JU
Sample : P1493-18
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BH3Y3

Manual IntegrationsAPPROVED

Quant Time: Feb 22 12:36:45 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN020724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Feb 21 22:34:54 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 02/23/2024
Supervised By :mohammad ahmed 02/24/2024



TIC: BN029923.D\data.ms

(54) 4-Nitrophenol-d4 (S)

14.716min (+ 0.006) 3.54 ng/ul

response 19199

Ion	Exp%	Act%
143.00	100.00	100.00
113.00	87.40	93.68
41.00	45.90	57.57#
42.00	28.40	36.45#

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN022124\
 Data File : BN029923.D
 Acq On : 22 Feb 2024 12:02
 Operator : MA/JU
 Sample : P1493-18
 Misc :
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BH3Y3

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/23/2024
 Supervised By :mohammad ahmed 02/24/2024

Quant Time: Feb 22 23:10:23 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN020724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Feb 21 22:34:54 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.858	152	180802	20.000	ng/ul	0.00
20) Naphthalene-d8	10.652	136	736293	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.498	164	383707	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.251	188	801793	20.000	ng/ul	0.00
79) Chrysene-d12	21.457	240	692724	20.000	ng/ul	0.00
88) Perylene-d12	23.816	264	768391	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.317	96	20839	3.791	ng/uL	0.00
4) Pyridine-d5	3.734	84	134784	9.194	ng/ul	0.00
7) Phenol-d5	7.022	99	123428	7.298	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.199	67	416306	36.885	ng/ul	0.00
11) 2-Chlorophenol-d4	7.387	132	368099	30.037	ng/ul	0.00
15) 4-Methylphenol-d8	8.569	113	223957	17.757	ng/ul	0.00
21) Nitrobenzene-d5	9.022	128	235189	41.156	ng/ul	0.00
24) 2-Nitrophenol-d4	9.740	143	216401	43.480	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.275	165	352420	35.874	ng/ul	0.00
31) 4-Chloroaniline-d4	10.799	131	515455	30.756	ng/ul	0.00
46) Dimethylphthalate-d6	13.922	166	1171283	41.001	ng/ul	0.00
49) Acenaphthylene-d8	14.193	160	1410177	41.567	ng/ul	0.00
54) 4-Nitrophenol-d4	14.716	143	20768m	3.830	ng/ul	0.00
60) Fluorene-d10	15.498	176	1019423	41.947	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.622	200	120265	30.784	ng/ul	0.00
73) Anthracene-d10	17.351	188	1583621	42.144	ng/ul	0.00
81) Pyrene-d10	19.651	212	1754269	42.199	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.669	264	1606894	41.792	ng/ul	0.00

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN022124\
Data File : BN029923.D
Acq On : 22 Feb 2024 12:02
Operator : MA/JU
Sample : P1493-18
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BH3Y3

Manual IntegrationsAPPROVED

Quant Time: Feb 22 23:10:23 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN020724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Feb 21 22:34:54 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 02/23/2024
Supervised By :mohammad ahmed 02/24/2024

