

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN022221\
 Data File : BN013732.D
 Acq On : 22 Feb 2021 15:52
 Operator : CG/JU
 Sample : M1457-07
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 GWBR1-102-117-021921

Quant Time: Feb 22 16:25:49 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN020821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 18 10:50:10 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.547	152	4556	0.40	ng	0.00
7) Naphthalene-d8	10.302	136	18508	0.40	ng	0.00
13) Acenaphthene-d10	14.181	164	10713	0.40	ng	0.00
19) Phenanthrene-d10	16.933	188	22871	0.40	ng	# 0.00
29) Chrysene-d12	21.143	240	23719	0.40	ng	# 0.01
36) Perylene-d12	23.307	264	23419	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.187	112	1642	0.17	ng	0.00
5) Phenol-d6	6.742	99	1124	0.09	ng	0.02
8) Nitrobenzene-d5	8.680	82	3391	0.33	ng	0.00
11) 2-Methylnaphthalene-d10	11.902	152	8387	0.29	ng	0.00
14) 2,4,6-Tribromophenol	15.678	330	1250	0.41	ng	0.00
15) 2-Fluorobiphenyl	12.798	172	12104	0.30	ng	0.00
27) Fluoranthene-d10	18.975	212	19574	0.32	ng	0.00
31) Terphenyl-d14	19.585	244	18245	0.35	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.182	88	1069	0.21	ng	# 51
9) Naphthalene	10.352	128	1331	0.03	ng	# 83
12) 2-Methylnaphthalene	11.977	142	767	0.02	ng	# 89
25) Phenanthrene	16.970	178	2461	0.04	ng	# 93
34) Bis(2-ethylhexyl)phtha...	21.069	149	4348	0.23	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN022221\
Data File : BN013732.D
Acq On : 22 Feb 2021 15:52
Operator : CG/JU
Sample : M1457-07
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
GWBR1-102-117-021921

Quant Time: Feb 22 16:25:49 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN020821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 18 10:50:10 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.547 min Scan# 592
Delta R.T. -0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52




Instrument :
BNA_N
ClientSampleId :
GWBR1-102-117-021921


Tgt Ion:152 Resp: 4556
Ion Ratio Lower Upper
152 100
150 150.5 121.8 182.8
115 58.2 46.6 69.8



#2
1,4-Dioxane
Concen: 0.21 ng
RT: 3.182 min Scan# 50
Delta R.T. -0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Tgt Ion: 88 Resp: 1069
Ion Ratio Lower Upper
88 100
58 94.2 64.6 96.8
43 107.9 26.6 40.0#









#4
2-Fluorophenol
Concen: 0.17 ng
RT: 5.187 min Scan# 299
Delta R.T. 0.008 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Instrument :
BNA_N
ClientSampleId :
GWBR1-102-117-021921

Tgt Ion:112 Resp: 1642




Ion	Ratio	Lower	Upper
112	100		
64	54.8	44.3	66.5
63	28.3	23.0	34.6




#5
Phenol-d6
Concen: 0.09 ng
RT: 6.742 min Scan# 492
Delta R.T. 0.016 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Tgt Ion: 99 Resp: 1124

Ion	Ratio	Lower	Upper
99	100		
42	0.0	15.2	22.8#
71	35.5	26.1	39.1









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.302 min Scan# 844
Delta R.T. -0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52




Instrument :
BNA_N
ClientSampleId :
GWBR1-102-117-021921


Tgt Ion:	136	Resp:	18508
Ion Ratio	Lower	Upper	
136	100		
137	11.3	9.0	13.6
54	7.4	6.4	9.6
68	5.9	4.5	6.7



#8
Nitrobenzene-d5
Concen: 0.33 ng
RT: 8.680 min Scan# 716
Delta R.T. -0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Tgt Ion:	82	Resp:	3391
Ion Ratio	Lower	Upper	
82	100		
128	41.8	39.2	58.8
54	54.5	40.1	60.1









#9
Naphthalene
Concen: 0.03 ng
RT: 10.352 min Scan# 848
Delta R.T. -0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Instrument :
BNA_N
ClientSampleId :
GWBR1-102-117-021921

Tgt Ion:128 Resp: 1331




Ion	Ratio	Lower	Upper
128	100		
129	18.9	9.0	13.4#
127	19.0	10.4	15.6#




#11
2-Methylnaphthalene-d10
Concen: 0.29 ng
RT: 11.902 min Scan# 1028
Delta R.T. -0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Tgt Ion:152 Resp: 8387

Ion	Ratio	Lower	Upper
152	100		
151	20.3	16.2	24.2









#12
2-Methylnaphthalene
Concen: 0.02 ng
RT: 11.977 min Scan# 1045
Delta R.T. -0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52




Instrument :
BNA_N
ClientSampleId :
GWBR1-102-117-021921


Tgt Ion:	142	Resp:	767
Ion	Ratio	Lower	Upper
142	100		
141	92.4	70.5	105.7
115	49.0	27.4	41.0#



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.181 min Scan# 1296
Delta R.T. -0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Tgt Ion:	164	Resp:	10713
Ion	Ratio	Lower	Upper
164	100		
162	100.6	79.6	119.4
160	44.0	36.0	54.0









#14
2,4,6-Tribromophenol
Concen: 0.41 ng
RT: 15.678 min Scan# 1414
Delta R.T. -0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52




Instrument :
BNA_N
ClientSampleId :
GWBR1-102-117-021921


Tgt Ion:330 Resp: 1250
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 39.4 26.8 40.2



#15
2-Fluorobiphenyl
Concen: 0.30 ng
RT: 12.798 min Scan# 1187
Delta R.T. -0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Tgt Ion:172 Resp: 12104
Ion Ratio Lower Upper
172 100
171 34.5 28.6 42.8
170 22.4 18.9 28.3









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.933 min Scan# 1516
Delta R.T. 0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52




Instrument :
BNA_N
ClientSampleId :
GWBR1-102-117-021921


Tgt Ion:188 Resp: 22871
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.6 9.0 13.6#



#25
Phenanthrene
Concen: 0.04 ng
RT: 16.970 min Scan# 1519
Delta R.T. 0.000 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Tgt Ion:178 Resp: 2461
Ion Ratio Lower Upper
178 100
176 19.8 15.0 22.4
179 20.3 12.3 18.5#









#27
Fluoranthene-d10
Concen: 0.32 ng
RT: 18.975 min Scan# 1798
Delta R.T. 0.002 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Instrument :
BNA_N
ClientSampleId :
GWBR1-102-117-021921

Tgt Ion:212 Resp: 19574




Ion	Ratio	Lower	Upper
212	100		
106	13.4	9.7	14.5
104	7.5	5.5	8.3




#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.143 min Scan# 2113
Delta R.T. 0.013 min
Lab File: BN013732.D
Acq: 22 Feb 2021 15:52

Tgt Ion:240 Resp: 23719

Ion	Ratio	Lower	Upper
240	100		
120	8.4	10.2	15.4#
236	25.4	21.3	31.9









#31
 Terphenyl-d14
 Concen: 0.35 ng
 RT: 19.585 min Scan# 1921
 Delta R.T. 0.002 min
 Lab File: BN013732.D
 Acq: 22 Feb 2021 15:52




Instrument :
 BNA_N
 ClientSampleId :
 GWBR1-102-117-021921


Tgt Ion:244	Resp:	18245
Ion Ratio	Lower	Upper
244	100	
212	7.8	6.1 9.1
122	11.8	9.8 14.8



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.23 ng
 RT: 21.069 min Scan# 2106
 Delta R.T. 0.002 min
 Lab File: BN013732.D
 Acq: 22 Feb 2021 15:52

Tgt Ion:149	Resp:	4348
Ion Ratio	Lower	Upper
149	100	
167	29.1	22.1 33.1
279	6.4	3.5 5.3#





#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.307 min Scan# 2495
 Delta R.T. 0.006 min
 Lab File: BN013732.D
 Acq: 22 Feb 2021 15:52

Instrument :
 BNA_N
 ClientSampleId :
 GWBR1-102-117-021921

Tgt Ion:	264	Resp:	23419
Ion	Ratio	Lower	Upper
264	100		
260	24.7	19.3	28.9
265	45.5	66.2	99.4#

