

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN022324\
 Data File : BN029985.D
 Acq On : 24 Feb 2024 09:29
 Operator : MA/JU
 Sample : P1507-21
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW179D2-20240215

Quant Time: Feb 26 02:15:24 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 16 23:52:05 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.854	152	4554	0.400	ng	-0.01
7) Naphthalene-d8	10.648	136	12159	0.400	ng	#-0.02
13) Acenaphthene-d10	14.500	164	6323	0.400	ng	-0.01
19) Phenanthrene-d10	17.255	188	12751	0.400	ng	0.00
29) Chrysene-d12	21.456	240	9892	0.400	ng	# 0.00
35) Perylene-d12	23.820	264	8080	0.400	ng	#-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.435	112	812	0.074	ng	0.00
5) Phenol-d6	7.031	99	1847	0.146	ng	0.00
8) Nitrobenzene-d5	9.014	82	4420	0.437	ng	-0.02
11) 2-Methylnaphthalene-d10	12.242	152	6239	0.377	ng	-0.02
14) 2,4,6-Tribromophenol	16.002	330	127	0.063	ng	0.00
15) 2-Fluorobiphenyl	13.121	172	9321	0.343	ng	-0.01
27) Fluoranthene-d10	19.285	212	16037	0.519	ng	-0.01
31) Terphenyl-d14	19.893	244	12529	0.510	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.348	88	5373	0.838	ng	# 63
25) Phenanthrene	17.293	178	835	0.022	ng	# 86
30) Pyrene	19.680	202	1022	0.022	ng	96
34) Bis(2-ethylhexyl)phtha...	21.384	149	43550	1.891	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN022324\
Data File : BN029985.D
Acq On : 24 Feb 2024 09:29
Operator : MA/JU
Sample : P1507-21
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW179D2-20240215

Quant Time: Feb 26 02:15:24 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 16 23:52:05 2024
Response via : Initial Calibration

