

Data Path : Z:\SVOASRV\HPCHEM1\BNA\_N\DATA\BN022519\  
 Data File : BN004481.D  
 Acq On : 25 Feb 2019 13:44  
 Operator : JU/SJ  
 Sample : PB117120BL  
 Misc :  
 ALS Vial : 7 Sample Multiplier: 1

Instrument :  
 BNA\_N  
 ClientSampleId :  
 SBLK20

Quant Time: Feb 25 23:02:16 2019  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_N\METHODS\SOM-EPA-BN020719MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Mon Feb 25 22:41:06 2019  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.74  | 152  | 21445    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.53 | 136  | 98332    | 20.00 | ng/ul | 0.00     |
| 36) Acenaphthene-d10      | 14.38 | 164  | 71072    | 20.00 | ng/ul | 0.00     |
| 62) Phenanthrene-d10      | 17.13 | 188  | 201811   | 20.00 | ng/ul | 0.00     |
| 78) Chrysene-d12          | 21.33 | 240  | 297093   | 20.00 | ng/ul | 0.00     |
| 86) Perylene-d12          | 23.60 | 264  | 364034   | 20.00 | ng/ul | 0.00     |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 0.00  | 96   | 0        | 0.00  | ng/uL |          |
| 5) Phenol-d5                   | 0.00  | 99   | 0        | 0.00  | ng/ul |          |
| 7) Bis-(2-Chloroethyl)ether-d  | 0.00  | 67   | 0        | 0.00  | ng/ul |          |
| 9) 2-Chlorophenol-d4           | 0.00  | 132  | 0        | 0.00  | ng/ul |          |
| 13) 4-Methylphenol-d8          | 0.00  | 113  | 0        | 0.00  | ng/ul |          |
| 19) Nitrobenzene-d5            | 0.00  | 128  | 0        | 0.00  | ng/ul |          |
| 22) 2-Nitrophenol-d4           | 0.00  | 143  | 0        | 0.00  | ng/ul |          |
| 26) 2,4-Dichlorophenol-d3      | 0.00  | 165  | 0        | 0.00  | ng/ul |          |
| 29) 4-Chloroaniline-d4         | 0.00  | 131  | 0        | 0.00  | ng/ul |          |
| 44) Dimethylphthalate-d6       | 0.00  | 166  | 0        | 0.00  | ng/ul |          |
| 47) Acenaphthylene-d8          | 0.00  | 160  | 0        | 0.00  | ng/ul |          |
| 52) 4-Nitrophenol-d4           | 0.00  | 143  | 0        | 0.00  | ng/ul |          |
| 58) Fluorene-d10               | 0.00  | 176  | 0        | 0.00  | ng/ul |          |
| 63) 4,6-Dinitro-2-methylphenol | 0.00  | 200  | 0        | 0.00  | ng/ul |          |
| 71) Anthracene-d10             | 17.22 | 188  | 238      | 0.02  | ng/ul | -0.01    |
| 79) Pyrene-d10                 | 0.00  | 212  | 0        | 0.00  | ng/ul |          |
| 90) Benzo(a)pyrene-d12         | 23.60 | 264  | 361871   | 18.94 | ng/ul | 0.14     |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA\_N\DATA\BN022519\  
Data File : BN004481.D  
Acq On : 25 Feb 2019 13:44  
Operator : JU/SJ  
Sample : PB117120BL  
Misc :  
ALS Vial : 7 Sample Multiplier: 1

Instrument :  
BNA\_N  
ClientSampleId :  
SBLK20

Quant Time: Feb 25 23:02:16 2019  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_N\METHODS\SOM-EPA-BN020719MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Mon Feb 25 22:41:06 2019  
Response via : Initial Calibration

