

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN022620\
 Data File : BN009935.D
 Acq On : 26 Feb 2020 19:19
 Operator : CG/JU
 Sample : L1612-06
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Feb 27 07:17:48 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Feb 26 07:56:07 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.38	152	79322	20.00	ng/ul	0.00
18) Naphthalene-d8	10.13	136	346755	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.02	164	222797	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.78	188	488981	20.00	ng/ul	0.00
78) Chrysene-d12	21.00	240	476491	20.00	ng/ul	0.00
86) Perylene-d12	23.10	264	499585	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.03	96	3947	2.05	ng/uL	0.00
5) Phenol-d5	6.59	99	53188	7.88	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.75	67	44847	9.63	ng/ul	0.00
9) 2-Chlorophenol-d4	6.93	132	44650	8.79	ng/ul	0.00
13) 4-Methylphenol-d8	8.11	113	42073	7.84	ng/ul	0.01
19) Nitrobenzene-d5	8.54	128	22597	8.91	ng/ul	0.01
22) 2-Nitrophenol-d4	9.25	143	21442	7.73	ng/ul	0.01
26) 2,4-Dichlorophenol-d3	9.79	165	37364	7.00	ng/ul	0.02
29) 4-Chloroaniline-d4	10.31	131	43809	7.31	ng/ul	0.02
44) Dimethylphthalate-d6	13.46	166	161222	9.69	ng/ul	0.00
47) Acenaphthylene-d8	13.71	160	178739	9.12	ng/ul	0.00
52) 4-Nitrophenol-d4	14.31	143	2189	0.72	ng/ul	0.04
58) Fluorene-d10	15.03	176	142202	9.90	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.20	200	9259	3.05	ng/ul	0.02
71) Anthracene-d10	16.89	188	211459	9.43	ng/ul	0.00
79) Pyrene-d10	19.19	212	258055	10.36	ng/ul	0.00
90) Benzo(a)pyrene-d12	22.97	264	257793	10.33	ng/ul	0.00

Target Compounds				Ovalue	
45) Dimethylphthalate	13.50	163	17811	1.026	ng/ul 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#45

Dimethylphthalate

Concen: 1.026 ng/ul

RT: 13.50 min Scan# 1788

Delta R.T. 0.01 min

Lab File: BN009935.D

Acq: 26 Feb 2020 19:19

Instrument :

BNA_N

ClientSampleId :


Tot Ion:163 Resp: 17811

Ion Ratio Lower Upper

163 100

194 4.7 3.4 5.0

164 8.9 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

