

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN022620\
 Data File : BN009940.D
 Acq On : 26 Feb 2020 22:19
 Operator : CG/JU
 Sample : L1612-11
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Feb 27 07:18:10 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Feb 26 07:56:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.38	152	88136	20.00	ng/ul	0.00
18) Naphthalene-d8	10.13	136	377526	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.02	164	237586	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.78	188	516279	20.00	ng/ul	0.00
78) Chrysene-d12	21.00	240	504316	20.00	ng/ul	0.00
86) Perylene-d12	23.10	264	526510	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.03	96	3968	1.85	ng/uL	0.00
5) Phenol-d5	6.59	99	63441	8.46	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.75	67	56353	10.89	ng/ul	0.00
9) 2-Chlorophenol-d4	6.93	132	55858	9.90	ng/ul	0.00
13) 4-Methylphenol-d8	8.10	113	49809	8.35	ng/ul	0.00
19) Nitrobenzene-d5	8.53	128	26933	9.75	ng/ul	0.00
22) 2-Nitrophenol-d4	9.25	143	27008	8.94	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.79	165	47707	8.21	ng/ul	0.02
29) 4-Chloroaniline-d4	10.30	131	58989	9.04	ng/ul	0.02
44) Dimethylphthalate-d6	13.45	166	193919	10.93	ng/ul	0.00
47) Acenaphthylene-d8	13.71	160	217853	10.42	ng/ul	0.00
52) 4-Nitrophenol-d4	14.30	143	6701	2.07	ng/ul	0.03
58) Fluorene-d10	15.03	176	169684	11.07	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.20	200	12368	3.86	ng/ul	0.01
71) Anthracene-d10	16.88	188	252169	10.66	ng/ul	0.00
79) Pyrene-d10	19.19	212	301022	11.42	ng/ul	0.00
90) Benzo(a)pyrene-d12	22.97	264	292929	11.14	ng/ul	0.00

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN022620\
Data File : BN009940.D
Acq On : 26 Feb 2020 22:19
Operator : CG/JU
Sample : L1612-11
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Feb 27 07:18:10 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Feb 26 07:56:07 2020
Response via : Initial Calibration

