

Data Path : Z:\HPCHEM1\BNA_N\DATA\BN022818\
 Data File : BN000198.D
 Acq On : 28 Feb 2018 09:03
 Operator : JU/SJ
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Quant Time: Feb 28 16:59:48 2018
 Quant Method : Z:\HPCHEM1\BNA_N\METHODS\8270-SIM-BN022718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 27 15:07:57 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.45	152	6352	0.40	ng	0.00
7) Naphthalene-d8	11.29	136	24402	0.40	ng	0.00
13) Acenaphthene-d10	15.06	164	12805	0.40	ng	0.00
19) Phenanthrene-d10	17.78	188	28948	0.40	ng	0.00
27) Chrysene-d12	21.90	240	24352	0.40	ng	0.00
34) Perylene-d12	24.37	264	19006	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.93	112	5832	0.43	ng	0.00
5) Phenol-d6	7.57	99	7107	0.42	ng	0.00
8) Nitrobenzene-d5	9.63	82	5700	0.39	ng	0.00
11) 2-Methylnaphthalene-d10	12.84	152	14853	0.40	ng	0.00
14) 2,4,6-Tribromophenol	16.53	330	1564	0.38	ng	0.00
15) 2-Fluorobiphenyl	13.69	172	23931	0.39	ng	0.00
25) Fluoranthene-d10	19.77	212	27753	0.36	ng	0.00
29) Terphenyl-d14	20.33	244	16944	0.40	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.65	88	2818	0.428	ng	94
3) n-Nitrosodimethylamine	4.03	42	1615	0.374	ng	# 99
6) bis(2-Chloroethyl)ether	7.85	93	8975	0.415	ng	98
9) Naphthalene	11.34	128	28912	0.405	ng	96
10) Hexachlorobutadiene	11.62	225	4972	0.411	ng	98
12) 2-Methylnaphthalene	12.92	142	18789	0.402	ng	98
16) Acenaphthylene	14.78	152	21635	0.358	ng	100
17) Acenaphthene	15.12	154	18276	0.384	ng	97
18) Fluorene	16.09	166	22541	0.380	ng	# 79
20) 4-Bromophenyl-phenylether	16.97	248	6294	0.377	ng	# 85
21) Hexachlorobenzene	17.09	284	8599	0.385	ng	96
22) Pentachlorophenol	17.43	266	1998	0.381	ng	97
23) Phenanthrene	17.82	178	38249	0.375	ng	99
24) Anthracene	17.91	178	27475	0.356	ng	96
26) Fluoranthene	19.80	202	37734	0.357	ng	# 96
28) Pyrene	20.15	202	38333	0.401	ng	100
30) Benzo(a)anthracene	21.87	228	28897	0.377	ng	97
31) Chrysene	21.93	228	34598	0.386	ng	99
32) Bis(2-ethylhexyl)phthalate	21.76	149	10658	0.373	ng	# 97
33) Indeno(1,2,3-cd)pyrene	26.92	276	28509	0.341	ng	# 89
35) Benzo(b)fluoranthene	23.61	252	33071	0.381	ng	95
36) Benzo(k)fluoranthene	23.66	252	32825	0.387	ng	# 89
37) Benzo(a)pyrene	24.26	252	26178	0.370	ng	# 90
38) Dibenzo(a,h)anthracene	26.93	278	22013	0.350	ng	# 92
39) Benzo(g,h,i)perylene	27.70	276	26970	0.363	ng	# 85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_N\DATA\BN022818\
Data File : BN000198.D
Acq On : 28 Feb 2018 09:03
Operator : JU/SJ
Sample : SSTDCCC0.4
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Quant Time: Feb 28 16:59:48 2018
Quant Method : Z:\HPCHEM1\BNA_N\METHODS\8270-SIM-BN022718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 27 15:07:57 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 8.45 min Scan# 634

Delta R.T. -0.01 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:152 Resp: 6352

Ion Ratio Lower Upper

152 100

150 157.9 117.2 175.8




115 66.2 57.0 85.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 0.428 ng

RT: 3.65 min Scan# 73

Delta R.T. -0.01 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion: 88 Resp: 2818

Ion Ratio Lower Upper

88 100

58 66.1 48.0 72.0



43 24.0 20.0 30.0




Abundance Ion 88.00 (87.70 to 88.70): BNC

Ion 58.00 (57.70 to 58.70): BNC

Ion 43.00 (42.70 to 43.70): BNC









#3

n-Nitrosodimethylamine
 Concen: 0.374 ng
 RT: 4.03 min Scan# 117
 Delta R.T. 0.00 min
 Lab File: BN000198.D
 Acq: 28 Feb 2018 09:03

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4




Tgt Ion: 42 Resp: 1615
 Ion Ratio Lower Upper
 42 100
 74 148.4 120.0 180.0
 44 6.2 4.0 6.0#




#4

2-Fluorophenol
 Concen: 0.435 ng
 RT: 5.93 min Scan# 339
 Delta R.T. -0.01 min
 Lab File: BN000198.D
 Acq: 28 Feb 2018 09:03

Tgt Ion: 112 Resp: 5832
 Ion Ratio Lower Upper
 112 100
 64 52.7 60.1 90.1#
 63 27.7 116.8 175.2#





#5

Phenol-d6

Concen: 0.417 ng

RT: 7.57 min Scan# 531

Delta R.T. -0.01 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion: 99 Resp: 7107

Ion Ratio Lower Upper




99 100

42 16.1 20.2 30.2#

71 31.6 28.4 42.6



Abundance Ion 99.00 (98.70 to 99.70): BNC
Ion 42.00 (41.70 to 42.70): BNC
Ion 71.00 (70.70 to 71.70): BNC



#6

bis(2-Chloroethyl)ether

Concen: 0.415 ng

RT: 7.85 min Scan# 564

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion: 93 Resp: 8975

Ion Ratio Lower Upper



93 100

63 68.2 56.0 84.0

95 32.2 25.2 37.8



Abundance Ion 93.00 (92.70 to 93.70): BNC
Ion 63.00 (62.70 to 63.70): BNC
Ion 95.00 (94.70 to 95.70): BNC





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.29 min Scan# 860

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4

Tgt Ion:136 Resp: 24402


Ion Ratio Lower Upper

136 100

137 11.2 9.5 14.3

54 7.7 29.1 43.7#

68 7.4 6.2 9.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.394 ng

RT: 9.63 min Scan# 729

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion: 82 Resp: 5700

Ion Ratio Lower Upper

82 100

128 39.6 150.0 225.0#



54 42.2 154.2 231.4#




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC





#9

Naphthalene

Concen: 0.405 ng

RT: 11.34 min Scan# 864

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:128 Resp: 28912

Ion Ratio Lower Upper

128 100

129 11.3 8.0 12.0

127 13.4 9.6 14.4



#10

Hexachlorobutadiene

Concen: 0.411 ng

RT: 11.62 min Scan# 901

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03




Tgt Ion:225 Resp: 4972


Ion Ratio Lower Upper

225 100

223 63.0 53.0 79.6

227 64.1 51.4 77.2





#11

2-Methylnaphthalene-d10

Concen: 0.404 ng

RT: 12.84 min Scan# 1177

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :


SSTDCCC0.4

Tgt Ion:152 Resp: 14853

Ion Ratio Lower Upper




152 100

151 19.3 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E



#12

2-Methylnaphthalene

Concen: 0.402 ng

RT: 12.92 min Scan# 1194

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:142 Resp: 18789

Ion Ratio Lower Upper

142 100

141 87.2 70.4 105.6



115 37.4 31.7 47.5



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 15.06 min Scan# 1416

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:164 Resp: 12805

Ion Ratio Lower Upper

164 100

162 105.2 83.1 124.7




160 50.7 37.1 55.7



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.385 ng

RT: 16.53 min Scan# 1559

Delta R.T. 0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:330 Resp: 1564

Ion Ratio Lower Upper

330 100

332 96.0 152.7 229.1#



141 42.5 33.7 50.5




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
 2-Fluorobiphenyl
 Concen: 0.394 ng
 RT: 13.69 min Scan# 1281
 Delta R.T. -0.00 min
 Lab File: BN000198.D
 Acq: 28 Feb 2018 09:03




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4


Tgt Ion:172 Resp: 23931
 Ion Ratio Lower Upper
 172 100
 171 34.6 29.9 44.9
 170 23.1 21.8 32.8



#16
 Acenaphthylene
 Concen: 0.358 ng
 RT: 14.78 min Scan# 1389
 Delta R.T. -0.00 min
 Lab File: BN000198.D
 Acq: 28 Feb 2018 09:03

Tgt Ion:152 Resp: 21635
 Ion Ratio Lower Upper
 152 100
 151 19.7 15.7 23.5
 153 13.1 10.5 15.7





#17

Acenaphthene

Concen: 0.384 ng

RT: 15.12 min Scan# 1422

Delta R.T. -0.01 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:154 Resp: 18276

Ion Ratio Lower Upper

154 100

153 113.8 89.2 133.8




152 56.9 42.0 63.0



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#18

Fluorene

Concen: 0.380 ng

RT: 16.09 min Scan# 1517

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:166 Resp: 22541

Ion Ratio Lower Upper

166 100

165 98.3 77.8 116.6



167 13.3 42.4 63.6#




Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.78 min Scan# 1676

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:188 Resp: 28948

Ion Ratio Lower Upper

188 100

94 0.0 3.9 5.9#




80 14.6 3.6 5.4#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#20

4-Bromophenyl-phenylether

Concen: 0.377 ng

RT: 16.97 min Scan# 1600

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:248 Resp: 6294

Ion Ratio Lower Upper

248 100

250 101.6 62.7 94.1#



141 60.4 48.2 72.2




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#21

Hexachlorobenzene

Concen: 0.385 ng

RT: 17.09 min Scan# 1611

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:284 Resp: 8599

Ion Ratio Lower Upper




284 100

142 42.0 32.0 48.0

249 32.7 24.0 36.0



Abundance Ion 283.80 (283.50 to 284.50): E
Ion 142.00 (141.70 to 142.70): E
Ion 249.00 (248.70 to 249.70): E



#22

Pentachlorophenol

Concen: 0.381 ng

RT: 17.43 min Scan# 1643

Delta R.T. 0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:266 Resp: 1998

Ion Ratio Lower Upper



266 100

264 62.8 48.0 72.0

268 66.3 52.0 78.0



Abundance Ion 266.00 (265.70 to 266.70): E
Ion 264.00 (263.70 to 264.70): E
Ion 268.00 (267.70 to 268.70): E





#23

Phenanthrene

Concen: 0.375 ng

RT: 17.82 min Scan# 1680

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:178 Resp: 38249

Ion Ratio Lower Upper

178 100

176 19.5 15.1 22.7



179 15.3 11.8 17.6



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#24

Anthracene

Concen: 0.356 ng

RT: 17.91 min Scan# 1689

Delta R.T. 0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:178 Resp: 27475

Ion Ratio Lower Upper

178 100

176 18.6 12.8 19.2



179 15.1 13.0 19.6




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#25

Fluoranthene-d10

Concen: 0.359 ng

RT: 19.77 min Scan# 2053

Delta R.T. 0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:212 Resp: 27753

Ion Ratio Lower Upper




212 100

106 19.3 2.8 4.2#

104 10.9 1.6 2.4#



Abundance Ion 212.00 (211.70 to 212.70): E
Ion 106.00 (105.70 to 106.70): E
Ion 104.00 (103.70 to 104.70): E



#26

Fluoranthene

Concen: 0.357 ng

RT: 19.80 min Scan# 2058

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:202 Resp: 37734

Ion Ratio Lower Upper



202 100


101 15.6 9.8 14.8#

203 17.0 13.7 20.5



Abundance Ion 202.00 (201.70 to 202.70): E
Ion 101.00 (100.70 to 101.70): E
Ion 203.00 (202.70 to 203.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.90 min Scan# 2278

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:240 Resp: 24352

Ion Ratio Lower Upper

240 100

120 12.3 5.5 8.3#




236 27.1 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#28

Pyrene

Concen: 0.401 ng

RT: 20.15 min Scan# 2114

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:202 Resp: 38333

Ion Ratio Lower Upper

202 100

200 21.0 16.6 25.0



203 17.5 13.8 20.8




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E





#29

Terphenyl-d14

Concen: 0.396 ng

RT: 20.33 min Scan# 2131

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:244 Resp: 16944

Ion Ratio Lower Upper

244 100

212 10.8 25.4 38.0#




122 22.1 8.1 12.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#30

Benzo(a)anthracene

Concen: 0.377 ng

RT: 21.87 min Scan# 2276

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:228 Resp: 28897

Ion Ratio Lower Upper

228 100

226 27.5 24.0 36.0



229 19.4 16.0 24.0




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#31

Chrysene

Concen: 0.386 ng

RT: 21.93 min Scan# 2281

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:228 Resp: 34598

Ion Ratio Lower Upper

228 100

226 30.6 24.0 36.0




229 19.4 16.0 24.0



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.373 ng

RT: 21.76 min Scan# 2265

Delta R.T. -0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:149 Resp: 10658

Ion Ratio Lower Upper

149 100

167 26.6 20.0 30.0



279 2.5 1.6 2.4#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E









#33
 Indeno(1,2,3-cd)pyrene
 Concen: 0.341 ng
 RT: 26.92 min Scan# 3644
 Delta R.T. 0.00 min
 Lab File: BN000198.D
 Acq: 28 Feb 2018 09:03




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Tgt Ion: 276 Resp: 28509
 Ion Ratio Lower Upper
 276 100
 138 38.6 22.5 33.7#
 277 24.9 19.9 29.9



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.37 min Scan# 2900
 Delta R.T. 0.00 min
 Lab File: BN000198.D
 Acq: 28 Feb 2018 09:03

Tgt Ion: 264 Resp: 19006
 Ion Ratio Lower Upper
 264 100
 260 26.0 20.5 30.7
 265 34.0 22.8 34.2









#35
Benzo(b)fluoranthene
Concen: 0.381 ng
RT: 23.61 min Scan# 2679
Delta R.T. 0.00 min
Lab File: BN000198.D
Acq: 28 Feb 2018 09:03




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:252 Resp: 33071
Ion Ratio Lower Upper
252 100
253 23.6 20.0 30.0
125 16.9 16.0 24.0



#36
Benzo(k)fluoranthene
Concen: 0.387 ng
RT: 23.66 min Scan# 2693
Delta R.T. 0.00 min
Lab File: BN000198.D
Acq: 28 Feb 2018 09:03

Tgt Ion:252 Resp: 32825
Ion Ratio Lower Upper
252 100
253 23.4 16.0 24.0
125 17.3 8.0 12.0#





#37

Benzo(a)pyrene

Concen: 0.370 ng

RT: 24.26 min Scan# 2868

Delta R.T. 0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4


Tgt Ion:252 Resp: 26178

Ion Ratio Lower Upper

252 100

253 24.8 16.0 24.0#




125 19.1 12.0 18.0#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#38

Dibenzo(a,h)anthracene

Concen: 0.350 ng

RT: 26.93 min Scan# 3648

Delta R.T. 0.00 min

Lab File: BN000198.D

Acq: 28 Feb 2018 09:03


Tgt Ion:278 Resp: 22013

Ion Ratio Lower Upper

278 100

139 28.3 16.0 24.0#



279 25.0 20.0 30.0



Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E





#39

Benzo(g,h,i)perylene

Concen: 0.363 ng

RT: 27.70 min Scan# 3874

Delta R.T. 0.00 min

Lab File: BN000198.D


Acq: 28 Feb 2018 09:03

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4



Tgt Ion: 276 Resp: 26970

Ion Ratio Lower Upper

276 100

277 24.3 16.0 24.0#

138 35.0 20.0 30.0#

