

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030121\
 Data File : BN013801.D
 Acq On : 01 Mar 2021 21:39
 Operator : CG/JU
 Sample : SP5490
 Misc : 8270 SIM SURROGATE
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SP5490

Quant Time: Mar 01 23:30:33 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN022421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 25 11:31:11 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.732	152	6761	0.40	ng	0.00
7) Naphthalene-d8	10.517	136	25726	0.40	ng	-0.01
13) Acenaphthene-d10	14.371	164	12701	0.40	ng	0.00
19) Phenanthrene-d10	17.116	188	25960	0.40	ng	#-0.01
29) Chrysene-d12	21.300	240	20686	0.40	ng	# 0.00
36) Perylene-d12	23.541	264	19477	0.40	ng	#-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.324	112	5670	0.31	ng	0.00
5) Phenol-d6	6.895	99	7045	0.29	ng	0.00
8) Nitrobenzene-d5	8.870	82	5725	0.35	ng	-0.01
11) 2-Methylnaphthalene-d10	12.111	152	17715	0.43	ng	0.00
14) 2,4,6-Tribromophenol	15.856	330	1157	0.22	ng	-0.01
15) 2-Fluorobiphenyl	12.988	172	17019	0.38	ng	-0.01
27) Fluoranthene-d10	19.146	212	21861	0.29	ng	-0.01
31) Terphenyl-d14	19.751	244	17894	0.39	ng	-0.01
Target Compounds						Qvalue
6) bis(2-Chloroethyl)ether	7.249	93	536	0.03	ng	# 21


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030121\
Data File : BN013801.D
Acq On : 01 Mar 2021 21:39
Operator : CG/JU
Sample : SP5490
Misc : 8270 SIM SURROGATE
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SP5490

Quant Time: Mar 01 23:30:33 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN022421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 25 11:31:11 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.732 min Scan# 615
 Delta R.T. -0.009 min
 Lab File: BN013801.D
 Acq: 01 Mar 2021 21:39

Instrument :
 BNA_N
 ClientSampleId :
 SP5490

Tgt Ion:152 Resp: 6761




Ion	Ratio	Lower	Upper
152	100		
150	156.2	121.8	182.8
115	61.2	46.6	69.8




#4
 2-Fluorophenol
 Concen: 0.31 ng
 RT: 5.324 min Scan# 316
 Delta R.T. -0.000 min
 Lab File: BN013801.D
 Acq: 01 Mar 2021 21:39

Tgt Ion:112 Resp: 5670

Ion	Ratio	Lower	Upper
112	100		
64	62.5	44.3	66.5
63	33.0	23.0	34.6









#5
Phenol-d6
Concen: 0.29 ng
RT: 6.895 min Scan# 511
Delta R.T. -0.008 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39




Instrument :
BNA_N
ClientSampleId :
SP5490


Tgt Ion: 99 Resp: 7045
Ion Ratio Lower Upper
99 100
42 22.9 15.2 22.8#
71 34.2 26.1 39.1



#6
bis(2-Chloroethyl)ether
Concen: 0.03 ng
RT: 7.249 min Scan# 555
Delta R.T. 0.080 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39

Tgt Ion: 93 Resp: 536
Ion Ratio Lower Upper
93 100
63 0.0 60.8 91.2#
95 0.0 26.0 39.0#









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.517 min Scan# 861
Delta R.T. -0.013 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39




Instrument :
BNA_N
ClientSampleId :
SP5490


Tgt Ion:	136	Resp:	25726
Ion Ratio	Lower	Upper	
136	100		
137	11.0	9.0	13.6
54	7.0	6.4	9.6
68	5.3	4.5	6.7



#8
Nitrobenzene-d5
Concen: 0.35 ng
RT: 8.870 min Scan# 731
Delta R.T. -0.013 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39

Tgt Ion:	82	Resp:	5725
Ion Ratio	Lower	Upper	
82	100		
128	30.9	39.2	58.8#
54	64.5	40.1	60.1#









#11
2-Methylnaphthalene-d10
Concen: 0.43 ng
RT: 12.111 min Scan# 1075
Delta R.T. -0.009 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39




Instrument :
BNA_N
ClientSampleId :
SP5490


Tgt Ion:152 Resp: 17715
Ion Ratio Lower Upper
152 100
151 14.8 16.2 24.2#



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.371 min Scan# 1311
Delta R.T. -0.000 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39

Tgt Ion:164 Resp: 12701
Ion Ratio Lower Upper
164 100
162 101.1 79.6 119.4
160 45.8 36.0 54.0









#14
2,4,6-Tribromophenol
Concen: 0.22 ng
RT: 15.856 min Scan# 1428
Delta R.T. -0.013 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39




Instrument :
BNA_N
ClientSampleId :
SP5490


Tgt Ion: 330 Resp: 1157
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 36.6 26.8 40.2



#15
2-Fluorobiphenyl
Concen: 0.38 ng
RT: 12.988 min Scan# 1202
Delta R.T. -0.013 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39

Tgt Ion: 172 Resp: 17019
Ion Ratio Lower Upper
172 100
171 35.3 28.6 42.8
170 23.7 18.9 28.3









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.116 min Scan# 1531
Delta R.T. -0.012 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39




Instrument :
BNA_N
ClientSampleId :
SP5490


Tgt Ion:188 Resp: 25960
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.0 9.0 13.6#



#27
Fluoranthene-d10
Concen: 0.29 ng
RT: 19.146 min Scan# 1834
Delta R.T. -0.010 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39

Tgt Ion:212 Resp: 21861
Ion Ratio Lower Upper
212 100
106 13.1 9.7 14.5
104 7.1 5.5 8.3









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.300 min Scan# 2129
Delta R.T. -0.000 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39




Instrument :
BNA_N
ClientSampleId :
SP5490


Tgt Ion:240 Resp: 20686
Ion Ratio Lower Upper
240 100
120 6.9 10.2 15.4#
236 25.7 21.3 31.9



#31
Terphenyl-d14
Concen: 0.39 ng
RT: 19.751 min Scan# 1956
Delta R.T. -0.010 min
Lab File: BN013801.D
Acq: 01 Mar 2021 21:39

Tgt Ion:244 Resp: 17894
Ion Ratio Lower Upper
244 100
212 7.6 6.1 9.1
122 11.0 9.8 14.8





#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.541 min Scan# 2565
 Delta R.T. -0.010 min
 Lab File: BN013801.D
 Acq: 01 Mar 2021 21:39

Instrument :
 BNA_N
 ClientSampleId :
 SP5490

Tgt Ion:264	Resp:	19477
Ion Ratio	Lower	Upper
264	100	
260	24.9	19.3 28.9
265	37.4	66.2 99.4#

