

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030224\
 Data File : BN030212.D
 Acq On : 03 Mar 2024 10:58
 Operator : MA/JU
 Sample : P1512-01
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 EOS90

Quant Time: Mar 03 22:52:04 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN030224.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 02 16:09:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.829	152	2213	0.400	ng/ul	0.00
4) Naphthalene-d8	10.623	136	5832	0.400	ng/ul	-0.02
9) Acenaphthene-d10	14.475	164	2882	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.231	188	5998	0.400	ng/ul	-0.02
17) Chrysene-d12	21.439	240	6086	0.400	ng/ul	-0.01
23) Perylene-d12	23.789	264	7701	0.400	ng/ul	#-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.302	96	11232	3.666	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.223	152	1987	0.264	ng/ul	-0.02
18) Fluoranthene-d10	19.268	212	4108	0.207	ng/ul	-0.01
Target Compounds						
					Qvalue	
5) Naphthalene	10.672	128	18837	1.095	ng/ul	95
7) 2-Methylnaphthalene	12.294	142	5701	0.611	ng/ul	100
8) 1-Methylnaphthalene	12.514	142	4198	0.425	ng/ul	99
10) Acenaphthylene	14.197	152	8205	0.509	ng/ul	98
11) Acenaphthene	14.540	153	2563	0.217	ng/ul	98
12) Fluorene	15.530	166	4669	0.388	ng/ul	98
15) Phenanthrene	17.273	178	51916	2.582	ng/ul	96
16) Anthracene	17.366	178	12674	0.716	ng/ul	95
19) Fluoranthene	19.296	202	104343	3.860	ng/ul	97
20) Pyrene	19.663	202	87691	2.984	ng/ul	95
21) Benzo(a)anthracene	21.424	228	43217	2.009	ng/ul	97
22) Chrysene	21.477	228	61680	2.387	ng/ul	99
24) Benzo(b)fluoranthene	23.082	252	121965	4.107	ng/ul	85
26) Benzo(a)pyrene	23.687	252	52281	1.729	ng/ul#	77
27) Indeno(1,2,3-cd)pyrene	26.219	276	42722	1.107	ng/ul#	95
28) Dibenzo(a,h)anthracene	26.233	278	9365	0.313	ng/ul#	92
29) Benzo(g,h,i)perylene	26.961	276	37158	1.037	ng/ul	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030224\
Data File : BN030212.D
Acq On : 03 Mar 2024 10:58
Operator : MA/JU
Sample : P1512-01
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
E0S90

Quant Time: Mar 03 22:52:04 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN030224.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Mar 02 16:09:30 2024
Response via : Initial Calibration









#5
Naphthalene
Concen: 1.095 ng/ul
RT: 10.672 min Scan# 1765
Delta R.T. -0.016 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58




Instrument :
BNA_N
ClientSampleId :
E0S90


Tgt Ion:128 Resp: 18837
Ion Ratio Lower Upper
128 100
129 11.5 11.0 16.4
127 13.7 12.3 18.5



#7
2-Methylnaphthalene
Concen: 0.611 ng/ul
RT: 12.294 min Scan# 2060
Delta R.T. -0.016 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58

Tgt Ion:142 Resp: 5701
Ion Ratio Lower Upper
142 100
141 90.6 72.8 109.2





#8

1-Methylnaphthalene

Concen: 0.425 ng/ul

RT: 12.514 min Scan# 2100

Delta R.T. -0.011 min

Lab File: BN030212.D

Acq: 03 Mar 2024 10:58

Instrument :

BNA_N

ClientSampleId :





EOS90

Tgt Ion:142 Resp: 4198

Ion Ratio Lower Upper

142 100

141 93.7 74.2 111.2



#10

Acenaphthylene

Concen: 0.509 ng/ul

RT: 14.197 min Scan# 2433

Delta R.T. -0.009 min

Lab File: BN030212.D

Acq: 03 Mar 2024 10:58




Tgt Ion:152 Resp: 8205


Ion Ratio Lower Upper

152 100

151 20.9 16.9 25.3

153 16.1 11.8 17.6









#11
Acenaphthene
Concen: 0.217 ng/ul
RT: 14.540 min Scan# 21
Delta R.T. -0.009 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58




Instrument :
BNA_N
ClientSampleId :
EOS90


Tgt Ion:153 Resp: 2563
Ion Ratio Lower Upper
153 100
152 52.0 43.2 64.8
154 85.1 67.5 101.3



#12
Fluorene
Concen: 0.388 ng/ul
RT: 15.530 min Scan# 2721
Delta R.T. -0.018 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58

Tgt Ion:166 Resp: 4669
Ion Ratio Lower Upper
166 100
165 100.8 81.8 122.6
167 17.8 13.0 19.4









#15
Phenanthrene
Concen: 2.582 ng/ul
RT: 17.273 min Scan# 3120
Delta R.T. -0.017 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58




Instrument :
BNA_N
ClientSampleId :
E0S90


Tgt Ion:178 Resp: 51916
Ion Ratio Lower Upper
178 100
179 15.2 13.8 20.8
176 19.5 16.6 25.0



#16
Anthracene
Concen: 0.716 ng/ul
RT: 17.366 min Scan# 3142
Delta R.T. -0.021 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58

Tgt Ion:178 Resp: 12674
Ion Ratio Lower Upper
178 100
179 16.7 14.8 22.2
176 19.4 17.8 26.6









#19
Fluoranthene
Concen: 3.860 ng/ul
RT: 19.296 min Scan# 3582
Delta R.T. -0.019 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58




Instrument :
BNA_N
ClientSampleId :
E0S90


Tgt Ion:202 Resp: 104343
Ion Ratio Lower Upper
202 100
101 10.3 8.8 13.2
100 7.9 7.4 11.2



#20
Pyrene
Concen: 2.984 ng/ul
RT: 19.663 min Scan# 3661
Delta R.T. -0.009 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58


Tgt Ion:202 Resp: 87691
Ion Ratio Lower Upper
202 100
101 11.3 10.6 15.8
100 9.3 8.8 13.2








#21
Benzo(a)anthracene
Concen: 2.009 ng/ul
RT: 21.424 min Scan# 4162
Delta R.T. -0.015 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58

Instrument :
BNA_N
ClientSampleId :
E0S90







Tgt Ion:228 Resp: 43217
Ion Ratio Lower Upper
228 100
229 21.1 16.6 24.8
226 31.6 23.7 35.5



#22
Chrysene
Concen: 2.387 ng/ul
RT: 21.477 min Scan# 4175
Delta R.T. -0.012 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58


Tgt Ion:228 Resp: 61680
Ion Ratio Lower Upper
228 100
226 30.7 24.6 37.0
229 21.8 16.6 24.8








#24
Benzo(b)fluoranthene
Concen: 4.107 ng/ul
RT: 23.082 min Scan# 41
Delta R.T. -0.015 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58

Instrument :
BNA_N
ClientSampleId :
E0S90







Tgt Ion:252 Resp: 121965
Ion Ratio Lower Upper
252 100
253 24.3 0.0 69.4
125 12.8 0.0 32.8



#26
Benzo(a)pyrene
Concen: 1.729 ng/ul
RT: 23.687 min Scan# 4931
Delta R.T. -0.023 min
Lab File: BN030212.D
Acq: 03 Mar 2024 10:58

Tgt Ion:252 Resp: 52281
Ion Ratio Lower Upper
252 100
253 24.6 33.0 49.4#
125 13.7 16.9 25.3#









#27
 Indeno(1,2,3-cd)pyrene
 Concen: 1.107 ng/ul
 RT: 26.219 min Scan# 5744
 Delta R.T. -0.030 min
 Lab File: BN030212.D
 Acq: 03 Mar 2024 10:58




Instrument :
 BNA_N
 ClientSampleId :
 EOS90


Tgt Ion:276 Resp: 42722
 Ion Ratio Lower Upper
 276 100
 138 23.6 20.9 31.3
 227 0.3 0.1 0.1#



#28
 Dibenzo(a,h)anthracene
 Concen: 0.313 ng/ul
 RT: 26.233 min Scan# 5748
 Delta R.T. -0.054 min
 Lab File: BN030212.D
 Acq: 03 Mar 2024 10:58


Tgt Ion:278 Resp: 9365
 Ion Ratio Lower Upper
 278 100
 139 29.1 18.9 28.3#
 279 35.8 31.8 47.6





#29
 Benzo(g,h,i)perylene
 Concen: 1.037 ng/ul
 RT: 26.961 min Scan# 5965
 Delta R.T. -0.023 min
 Lab File: BN030212.D
 Acq: 03 Mar 2024 10:58

Instrument :
 BNA_N
 ClientSampleId :
 E0S90



Tgt Ion:	276	Resp:	37158
Ion	Ratio	Lower	Upper
276	100		
138	24.7	22.6	33.8
277	24.5	21.9	32.9

