

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030322\
 Data File : BN018815.D
 Acq On : 03 Mar 2022 07:38
 Operator : CG/JU
 Sample : N1719-01MS
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT-148-IDWSO-20220228MS

Quant Time: Mar 03 08:50:29 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN030322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 03 00:44:34 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.912	152	5304	0.400	ng	0.00
7) Naphthalene-d8	10.712	136	14930	0.400	ng	#-0.01
13) Acenaphthene-d10	14.538	164	9393	0.400	ng	0.00
19) Phenanthrene-d10	17.277	188	21983	0.400	ng	0.00
29) Chrysene-d12	21.458	240	19616	0.400	ng	# 0.00
35) Perylene-d12	23.852	264	17457	0.400	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.464	112	4236	0.365	ng	0.00
5) Phenol-d6	7.060	99	5384	0.387	ng	0.00
8) Nitrobenzene-d5	9.057	82	3336	0.306	ng	-0.01
11) 2-Methylnaphthalene-d10	12.303	152	7356	0.302	ng	0.00
14) 2,4,6-Tribromophenol	16.026	330	1278	0.295	ng	0.00
15) 2-Fluorobiphenyl	13.170	172	11928	0.296	ng	0.00
27) Fluoranthene-d10	19.308	212	20216	0.312	ng	0.00
31) Terphenyl-d14	19.902	244	12488	0.298	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.312	88	1670	0.282	ng	# 69
3) n-Nitrosodimethylamine	3.629	42	2636	0.421	ng	95
6) bis(2-Chloroethyl)ether	7.320	93	6033	0.402	ng	100
9) Naphthalene	10.765	128	19149	0.447	ng	100
10) Hexachlorobutadiene	11.064	225	3412	0.350	ng	# 99
12) 2-Methylnaphthalene	12.374	142	12779	0.429	ng	99
16) Acenaphthylene	14.260	152	16470	0.384	ng	100
17) Acenaphthene	14.602	154	11363	0.374	ng	99
18) Fluorene	15.586	166	15151	0.383	ng	100
20) 4,6-Dinitro-2-methylph...	15.661	198	818	0.311	ng	# 91
21) 4-Bromophenyl-phenylether	16.467	248	5525	0.377	ng	# 82
22) Hexachlorobenzene	16.590	284	6259	0.343	ng	98
23) Atrazine	16.733	200	3565	0.412	ng	97
24) Pentachlorophenol	16.928	266	1799	0.492	ng	99
25) Phenanthrene	17.318	178	30774	0.422	ng	100
26) Anthracene	17.410	178	24555	0.399	ng	100
28) Fluoranthene	19.337	202	36548	0.441	ng	99
30) Pyrene	19.700	202	36135	0.413	ng	100
32) Benzo(a)anthracene	21.440	228	30508	0.414	ng	99
33) Chrysene	21.494	228	30737	0.380	ng	99
34) Bis(2-ethylhexyl)phtha...	21.369	149	24524	0.539	ng	99
36) Indeno(1,2,3-cd)pyrene	26.340	276	28286	0.360	ng	99
37) Benzo(b)fluoranthene	23.124	252	30647	0.377	ng	98
38) Benzo(k)fluoranthene	23.171	252	28807	0.359	ng	97
39) Benzo(a)pyrene	23.747	252	27807	0.445	ng	97
40) Dibenzo(a,h)anthracene	26.357	278	22997	0.383	ng	99
41) Benzo(g,h,i)perylene	27.097	276	25370	0.393	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030322\
 Data File : BN018815.D
 Acq On : 03 Mar 2022 07:38
 Operator : CG/JU
 Sample : N1719-01MS
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT-148-IDWSO-20220228MS


Quant Time: Mar 03 08:50:29 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN030322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 03 00:44:34 2022
 Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.912 min Scan# 669
 Delta R.T. 0.000 min
 Lab File: BN018815.D
 Acq: 03 Mar 2022 07:38


Instrument :
 BNA_N
 ClientSampleId :
 TT-148-IDWSO-20220228MS





Tgt Ion:152 Resp: 5304
 Ion Ratio Lower Upper
 152 100
 150 150.9 123.9 185.9
 115 58.4 48.2 72.4




#2
 1,4-Dioxane
 Concen: 0.282 ng
 RT: 3.312 min Scan# 32
 Delta R.T. -0.007 min
 Lab File: BN018815.D
 Acq: 03 Mar 2022 07:38



Tgt Ion: 88 Resp: 1670
 Ion Ratio Lower Upper
 88 100
 43 83.3 24.6 37.0#
 58 88.0 65.4 98.2









#3
n-Nitrosodimethylamine
Concen: 0.421 ng
RT: 3.629 min Scan# 70
Delta R.T. -0.014 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion: 42 Resp: 2636
Ion Ratio Lower Upper
42 100
74 115.8 96.9 145.3
44 10.2 7.3 10.9



#4
2-Fluorophenol
Concen: 0.365 ng
RT: 5.464 min Scan# 330
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion: 112 Resp: 4236
Ion Ratio Lower Upper
112 100
64 60.0 47.8 71.8
63 30.6 25.7 38.5









#5
Phenol-d6
Concen: 0.387 ng
RT: 7.060 min Scan# 511
Delta R.T. -0.007 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion: 99 Resp: 5384
Ion Ratio Lower Upper
99 100
42 30.2 16.2 24.4#
71 41.4 27.7 41.5



#6
bis(2-Chloroethyl)ether
Concen: 0.402 ng
RT: 7.320 min Scan# 587
Delta R.T. -0.007 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion: 93 Resp: 6033
Ion Ratio Lower Upper
93 100
63 78.5 62.8 94.2
95 32.2 26.2 39.4









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.712 min Scan# 94
Delta R.T. -0.011 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:136 Resp: 14930
Ion Ratio Lower Upper
136 100
137 11.1 9.0 13.4
54 10.2 5.8 8.6#
68 7.8 4.6 7.0#



#8
Nitrobenzene-d5
Concen: 0.306 ng
RT: 9.057 min Scan# 794
Delta R.T. -0.011 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion: 82 Resp: 3336
Ion Ratio Lower Upper
82 100
128 35.3 33.0 49.6
54 56.7 42.5 63.7









#9
Naphthalene
Concen: 0.447 ng
RT: 10.765 min Scan# 91
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:128 Resp: 19149
Ion Ratio Lower Upper
128 100
129 11.2 9.0 13.4
127 13.4 10.7 16.1



#10
Hexachlorobutadiene
Concen: 0.350 ng
RT: 11.064 min Scan# 982
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion:225 Resp: 3412
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.3 51.0 76.6





#11

2-Methylnaphthalene-d10

Concen: 0.302 ng

RT: 12.303 min Scan# 11

Delta R.T. -0.004 min

Lab File: BN018815.D

Acq: 03 Mar 2022 07:38

Instrument :

BNA_N

ClientSampleId :





TT-148-IDWSO-20220228MS

Tgt Ion:152 Resp: 7356

Ion Ratio Lower Upper

152 100

151 20.7 16.5 24.7



#12

2-Methylnaphthalene

Concen: 0.429 ng

RT: 12.374 min Scan# 1252

Delta R.T. -0.004 min

Lab File: BN018815.D

Acq: 03 Mar 2022 07:38




Tgt Ion:142 Resp: 12779


Ion Ratio Lower Upper

142 100

141 88.7 70.0 105.0

115 37.8 29.8 44.8









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.538 min Scan# 1477
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:164 Resp: 9393
Ion Ratio Lower Upper
164 100
162 104.0 85.2 127.8
160 49.2 41.5 62.3



#14
2,4,6-Tribromophenol
Concen: 0.295 ng
RT: 16.026 min Scan# 1617
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion:330 Resp: 1278
Ion Ratio Lower Upper
330 100
332 97.6 76.8 115.2
141 43.7 32.2 48.2









#15
2-Fluorobiphenyl
Concen: 0.296 ng
RT: 13.170 min Scan# 1349
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:	172	Resp:	11928
Ion Ratio	Lower	Upper	
172	100		
171	34.3	28.2	42.2
170	23.0	18.7	28.1



#16
Acenaphthylene
Concen: 0.384 ng
RT: 14.260 min Scan# 1451
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion:	152	Resp:	16470
Ion Ratio	Lower	Upper	
152	100		
151	20.0	15.9	23.9
153	13.2	10.6	15.8









#17
Acenaphthene
Concen: 0.374 ng
RT: 14.602 min Scan# 1483
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:154 Resp: 11363
Ion Ratio Lower Upper
154 100
153 111.3 89.7 134.5
152 54.4 44.7 67.1



#18
Fluorene
Concen: 0.383 ng
RT: 15.586 min Scan# 1575
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion:166 Resp: 15151
Ion Ratio Lower Upper
166 100
165 98.6 79.2 118.8
167 13.8 10.7 16.1









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.277 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:188 Resp: 21983
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 12.4 11.8 17.8



#20
4,6-Dinitro-2-methylphenol
Concen: 0.311 ng
RT: 15.661 min Scan# 1582
Delta R.T. -0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion:198 Resp: 818
Ion Ratio Lower Upper
198 100
182 20.1 13.0 19.4#
77 0.0 0.0 0.0









#21
4-Bromophenyl-phenylether
Concen: 0.377 ng
RT: 16.467 min Scan# 1660
Delta R.T. -0.010 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:248 Resp: 5525
Ion Ratio Lower Upper
248 100
250 92.4 80.7 121.1
141 75.2 39.6 59.4#



#22
Hexachlorobenzene
Concen: 0.343 ng
RT: 16.590 min Scan# 1672
Delta R.T. -0.010 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion:284 Resp: 6259
Ion Ratio Lower Upper
284 100
142 38.1 29.8 44.8
249 31.7 26.2 39.2









#23
 Atrazine
 Concen: 0.412 ng
 RT: 16.733 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BN018815.D
 Acq: 03 Mar 2022 07:38




Instrument :
 BNA_N
 ClientSampleId :
 TT-148-IDWSO-20220228MS


Tgt Ion:200 Resp: 3565
 Ion Ratio Lower Upper
 200 100
 173 26.0 23.9 35.9
 215 46.3 36.6 54.8



#24
 Pentachlorophenol
 Concen: 0.492 ng
 RT: 16.928 min Scan# 1705
 Delta R.T. -0.010 min
 Lab File: BN018815.D
 Acq: 03 Mar 2022 07:38

Tgt Ion:266 Resp: 1799
 Ion Ratio Lower Upper
 266 100
 264 62.5 50.2 75.4
 268 63.5 51.9 77.9









#25
Phenanthrene
Concen: 0.422 ng
RT: 17.318 min Scan# 1743
Delta R.T. -0.010 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:178 Resp: 30774
Ion Ratio Lower Upper
178 100
176 19.0 15.4 23.0
179 15.2 12.2 18.2



#26
Anthracene
Concen: 0.399 ng
RT: 17.410 min Scan# 1752
Delta R.T. 0.000 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion:178 Resp: 24555
Ion Ratio Lower Upper
178 100
176 18.3 14.8 22.2
179 15.0 12.2 18.4









#27
Fluoranthene-d10
Concen: 0.312 ng
RT: 19.308 min Scan# 2119
Delta R.T. -0.004 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:212 Resp: 20216
Ion Ratio Lower Upper
212 100
106 16.1 12.7 19.1
104 9.8 7.1 10.7



#28
Fluoranthene
Concen: 0.441 ng
RT: 19.337 min Scan# 2126
Delta R.T. -0.004 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion:202 Resp: 36548
Ion Ratio Lower Upper
202 100
101 11.8 9.8 14.6
203 16.9 13.7 20.5









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.458 min Scan# 2448
Delta R.T. -0.009 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:240 Resp: 19616
Ion Ratio Lower Upper
240 100
120 14.4 8.5 12.7#
236 28.5 22.4 33.6



#30
Pyrene
Concen: 0.413 ng
RT: 19.700 min Scan# 2212
Delta R.T. -0.004 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion:202 Resp: 36135
Ion Ratio Lower Upper
202 100
200 21.1 16.9 25.3
203 17.8 14.2 21.2









#31
 Terphenyl-d14
 Concen: 0.298 ng
 RT: 19.902 min Scan# 21
 Delta R.T. -0.004 min
 Lab File: BN018815.D
 Acq: 03 Mar 2022 07:38




Instrument :
 BNA_N
 ClientSampleId :
 TT-148-IDWSO-20220228MS


Tgt Ion:244 Resp: 12488
 Ion Ratio Lower Upper
 244 100
 212 10.5 8.2 12.4
 122 0.0 0.0 0.0



#32
 Benzo(a)anthracene
 Concen: 0.414 ng
 RT: 21.440 min Scan# 2445
 Delta R.T. -0.009 min
 Lab File: BN018815.D
 Acq: 03 Mar 2022 07:38

Tgt Ion:228 Resp: 30508
 Ion Ratio Lower Upper
 228 100
 226 28.0 21.9 32.9
 229 19.5 16.0 24.0





#33

Chrysene

Concen: 0.380 ng

RT: 21.494 min Scan# 2452

Delta R.T. -0.009 min

Lab File: BN018815.D

Acq: 03 Mar 2022 07:38

Instrument :

BNA_N

ClientSampleId :

TT-148-IDWSO-20220228MS





Tgt Ion:228 Resp: 30737

Ion Ratio Lower Upper

228 100

226 30.7 24.0 36.0

229 19.8 15.9 23.9



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.539 ng

RT: 21.369 min Scan# 2437

Delta R.T. -0.009 min

Lab File: BN018815.D

Acq: 03 Mar 2022 07:38




Tgt Ion:149 Resp: 24524


Ion Ratio Lower Upper

149 100

167 27.6 21.8 32.8

279 2.7 2.0 3.0









#35
Perylene-d12
Concen: 0.400 ng
RT: 23.852 min Scan# 3051
Delta R.T. -0.012 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38




Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS


Tgt Ion:264 Resp: 17457
Ion Ratio Lower Upper
264 100
260 28.2 22.4 33.6
265 28.6 25.3 37.9



#36
Indeno(1,2,3-cd)pyrene
Concen: 0.360 ng
RT: 26.340 min Scan# 3898
Delta R.T. -0.009 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Tgt Ion:276 Resp: 28286
Ion Ratio Lower Upper
276 100
138 30.2 24.5 36.7
277 25.0 19.8 29.8





#37

Benzo(b)fluoranthene

Concen: 0.377 ng

RT: 23.124 min Scan# 21

Delta R.T. -0.006 min

Lab File: BN018815.D

Acq: 03 Mar 2022 07:38

Instrument :

BNA_N

ClientSampleId :

TT-148-IDWSO-20220228MS





Tgt Ion:252 Resp: 30647

Ion Ratio Lower Upper

252 100

253 24.7 18.9 28.3

125 15.5 12.1 18.1



#38

Benzo(k)fluoranthene

Concen: 0.359 ng

RT: 23.171 min Scan# 2814

Delta R.T. -0.006 min

Lab File: BN018815.D

Acq: 03 Mar 2022 07:38




Tgt Ion:252 Resp: 28807


Ion Ratio Lower Upper

252 100

253 24.2 18.9 28.3


125 15.1 10.3 15.5








#39
Benzo(a)pyrene
Concen: 0.445 ng
RT: 23.747 min Scan# 3011
Delta R.T. -0.009 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38

Instrument :
BNA_N
ClientSampleId :
TT-148-IDWSO-20220228MS







Tgt Ion:252 Resp: 27807
Ion Ratio Lower Upper
252 100
253 24.5 20.1 30.1
125 17.0 15.2 22.8



#40
Dibenzo(a,h)anthracene
Concen: 0.383 ng
RT: 26.357 min Scan# 3904
Delta R.T. -0.009 min
Lab File: BN018815.D
Acq: 03 Mar 2022 07:38


Tgt Ion:278 Resp: 22997
Ion Ratio Lower Upper
278 100
139 21.4 17.2 25.8
279 25.8 19.9 29.9





#41
 Benzo(g,h,i)perylene
 Concen: 0.393 ng
 RT: 27.097 min Scan# 41
 Delta R.T. -0.015 min
 Lab File: BN018815.D
 Acq: 03 Mar 2022 07:38

Instrument :
 BNA_N
 ClientSampleId :
 TT-148-IDWSO-20220228MS



Tgt Ion:	276	Resp:	25370
Ion	Ratio	Lower	Upper
276	100		
277	24.1	19.4	29.0
138	27.2	21.0	31.6

