

Data Path : Z:\HPCHEM1\BNA_N\DATA\BN030518\
 Data File : BN000248.D
 Acq On : 05 Mar 2018 16:52
 Operator : JU/SJ
 Sample : MDL-SIM-S-03
 Misc : 0.07 PPM
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MDL-SIM-S-03

Quant Time: Mar 05 17:28:26 2018
 Quant Method : Z:\HPCHEM1\BNA_N\Methods\SOM-EPA-SIM-BN030218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 05 15:16:04 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.45	152	3491	0.40	ng/ul	0.00
2) Naphthalene-d8	11.29	136	11489	0.40	ng/ul	0.00
6) Acenaphthene-d10	15.06	164	4882	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.78	188	11249	0.40	ng/ul	0.00
16) Chrysene-d12	21.89	240	6535	0.40	ng/ul	0.00
20) Perylene-d12	24.37	264	5270	0.40	ng/ul	-0.01
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.85	152	5756	0.38	ng/ul	0.00
14) Fluoranthene-d10	19.77	212	9983	0.38	ng/ul	0.00
Target Compounds				Qvalue		
3) Naphthalene	11.34	128	2398	0.065	ng/ul#	92
5) 2-Methylnaphthalene	12.92	142	1480	0.063	ng/ul	99
7) Acenaphthylene	14.79	152	1486	0.061	ng/ul	96
8) Acenaphthene	15.12	153	1493	0.064	ng/ul	95
9) Fluorene	16.10	166	1560	0.061	ng/ul	94
11) Pentachlorophenol	17.43	266	91	0.040	ng/ul	88
12) Phenanthrene	17.82	178	2887	0.063	ng/ul#	88
13) Anthracene	17.91	178	1926	0.056	ng/ul#	93
15) Fluoranthene	19.80	202	2771	0.062	ng/ul	62
17) Pyrene	20.16	202	2674	0.070	ng/ul#	55
18) Benzo(a)anthracene	21.88	228	1581	0.062	ng/ul#	83
19) Chrysene	21.93	228	2559	0.073	ng/ul	95
21) Benzo(b)fluoranthene	23.61	252	2069	0.065	ng/ul	78
22) Benzo(k)fluoranthene	23.66	252	1901	0.064	ng/ul#	68
23) Benzo(a)pyrene	24.26	252	1513	0.061	ng/ul#	65
24) Indeno(1,2,3-cd)pyrene	26.91	276	1726	0.062	ng/ul#	79
25) Dibenzo(a,h)anthracene	26.93	278	1103	0.055	ng/ul#	61
26) Benzo(g,h,i)perylene	27.70	276	1792	0.065	ng/ul#	74


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_N\DATA\BN030518\
Data File : BN000248.D
Acq On : 05 Mar 2018 16:52
Operator : JU/SJ
Sample : MDL-SIM-S-03
Misc : 0.07 PPM
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MDL-SIM-S-03

Quant Time: Mar 05 17:28:26 2018
Quant Method : Z:\HPCHEM1\BNA_N\Methods\SOM-EPA-SIM-BN030218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 05 15:16:04 2018
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.065 ng/ul

RT: 11.34 min Scan# 2546

Delta R.T. -0.00 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52

Instrument :

BNA_N

ClientSampleId :

MDL-SIM-S-03


Tgt Ion:128 Resp: 2398

Ion Ratio Lower Upper

128 100

129 13.9 11.3 16.9




127 15.4 4.0 6.0#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#5

2-Methylnaphthalene

Concen: 0.063 ng/ul

RT: 12.92 min Scan# 2833

Delta R.T. -0.00 min

Lab File: BN000248.D


Acq: 05 Mar 2018 16:52

Tgt Ion:142 Resp: 1480

Ion Ratio Lower Upper



142 100


141 89.6 72.6 108.8



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E





#7

Acenaphthylene

Concen: 0.061 ng/ul

RT: 14.79 min Scan# 3199

Delta R.T. -0.00 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52

Instrument :

BNA_N

ClientSampleId :

MDL-SIM-S-03


Tgt Ion:152 Resp: 1486

Ion Ratio Lower Upper

152 100

151 23.6 17.1 25.7




153 17.9 12.8 19.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#8

Acenaphthene

Concen: 0.064 ng/ul

RT: 15.12 min Scan# 3272

Delta R.T. -0.00 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52


Tgt Ion:153 Resp: 1493

Ion Ratio Lower Upper

153 100

152 52.4 36.0 54.0



154 87.6 72.0 108.0




Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E





#9

Fluorene

Concen: 0.061 ng/ul

RT: 16.10 min Scan# 3483

Delta R.T. 0.00 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52

Instrument :

BNA_N

ClientSampleId :

MDL-SIM-S-03


Tgt Ion:166 Resp: 1560

Ion Ratio Lower Upper

166 100

165 98.0 73.4 110.2




167 16.7 14.6 22.0



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#11

Pentachlorophenol

Concen: 0.040 ng/ul

RT: 17.43 min Scan# 3789

Delta R.T. 0.00 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52


Tgt Ion:266 Resp: 91

Ion Ratio Lower Upper

266 100

264 67.0 47.9 71.9



268 73.6 49.8 74.8




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#12

Phenanthrene

Concen: 0.063 ng/ul

RT: 17.82 min Scan# 3883

Delta R.T. 0.00 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52

Instrument :

BNA_N

ClientSampleId :

MDL-SIM-S-03


Tgt Ion:178 Resp: 2887

Ion Ratio Lower Upper

178 100

179 17.3 18.4 27.6#




176 21.9 13.6 20.4#



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#13

Anthracene

Concen: 0.056 ng/ul

RT: 17.91 min Scan# 3904

Delta R.T. -0.00 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52


Tgt Ion:178 Resp: 1926

Ion Ratio Lower Upper

178 100

179 20.3 18.1 27.1



176 22.8 14.7 22.1#




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E





#15

Fluoranthene

Concen: 0.062 ng/ul

RT: 19.80 min Scan# 4386

Delta R.T. -0.00 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52

Instrument :

BNA_N

ClientSampleId :

MDL-SIM-S-03


Tgt Ion:202 Resp: 2771

Ion Ratio Lower Upper

202 100

101 0.0 0.0 30.3




100 0.0 0.0 39.5



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B



#17

Pyrene

Concen: 0.070 ng/ul

RT: 20.16 min Scan# 4481

Delta R.T. -0.00 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52


Tgt Ion:202 Resp: 2674

Ion Ratio Lower Upper

202 100

101 0.0 18.2 27.4#



100 0.0 15.6 23.4#




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B





#18

Benzo(a)anthracene

Concen: 0.062 ng/ul

RT: 21.88 min Scan# 5042

Delta R.T. -0.01 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52

Instrument :

BNA_N

ClientSampleId :

MDL-SIM-S-03





Tgt Ion:228 Resp: 1581

Ion Ratio Lower Upper

228 100

229 21.7 22.8 34.2#

226 32.4 17.0 25.6#



#19

Chrysene

Concen: 0.073 ng/ul

RT: 21.93 min Scan# 5060

Delta R.T. -0.01 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52




Tgt Ion:228 Resp: 2559


Ion Ratio Lower Upper

228 100

226 33.6 23.4 35.0

229 22.0 17.7 26.5





#21

Benzo(b)fluoranthene

Concen: 0.065 ng/ul

RT: 23.61 min Scan# 5634

Delta R.T. -0.02 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52

Instrument :

BNA_N

ClientSampleId :

MDL-SIM-S-03


Tgt Ion:252 Resp: 2069

Ion Ratio Lower Upper

252 100

253 39.2 0.0 64.2




125 34.7 0.0 35.0



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#22

Benzo(k)fluoranthene

Concen: 0.064 ng/ul

RT: 23.66 min Scan# 5651

Delta R.T. -0.02 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52


Tgt Ion:252 Resp: 1901

Ion Ratio Lower Upper

252 100

253 42.1 24.5 36.7#



125 39.8 13.7 20.5#




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#23

Benzo(a)pyrene

Concen: 0.061 ng/uL

RT: 24.26 min Scan# 5856

Delta R.T. -0.01 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52

Instrument :

BNA_N

ClientSampleId :

MDL-SIM-S-03


Tgt Ion: 252 Resp: 1513

Ion Ratio Lower Upper

252 100

253 49.8 28.5 42.7#




125 47.9 18.1 27.1#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#24

Indeno(1,2,3-cd)pyrene

Concen: 0.062 ng/uL

RT: 26.91 min Scan# 6765

Delta R.T. -0.02 min

Lab File: BN000248.D

Acq: 05 Mar 2018 16:52


Tgt Ion: 276 Resp: 1726

Ion Ratio Lower Upper

276 100

138 46.0 28.0 42.0#



227 0.0 8.0 12.0#




Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 227.00 (226.70 to 227.70): E









#25
Dibenzo(a,h)anthracene
Concen: 0.055 ng/ul
RT: 26.93 min Scan# 6771
Delta R.T. -0.02 min
Lab File: BN000248.D
Acq: 05 Mar 2018 16:52

Instrument :
BNA_N
ClientSampleId :
MDL-SIM-S-03

Tgt Ion:278 Resp: 1103
Ion Ratio Lower Upper
278 100
139 47.5 17.4 26.0#
279 48.3 25.9 38.9#



#26
Benzo(g,h,i)perylene
Concen: 0.065 ng/ul
RT: 27.70 min Scan# 7035
Delta R.T. -0.02 min
Lab File: BN000248.D
Acq: 05 Mar 2018 16:52

Tgt Ion:276 Resp: 1792
Ion Ratio Lower Upper
276 100
138 48.3 21.8 32.8#
277 31.4 20.5 30.7#

