

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030624\
 Data File : BN030296.D
 Acq On : 06 Mar 2024 17:10
 Operator : MA/JU
 Sample : P1590-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE120D3-20240222

Quant Time: Mar 06 17:37:12 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN030524.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 05 17:44:16 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.811	152	1871	0.400	ng	0.00
7) Naphthalene-d8	10.605	136	4844	0.400	ng	0.00
13) Acenaphthene-d10	14.458	164	2636	0.400	ng	0.00
19) Phenanthrene-d10	17.218	188	4926	0.400	ng	0.00
29) Chrysene-d12	21.438	240	3487	0.400	ng	0.00
35) Perylene-d12	23.800	264	3886	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.384	112	660	0.134	ng	0.00
5) Phenol-d6	6.988	99	331	0.064	ng	0.00
8) Nitrobenzene-d5	8.982	82	1441	0.326	ng	0.01
11) 2-Methylnaphthalene-d10	12.204	152	2548	0.362	ng	0.00
14) 2,4,6-Tribromophenol	15.965	330	399	0.294	ng	0.00
15) 2-Fluorobiphenyl	13.089	172	4230	0.386	ng	0.00
27) Fluoranthene-d10	19.262	212	4742	0.351	ng	0.00
31) Terphenyl-d14	19.875	244	4132	0.457	ng	0.00
Target Compounds						Qvalue
34) Bis(2-ethylhexyl)phtha...	21.376	149	408	0.042	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030624\
Data File : BN030296.D
Acq On : 06 Mar 2024 17:10
Operator : MA/JU
Sample : P1590-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE120D3-20240222


Quant Time: Mar 06 17:37:12 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN030524.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 05 17:44:16 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.811 min Scan# 655
Delta R.T. 0.000 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10

Instrument :
BNA_N
ClientSampleId :
RE120D3-20240222







Tgt Ion:152 Resp: 1871
Ion Ratio Lower Upper
152 100
150 152.9 119.4 179.0
115 67.6 56.9 85.3



#4
2-Fluorophenol
Concen: 0.134 ng
RT: 5.384 min Scan# 319
Delta R.T. 0.000 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10

Tgt Ion:112 Resp: 660
Ion Ratio Lower Upper
112 100
64 46.1 41.8 62.8
63 33.0 27.1 40.7









#5
Phenol-d6
Concen: 0.064 ng
RT: 6.988 min Scan# 541
Delta R.T. 0.007 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10




Instrument :
BNA_N
ClientSampleId :
RE120D3-20240222


Tgt Ion:	99	Resp:	331
Ion	Ratio	Lower	Upper
99	100		
42	20.2	19.0	28.6
71	53.5	36.0	54.0



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.605 min Scan# 939
Delta R.T. 0.000 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10

Tgt Ion:	136	Resp:	4844
Ion	Ratio	Lower	Upper
136	100		
137	13.0	10.5	15.7
54	8.2	6.4	9.6
68	5.6	5.4	8.2









#8
Nitrobenzene-d5
Concen: 0.326 ng
RT: 8.982 min Scan# 786
Delta R.T. 0.011 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10




Instrument :
BNA_N
ClientSampleId :
RE120D3-20240222


Tgt Ion: 82 Resp: 1441
Ion Ratio Lower Upper
82 100
128 45.9 32.2 48.2
54 55.7 47.3 70.9



#11
2-Methylnaphthalene-d10
Concen: 0.362 ng
RT: 12.204 min Scan# 1207
Delta R.T. 0.000 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10

Tgt Ion: 152 Resp: 2548
Ion Ratio Lower Upper
152 100
151 20.1 16.7 25.1









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.458 min Scan# 1538
Delta R.T. 0.000 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10




Instrument :
BNA_N
ClientSampleId :
RE120D3-20240222


Tgt Ion:	164	Resp:	2636
Ion	Ratio	Lower	Upper
164	100		
162	105.4	83.4	125.2
160	51.8	41.7	62.5



#14
2,4,6-Tribromophenol
Concen: 0.294 ng
RT: 15.965 min Scan# 1673
Delta R.T. 0.000 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10

Tgt Ion:	330	Resp:	399
Ion	Ratio	Lower	Upper
330	100		
332	92.5	72.6	108.8
141	49.6	41.3	61.9









#15
2-Fluorobiphenyl
Concen: 0.386 ng
RT: 13.089 min Scan# 1410
Delta R.T. 0.000 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10




Instrument :
BNA_N
ClientSampleId :
RE120D3-20240222


Tgt Ion:	172	Resp:	4230
Ion Ratio	Lower	Upper	
172	100		
171	35.7	29.0	43.4
170	24.3	20.2	30.2



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.218 min Scan# 1774
Delta R.T. 0.000 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10

Tgt Ion:	188	Resp:	4926
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	9.4	7.8	11.6









#27
Fluoranthene-d10
Concen: 0.351 ng
RT: 19.262 min Scan# 2040
Delta R.T. 0.000 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10




Instrument :
BNA_N
ClientSampleId :
RE120D3-20240222


Tgt Ion:212 Resp: 4742
Ion Ratio Lower Upper
212 100
106 10.0 8.2 12.4
104 5.5 4.7 7.1



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.438 min Scan# 2464
Delta R.T. 0.000 min
Lab File: BN030296.D
Acq: 06 Mar 2024 17:10


Tgt Ion:240 Resp: 3487
Ion Ratio Lower Upper
240 100
120 15.2 12.2 18.2
236 31.3 25.2 37.8








#31
 Terphenyl-d14
 Concen: 0.457 ng
 RT: 19.875 min Scan# 2172
 Delta R.T. -0.005 min
 Lab File: BN030296.D
 Acq: 06 Mar 2024 17:10

Instrument :
 BNA_N
 ClientSampleId :
 RE120D3-20240222



Tgt Ion:244 Resp: 4132




Ion	Ratio	Lower	Upper
244	100		
212	11.2	9.5	14.3
122	13.6	11.8	17.6




#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.042 ng
 RT: 21.376 min Scan# 2457
 Delta R.T. 0.000 min
 Lab File: BN030296.D
 Acq: 06 Mar 2024 17:10

Tgt Ion:149 Resp: 408

Ion	Ratio	Lower	Upper
149	100		
167	23.5	20.6	30.8
279	4.7	4.0	6.0





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.800 min Scan# 3050
 Delta R.T. -0.003 min
 Lab File: BN030296.D
 Acq: 06 Mar 2024 17:10

Instrument :
 BNA_N
 ClientSampleId :
 RE120D3-20240222

Tgt Ion:264	Resp:	3886
Ion Ratio	Lower	Upper
264	100	
260	27.0	21.7 32.5
265	60.7	50.8 76.2

