

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031122\
 Data File : BN018911.D
 Acq On : 10 Mar 2022 20:13
 Operator : CG/JU
 Sample : N1814-03
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DTW-3

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 03/11/2022
 Supervised By : Jagrut Upadhyay 03/11/2022

Quant Time: Mar 11 03:05:20 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN030322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 11 03:02:57 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.905	152	4949	0.400	ng	0.00
7) Naphthalene-d8	10.712	136	14965	0.400	ng	# 0.00
13) Acenaphthene-d10	14.538	164	10223	0.400	ng	0.00
19) Phenanthrene-d10	17.277	188	21034	0.400	ng	0.00
29) Chrysene-d12	21.449	240	20589	0.400	ng	# 0.00
35) Perylene-d12	23.840	264	19044	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.464	112	1784	0.165	ng	0.00
5) Phenol-d6	7.060	99	1430	0.110	ng	0.00
8) Nitrobenzene-d5	9.057	82	3055m	0.280	ng	0.00
11) 2-Methylnaphthalene-d10	12.299	152	7512	0.308	ng	0.00
14) 2,4,6-Tribromophenol	16.015	330	2100	0.446	ng	-0.01
15) 2-Fluorobiphenyl	13.169	172	13126	0.300	ng	0.00
27) Fluoranthene-d10	19.303	212	24264	0.392	ng	0.00
31) Terphenyl-d14	19.893	244	20459	0.465	ng	0.00
Target Compounds						
24) Pentachlorophenol	16.928	266	290	0.263	ng	Qvalue 92
25) Phenanthrene	17.318	178	1642	0.024	ng	# 83
34) Bis(2-ethylhexyl)phtha...	21.360	149	6035	0.126	ng	# 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031122\
Data File : BN018911.D
Acq On : 10 Mar 2022 20:13
Operator : CG/JU
Sample : N1814-03
Misc :
ALS Vial : 8 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
DTW-3

Manual Integrations
APPROVED

Reviewed By : Christian Giraldo 03/11/2022
Supervised By : Jagrut Upadhyay 03/11/2022


Quant Time: Mar 11 03:05:20 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN030322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 11 03:02:57 2022
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.905 min Scan# 669
Delta R.T. -0.007 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13




Instrument :
BNA_N
ClientSampleId :
DTW-3



Tgt Ion:152 Resp: 4949
Ion Ratio Lower Upper
152 100
150 156.2 123.9 185.9
115 62.4 48.2 72.4




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/11/2022
Supervised By :Jagrut Upadhyay 03/11/2022



#4
2-Fluorophenol
Concen: 0.165 ng
RT: 5.464 min Scan# 330
Delta R.T. 0.007 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13

Tgt Ion:112 Resp: 1784
Ion Ratio Lower Upper
112 100
64 58.7 47.8 71.8
63 30.3 25.7 38.5









#5
Phenol-d6
Concen: 0.110 ng
RT: 7.060 min Scan# 511
Delta R.T. -0.000 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13

Instrument :
BNA_N
ClientSampleId :
DTW-3

Tgt Ion: 99 Resp: 1430
Ion Ratio Lower Upper
99 100
42 21.0 16.2 24.4
71 38.7 27.7 41.5




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/11/2022
Supervised By :Jagrut Upadhyay 03/11/2022



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.712 min Scan# 949
Delta R.T. -0.000 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13

Tgt Ion:136 Resp: 14965
Ion Ratio Lower Upper
136 100
137 11.3 9.0 13.4
54 9.7 5.8 8.6#
68 7.6 4.6 7.0#









#8
Nitrobenzene-d5
Concen: 0.280 ng m
RT: 9.057 min Scan# 795
Delta R.T. -0.000 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13

Instrument :
BNA_N
ClientSampleId :
DTW-3

Tgt Ion: 82 Resp: 305
Ion Ratio Lower Upper
82 100
128 35.6 33.0 49.6
54 59.0 42.5 63.7




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/11/2022
Supervised By :Jagrut Upadhyay 03/11/2022



#11
2-Methylnaphthalene-d10
Concen: 0.308 ng
RT: 12.299 min Scan# 1232
Delta R.T. -0.000 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13


Tgt Ion:152 Resp: 7512
Ion Ratio Lower Upper
152 100
151 21.8 16.5 24.7





#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.538 min Scan# 1477
Delta R.T. -0.000 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13




Instrument :
BNA_N
ClientSampleId :
DTW-3




Tgt Ion:164 Resp: 1022
Ion Ratio Lower Upper
164 100
162 101.2 85.2 127.8
160 46.6 41.5 62.3

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/11/2022
Supervised By :Jagrut Upadhyay 03/11/2022




#14
2,4,6-Tribromophenol
Concen: 0.446 ng
RT: 16.015 min Scan# 1616
Delta R.T. -0.010 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13




Tgt Ion:330 Resp: 2100
Ion Ratio Lower Upper
330 100
332 95.9 76.8 115.2
141 48.2 32.2 48.2





#15
2-Fluorobiphenyl
Concen: 0.300 ng
RT: 13.169 min Scan# 1349
Delta R.T. -0.000 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13




Instrument :
BNA_N
ClientSampleId :
DTW-3



Tgt Ion:172 Resp: 13120
Ion Ratio Lower Upper
172 100
171 34.3 28.2 42.2
170 22.3 18.7 28.1




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/11/2022
Supervised By :Jagrut Upadhyay 03/11/2022



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.277 min Scan# 1739
Delta R.T. -0.000 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13

Tgt Ion:188 Resp: 21034
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 12.5 11.8 17.8





#24

Pentachlorophenol

Concen: 0.263 ng

RT: 16.928 min Scan# 1705

Delta R.T. -0.000 min

Lab File: BN018911.D

Acq: 10 Mar 2022 20:13

Instrument :

BNA_N

ClientSampleId :





DTW-3

Tgt Ion:	266	Resp:	290
Ion Ratio	Lower	Upper	
266	100		
264	73.8	50.2	75.4
268	63.8	51.9	77.9

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/11/2022
Supervised By :Jagrut Upadhyay 03/11/2022



#25

Phenanthrene

Concen: 0.024 ng




RT: 17.318 min Scan# 1743


Delta R.T. -0.000 min

Lab File: BN018911.D

Acq: 10 Mar 2022 20:13


Tgt Ion:	178	Resp:	1642
Ion Ratio	Lower	Upper	
178	100		
176	26.5	15.4	23.0#
179	22.8	12.2	18.2#





#27
Fluoranthene-d10
Concen: 0.392 ng
RT: 19.303 min Scan# 2118
Delta R.T. -0.000 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13




Instrument :
BNA_N
ClientSampleId :
DTW-3



Tgt Ion:212 Resp: 24264
Ion Ratio Lower Upper
212 100
106 16.2 12.7 19.1
104 9.5 7.1 10.7




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/11/2022
Supervised By :Jagrut Upadhyay 03/11/2022



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.449 min Scan# 2446
Delta R.T. -0.000 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13

Tgt Ion:240 Resp: 20589
Ion Ratio Lower Upper
240 100
120 15.6 8.5 12.7#
236 29.1 22.4 33.6






#31
Terphenyl-d14
Concen: 0.465 ng
RT: 19.893 min Scan# 21
Delta R.T. -0.004 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13

Instrument :

BNA_N

ClientSampleId :

DTW-3






Tgt Ion:244 Resp: 2045
Ion Ratio Lower Upper
244 100
212 11.0 8.2 12.4
122 0.0 0.0 0.0

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 03/11/2022
Supervised By :Jagrut Upadhyay 03/11/2022



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.126 ng
RT: 21.360 min Scan# 2436
Delta R.T. -0.009 min
Lab File: BN018911.D
Acq: 10 Mar 2022 20:13


Tgt Ion:149 Resp: 6035
Ion Ratio Lower Upper
149 100
167 28.4 21.8 32.8
279 3.7 2.0 3.0





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.840 min Scan# 30
 Delta R.T. -0.003 min
 Lab File: BN018911.D
 Acq: 10 Mar 2022 20:13

Instrument :
 BNA_N
 ClientSampleId :
 DTW-3



Tgt Ion:264 Resp: 19044
 Ion Ratio Lower Upper
 264 100
 260 28.2 22.4 33.6
 265 29.6 25.3 37.9

Manual Integrations
 APPROVED

Reviewed By :Christian Giraldo 03/11/2022
 Supervised By :Jagrut Upadhyay 03/11/2022

