

Data Path : Z:\HPCHEM1\BNA_N\Data\BN031218\
 Data File : BN000329.D
 Acq On : 13 Mar 2018 01:51
 Operator : JU/SJ
 Sample : J1843-19
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DAM86

Quant Time: Mar 13 12:53:50 2018
 Quant Method : Z:\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030918MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 09 23:47:40 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.45	152	389730	20.00	ng/ul	0.00
2) Naphthalene-d8	11.29	136	1789196	20.00	ng/ul	0.00
6) Acenaphthene-d10	15.06	164	955924	20.00	ng/ul	0.00
12) Phenanthrene-d10	17.79	188	1976803	20.00	ng/ul	0.00
17) Chrysene-d12	21.90	240	1775396	20.00	ng/ul	0.01
22) Perylene-d12	24.39	264	1541803	20.00	ng/ul	0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
7) Acenaphthylene-d8	14.76	160	2907104	30.64	ng/ul	0.00
10) Fluorene-d10	16.05	176	1868217	29.08	ng/ul	0.00
14) Anthracene-d10	17.88	188	2760125	29.88	ng/ul	0.00
18) Pyrene-d10	20.13	212	2961248	34.09	ng/ul	0.00
25) Benzo(a)pyrene-d12	24.23	264	2188246	31.08	ng/ul	0.02

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
8) Acenaphthylene	14.79	152	125226	1.313	ng/ul	98
13) Phenanthrene	17.83	178	435125	3.838	ng/ul	100
16) Fluoranthene	19.80	202	871628	7.116	ng/ul	94
19) Pyrene	20.16	202	748754	6.680	ng/ul#	90
20) Benzo(a)anthracene	21.88	228	384097	3.480	ng/ul	95
21) Chrysene	21.94	228	404706	3.864	ng/ul	98
23) Benzo(b)fluoranthene	23.63	252	662685	7.208	ng/ul#	92
24) Benzo(k)fluoranthene	23.63	252	662685	7.700	ng/ul#	92
26) Benzo(a)pyrene	24.27	252	305454	3.491	ng/ul#	87
27) Indeno(1,2,3-cd)pyrene	26.94	276	227197	2.408	ng/ul#	84
29) Benzo(g,h,i)perylene	27.74	276	222736	2.827	ng/ul#	83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_N\Data\BN031218\
Data File : BN000329.D
Acq On : 13 Mar 2018 01:51
Operator : JU/SJ
Sample : J1843-19
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampled :
DAM86

Quant Time: Mar 13 12:53:50 2018
Quant Method : Z:\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 09 23:47:40 2018
Response via : Initial Calibration

