

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031323\
 Data File : BN024267.D
 Acq On : 14 Mar 2023 06:23
 Operator : CG/JU
 Sample : 01849-08
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 CB-10-37.0-030823

Quant Time: Mar 14 06:53:52 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 14 03:11:52 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.047	152	8326	0.400	ng	0.00
7) Naphthalene-d8	10.866	136	24520	0.400	ng	0.00
13) Acenaphthene-d10	14.675	164	12794	0.400	ng	0.00
19) Phenanthrene-d10	17.425	188	26606	0.400	ng	0.00
29) Chrysene-d12	21.610	240	22660	0.400	ng	# 0.00
35) Perylene-d12	24.126	264	20137	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.584	112	5331	0.289	ng	0.00
5) Phenol-d6	7.195	99	6960	0.294	ng	0.00
8) Nitrobenzene-d5	9.211	82	3965	0.242	ng	0.00
11) 2-Methylnaphthalene-d10	12.444	152	7425	0.246	ng	0.00
14) 2,4,6-Tribromophenol	16.159	330	1336	0.204	ng	0.00
15) 2-Fluorobiphenyl	13.307	172	11272	0.233	ng	0.00
27) Fluoranthene-d10	19.450	212	14276	0.253	ng	0.00
31) Terphenyl-d14	20.043	244	8886	0.233	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.432	88	1509	0.167	ng	# 56
34) Bis(2-ethylhexyl)phtha...	21.511	149	2976	0.084	ng	# 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031323\
Data File : BN024267.D
Acq On : 14 Mar 2023 06:23
Operator : CG/JU
Sample : 01849-08
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
CB-10-37.0-030823


Quant Time: Mar 14 06:53:52 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 14 03:11:52 2023
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.047 min Scan# 60
 Delta R.T. 0.000 min
 Lab File: BN024267.D
 Acq: 14 Mar 2023 06:23

Instrument :
 BNA_N
 ClientSampleId :
 CB-10-37.0-030823






Tgt Ion:152 Resp: 8326
 Ion Ratio Lower Upper
 152 100
 150 153.9 124.7 187.1
 115 59.3 49.1 73.7



#2
 1,4-Dioxane
 Concen: 0.167 ng
 RT: 3.432 min Scan# 21
 Delta R.T. -0.007 min
 Lab File: BN024267.D
 Acq: 14 Mar 2023 06:23

Tgt Ion: 88 Resp: 1509
 Ion Ratio Lower Upper
 88 100
 43 103.6 29.0 43.4#
 58 96.0 67.3 100.9









#4
2-Fluorophenol
Concen: 0.289 ng
RT: 5.584 min Scan# 319
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23




Instrument :
BNA_N
ClientSampleId :
CB-10-37.0-030823

Tgt Ion:	112	Resp:	5331
Ion	Ratio	Lower	Upper
112	100		
64	62.8	49.0	73.6
63	33.0	25.7	38.5



#5
Phenol-d6
Concen: 0.294 ng
RT: 7.195 min Scan# 542
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23

Tgt Ion:	99	Resp:	6960
Ion	Ratio	Lower	Upper
99	100		
42	25.2	20.1	30.1
71	32.7	25.8	38.8









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.866 min Scan# 936
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23




Instrument :
BNA_N
ClientSampleId :
CB-10-37.0-030823


Tgt Ion:	136	Resp:	24520
Ion Ratio	Lower	Upper	
136	100		
137	11.3	8.9	13.3
54	8.2	7.1	10.7
68	6.2	5.3	7.9



#8
Nitrobenzene-d5
Concen: 0.242 ng
RT: 9.211 min Scan# 781
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23

Tgt Ion:	82	Resp:	3965
Ion Ratio	Lower	Upper	
82	100		
128	44.0	32.4	48.6
54	57.8	45.2	67.8









#11
2-Methylnaphthalene-d10
Concen: 0.246 ng
RT: 12.444 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23




Instrument :
BNA_N
ClientSampleId :
CB-10-37.0-030823

Tgt Ion:152 Resp: 7425
Ion Ratio Lower Upper
152 100
151 21.3 16.8 25.2



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.675 min Scan# 1549
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23

Tgt Ion:164 Resp: 12794
Ion Ratio Lower Upper
164 100
162 104.2 84.7 127.1
160 53.4 44.6 66.8









#14
2,4,6-Tribromophenol
Concen: 0.204 ng
RT: 16.159 min Scan# 1682
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23




Instrument :
BNA_N
ClientSampleId :
CB-10-37.0-030823

Tgt Ion: 330 Resp: 1336
Ion Ratio Lower Upper
330 100
332 96.9 78.0 117.0
141 38.3 30.8 46.2



#15
2-Fluorobiphenyl
Concen: 0.233 ng
RT: 13.307 min Scan# 1421
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23

Tgt Ion: 172 Resp: 11272
Ion Ratio Lower Upper
172 100
171 34.3 27.8 41.8
170 23.4 19.0 28.6









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.425 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23




Instrument :
BNA_N
ClientSampleId :
CB-10-37.0-030823


Tgt Ion:188 Resp: 26606
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.0 8.9 13.3



#27
Fluoranthene-d10
Concen: 0.253 ng
RT: 19.450 min Scan# 2173
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23

Tgt Ion:212 Resp: 14276
Ion Ratio Lower Upper
212 100
106 19.9 15.4 23.2
104 11.7 8.6 13.0









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.610 min Scan# 2485
Delta R.T. -0.009 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23




Instrument :
BNA_N
ClientSampleId :
CB-10-37.0-030823


Tgt Ion:240 Resp: 22660
Ion Ratio Lower Upper
240 100
120 21.0 12.8 19.2#
236 29.1 22.5 33.7



#31
Terphenyl-d14
Concen: 0.233 ng
RT: 20.043 min Scan# 2309
Delta R.T. 0.000 min
Lab File: BN024267.D
Acq: 14 Mar 2023 06:23

Tgt Ion:244 Resp: 8886
Ion Ratio Lower Upper
244 100
212 8.9 7.6 11.4
122 14.8 15.1 22.7#









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.084 ng
 RT: 21.511 min Scan# 2473
 Delta R.T. -0.009 min
 Lab File: BN024267.D
 Acq: 14 Mar 2023 06:23

Instrument :
 BNA_N
 ClientSampleId :
 CB-10-37.0-030823

Tgt Ion:149 Resp: 2976
 Ion Ratio Lower Upper
 149 100
 167 24.7 21.2 31.8
 279 4.1 1.8 2.8#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.126 min Scan# 3161
 Delta R.T. 0.009 min
 Lab File: BN024267.D
 Acq: 14 Mar 2023 06:23

Tgt Ion:264 Resp: 20137
 Ion Ratio Lower Upper
 264 100
 260 27.0 21.4 32.2
 265 48.4 35.7 53.5

