

Data Path : Z:\svoasrv\HPCHEM1\BNA\_N\Data\BN031425\  
 Data File : BN036636.D  
 Acq On : 15 Mar 2025 10:23  
 Operator : RC/JU  
 Sample : Q1559-07  
 Misc :  
 ALS Vial : 30 Sample Multiplier: 1

Instrument :  
 BNA\_N  
 ClientSampleId :  
 RE125D3-20250310

Quant Time: Mar 17 00:35:00 2025  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\8270-SIM-BN031025.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Mon Mar 10 16:06:28 2025  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc  | Units | Dev(Min) |
|-------------------------------|--------|------|----------|-------|-------|----------|
| -----                         |        |      |          |       |       |          |
| Internal Standards            |        |      |          |       |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.717  | 152  | 2449     | 0.400 | ng    | 0.00     |
| 7) Naphthalene-d8             | 10.509 | 136  | 5685     | 0.400 | ng    | 0.00     |
| 13) Acenaphthene-d10          | 14.356 | 164  | 3421     | 0.400 | ng    | -0.01    |
| 19) Phenanthrene-d10          | 17.099 | 188  | 6919     | 0.400 | ng    | #-0.01   |
| 29) Chrysene-d12              | 21.295 | 240  | 4660     | 0.400 | ng    | 0.00     |
| 35) Perylene-d12              | 23.546 | 264  | 3624     | 0.400 | ng    | 0.00     |
|                               |        |      |          |       |       |          |
| System Monitoring Compounds   |        |      |          |       |       |          |
| 4) 2-Fluorophenol             | 5.312  | 112  | 938      | 0.164 | ng    | 0.00     |
| 5) Phenol-d6                  | 6.901  | 99   | 562      | 0.080 | ng    | 0.00     |
| 8) Nitrobenzene-d5            | 8.875  | 82   | 1997     | 0.323 | ng    | 0.00     |
| 11) 2-Methylnaphthalene-d10   | 12.101 | 152  | 2939     | 0.348 | ng    | 0.00     |
| 14) 2,4,6-Tribromophenol      | 15.858 | 330  | 611      | 0.394 | ng    | 0.00     |
| 15) 2-Fluorobiphenyl          | 12.983 | 172  | 7085     | 0.356 | ng    | 0.00     |
| 27) Fluoranthene-d10          | 19.137 | 212  | 7540     | 0.425 | ng    | 0.00     |
| 31) Terphenyl-d14             | 19.736 | 244  | 5146     | 0.461 | ng    | 0.00     |
|                               |        |      |          |       |       |          |
| Target Compounds              |        |      |          |       |       | Qvalue   |
| 2) 1,4-Dioxane                | 3.232  | 88   | 7445     | 2.740 | ng    | 96       |
| 34) Bis(2-ethylhexyl)phtha... | 21.205 | 149  | 645      | 0.056 | ng    | # 97     |
| -----                         |        |      |          |       |       |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_N\Data\BN031425\  
Data File : BN036636.D  
Acq On : 15 Mar 2025 10:23  
Operator : RC/JU  
Sample : Q1559-07  
Misc :  
ALS Vial : 30 Sample Multiplier: 1

Instrument :  
BNA\_N  
ClientSampleId :  
RE125D3-20250310

Quant Time: Mar 17 00:35:00 2025  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\8270-SIM-BN031025.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Mon Mar 10 16:06:28 2025  
Response via : Initial Calibration

