

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN031720\
 Data File : BN010259.D
 Acq On : 18 Mar 2020 10:38
 Operator : CG/JU
 Sample : L1903-24
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE135D2-20200311

Quant Time: Mar 18 11:31:46 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN031320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 16 02:17:23 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	3751	0.40	ng	0.00
7) Naphthalene-d8	10.38	136	13169	0.40	ng	-0.01
13) Acenaphthene-d10	14.25	164	7919	0.40	ng	-0.01
19) Phenanthrene-d10	16.99	188	19123	0.40	ng	-0.01
27) Chrysene-d12	21.19	240	20746	0.40	ng	-0.01
34) Perylene-d12	23.36	264	22351	0.40	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.26	112	1336	0.15	ng	0.00
5) Phenol-d6	6.81	99	1031	0.09	ng	0.00
8) Nitrobenzene-d5	8.76	82	5637	0.71	ng	-0.01
11) 2-Methylnaphthalene-d10	11.98	152	7556	0.35	ng	-0.01
14) 2,4,6-Tribromophenol	15.74	330	1019	0.36	ng	-0.01
15) 2-Fluorobiphenyl	12.86	172	22715	0.81	ng	-0.01
25) Fluoranthene-d10	19.02	212	21765	0.37	ng	0.00
29) Terphenyl-d14	19.63	244	28081	0.59	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.26	88	523	0.143	ng	# 52
9) Naphthalene	10.43	128	731	0.022	ng	# 80
12) 2-Methylnaphthalene	12.05	142	578	0.024	ng	# 91
32) Bis(2-ethylhexyl)phthalate	21.13	149	2332	0.078	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN031720\
Data File : BN010259.D
Acq On : 18 Mar 2020 10:38
Operator : CG/JU
Sample : L1903-24
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE135D2-20200311

Quant Time: Mar 18 11:31:46 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN031320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 16 02:17:23 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.63 min Scan# 596
Delta R.T. -0.01 min
Lab File: BN010259.D
Acq: 18 Mar 2020 10:38

Instrument :
BNA_N
ClientSampleId :
RE135D2-20200311




Tot Ion:152 Resp: 3751
Ion Ratio Lower Upper
152 100
150 152.6 119.5 179.3
115 56.4 50.9 76.3




#2

1,4-Dioxane
Concen: 0.143 ng
RT: 3.26 min Scan# 53
Delta R.T. -0.01 min
Lab File: BN010259.D
Acq: 18 Mar 2020 10:38

Tgt Ion: 88 Resp: 523
Ion Ratio Lower Upper
88 100
58 53.5 97.8 146.8#
43 41.1 45.1 67.7#





#4

2-Fluorophenol

Concen: 0.152 ng

RT: 5.26 min Scan# 302

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200311


Tot Ion:112 Resp: 1336

Ion Ratio Lower Upper

112 100

64 52.5 42.6 63.8




63 30.2 23.6 35.4



Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): B

Ion 63.00 (62.70 to 63.70): B



#5

Phenol-d6

Concen: 0.094 ng

RT: 6.81 min Scan# 494

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38


Tgt Ion: 99 Resp: 1031

Ion Ratio Lower Upper

99 100

42 34.9 12.0 18.0#



71 39.0 22.6 33.8#




Abundance Ion 99.00 (98.70 to 99.70): B

Ion 42.00 (41.70 to 42.70): B

Ion 71.00 (70.70 to 71.70): B





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.38 min Scan# 844

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200311

Tot Ion:136 Resp: 13169


Ion Ratio Lower Upper

136 100

137 11.7 10.6 15.8

54 8.1 9.5 14.3#

68 6.9 9.7 14.5#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.714 ng

RT: 8.76 min Scan# 716

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38


Tgt Ion: 82 Resp: 5637

Ion Ratio Lower Upper

82 100

128 44.2 35.0 52.6



54 44.6 37.0 55.4




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC





#9

Naphthalene

Concen: 0.022 ng

RT: 10.43 min Scan# 848

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200311


Tot Ion:128 Resp: 731

Ion Ratio Lower Upper

128 100

129 22.0 10.5 15.7#




127 22.6 12.1 18.1#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#11

2-Methylnaphthalene-d10

Concen: 0.347 ng

RT: 11.98 min Scan# 1039

Delta R.T. -0.01 min

Lab File: BN010259.D


Acq: 18 Mar 2020 10:38

Tgt Ion:152 Resp: 7556

Ion Ratio Lower Upper



152 100


151 19.9 15.0 22.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E





#12

2-Methylnaphthalene

Concen: 0.024 ng

RT: 12.05 min Scan# 1055

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200311


Tot Ion:142 Resp: 578

Ion Ratio Lower Upper

142 100

141 89.0 73.7 110.5




115 53.7 31.2 46.8#



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.25 min Scan# 1314

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38


Tgt Ion:164 Resp: 7919

Ion Ratio Lower Upper

164 100

162 101.9 81.0 121.4



160 46.7 35.6 53.4




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#14
 2,4,6-Tribromophenol
 Concen: 0.359 ng
 RT: 15.74 min Scan# 1448
 Delta R.T. -0.01 min
 Lab File: BN010259.D
 Acq: 18 Mar 2020 10:38




Instrument :
 BNA_N
 ClientSampleId :
 RE135D2-20200311


Tot Ion:330 Resp: 1019
 Ion Ratio Lower Upper
 330 100
 332 0.0 0.0 0.0
 141 37.2 25.1 37.7



#15
 2-Fluorobiphenyl
 Concen: 0.806 ng
 RT: 12.86 min Scan# 1190
 Delta R.T. -0.01 min
 Lab File: BN010259.D
 Acq: 18 Mar 2020 10:38

Tgt Ion:172 Resp: 22715
 Ion Ratio Lower Upper
 172 100
 171 34.7 29.4 44.2
 170 23.6 20.2 30.4





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.99 min Scan# 1564

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200311


Tot Ion:188 Resp: 19123

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 8.4 8.6 12.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNO

Ion 80.00 (79.70 to 80.70): BNO



#25

Fluoranthene-d10

Concen: 0.369 ng

RT: 19.02 min Scan# 1865

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38


Tgt Ion:212 Resp: 21765

Ion Ratio Lower Upper

212 100

106 9.7 8.1 12.1



104 5.4 4.7 7.1




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.19 min Scan# 2174

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38

Instrument :

BNA_N

ClientSampleId :

RE135D2-20200311


Tot Ion:240 Resp: 20746

Ion Ratio Lower Upper

240 100

120 6.6 7.7 11.5#




236 26.7 21.8 32.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.594 ng

RT: 19.63 min Scan# 1988

Delta R.T. -0.01 min

Lab File: BN010259.D

Acq: 18 Mar 2020 10:38


Tgt Ion:244 Resp: 28081

Ion Ratio Lower Upper

244 100

212 7.6 6.4 9.6



122 8.6 8.1 12.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.078 ng
 RT: 21.13 min Scan# 2169
 Delta R.T. -0.02 min
 Lab File: BN010259.D
 Acq: 18 Mar 2020 10:38

Instrument :
 BNA_N
 ClientSampleId :
 RE135D2-20200311

Tot Ion:149 Resp: 2332
 Ion Ratio Lower Upper
 149 100
 167 29.2 21.0 31.4
 279 5.1 3.1 4.7#




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.36 min Scan# 2567
 Delta R.T. -0.02 min
 Lab File: BN010259.D
 Acq: 18 Mar 2020 10:38

Tgt Ion:264 Resp: 22351
 Ion Ratio Lower Upper
 264 100
 260 24.7 19.7 29.5
 265 36.5 25.8 38.6



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

