

Data Path : Z:\HPCHEM1\BNA N\DATA\BN031918\
 Data File : BN000469.D
 Acq On : 20 Mar 2018 00:25
 Operator : JU/SJ
 Sample : J1933-17
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Mar 20 02:03:17 2018
 Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 20 01:58:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.42	152	256697	20.00	ng/ul	0.00
18) Naphthalene-d8	11.26	136	1074323	20.00	ng/ul	0.00
35) Acenaphthene-d10	15.04	164	537476	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.77	188	1011941	20.00	ng/ul	0.00
75) Chrysene-d12	21.89	240	886226	20.00	ng/ul	0.00
83) Perylene-d12	24.38	264	879698	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.59	96	38079	5.30	ng/uL	0.00
5) Phenol-d5	7.55	99	691907	28.89	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.73	67	427361	30.94	ng/ul	0.00
9) 2-Chlorophenol-d4	7.94	132	530452	29.29	ng/ul	0.00
13) 4-Methylphenol-d8	9.12	113	513154	27.51	ng/ul	0.00
19) Nitrobenzene-d5	9.60	128	265108	30.38	ng/ul	0.00
22) 2-Nitrophenol-d4	10.33	143	281508	31.14	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.87	165	467586	28.86	ng/ul	0.00
29) 4-Chloroaniline-d4	11.38	131	499525	30.04	ng/ul	0.00
43) Dimethylphthalate-d6	14.42	166	1361681	32.07	ng/ul	0.00
46) Acenaphthylene-d8	14.74	160	1792292	32.00	ng/ul	0.00
51) 4-Nitrophenol-d4	15.21	143	226038	28.67	ng/ul	0.00
57) Fluorene-d10	16.02	176	1132006	31.29	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.13	200	151974	26.22	ng/ul	0.00
70) Anthracene-d10	17.86	188	1625262	33.41	ng/ul	0.00
76) Pyrene-d10	20.12	212	1601696	32.74	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.22	264	1393705	33.57	ng/ul	0.00

Target Compounds


					Ovalue	
6) Phenol	7.58	94	88712	3.631	ng/ul	95
44) Dimethylphthalate	14.47	163	390740	9.303	ng/ul#	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA N\DATA\BN031918\
Data File : BN000469.D
Acq On : 20 Mar 2018 00:25
Operator : JU/SJ
Sample : J1933-17
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Mar 20 02:03:17 2018
Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Mar 20 01:58:48 2018
Response via : Initial Calibration





#6

Phenol

Concen: 3.631 ng/ul

RT: 7.58 min Scan# 704

Delta R.T. -0.01 min

Lab File: BN000469.D

Acq: 20 Mar 2018 00:25


Instrument :

BNA_N

ClientSampleId :

Tot Ion: 94 Resp: 88712




Ion	Ratio	Lower	Upper
94	100		
65	25.8	23.0	34.6
66	35.0	30.4	45.6



Abundance Ion 94.00 (93.70 to 94.70): BN000454.D (-698) (-)

Ion 65.00 (64.70 to 65.70): BN000454.D (-698) (-)

Ion 66.00 (65.70 to 66.70): BN000454.D (-698) (-)



#44

Dimethylphthalate

Concen: 9.303 ng/ul

RT: 14.47 min Scan# 1876


Delta R.T. -0.01 min

Lab File: BN000469.D

Acq: 20 Mar 2018 00:25

Tgt Ion: 163 Resp: 390740

Ion	Ratio	Lower	Upper
163	100		
194	3.9	4.0	6.0#
164	10.3	8.4	12.6



Abundance Ion 163.00 (162.70 to 163.70): BN000454.D (-1869) (-)

Ion 194.00 (193.70 to 194.70): BN000454.D (-1869) (-)

Ion 164.00 (163.70 to 164.70): BN000454.D (-1869) (-)

