

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN032020\
 Data File : BN010316.D
 Acq On : 20 Mar 2020 23:19
 Operator : CG/JU
 Sample : PB127771TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Mar 21 01:48:25 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN031920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 19 15:26:45 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	3991	0.40	ng	0.00
7) Naphthalene-d8	10.38	136	13147	0.40	ng	0.00
13) Acenaphthene-d10	14.24	164	7203	0.40	ng	-0.01
19) Phenanthrene-d10	16.99	188	16844	0.40	ng	0.00
27) Chrysene-d12	21.19	240	17290	0.40	ng	0.00
34) Perylene-d12	23.36	264	16919	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.25	112	2809	0.36	ng	0.00
5) Phenol-d6	6.80	99	3369	0.34	ng	0.00
8) Nitrobenzene-d5	8.74	82	4832	0.57	ng	0.00
11) 2-Methylnaphthalene-d10	11.97	152	6214	0.30	ng	0.00
14) 2,4,6-Tribromophenol	15.73	330	740	0.27	ng	0.00
15) 2-Fluorobiphenyl	12.86	172	17498	0.63	ng	0.00
25) Fluoranthene-d10	19.02	212	14695	0.29	ng	0.00
29) Terphenyl-d14	19.63	244	19232	0.51	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN032020\
Data File : BN010316.D
Acq On : 20 Mar 2020 23:19
Operator : CG/JU
Sample : PB127771TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Mar 21 01:48:25 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN031920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 19 15:26:45 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.62 min Scan# 595
Delta R.T. -0.00 min
Lab File: BN010316.D
Acq: 20 Mar 2020 23:19

Instrument :
BNA_N
ClientSampleId :

Tot Ion:152 Resp: 3991
Ion Ratio Lower Upper
152 100
150 153.3 123.1 184.7
115 55.3 45.2 67.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.356 ng
RT: 5.25 min Scan# 301
Delta R.T. -0.00 min
Lab File: BN010316.D
Acq: 20 Mar 2020 23:19

Tgt Ion:112 Resp: 2809
Ion Ratio Lower Upper
112 100
64 52.4 41.4 62.2
63 28.1 22.9 34.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.343 ng

RT: 6.80 min Scan# 493

Delta R.T. -0.00 min

Lab File: BN010316.D

Acq: 20 Mar 2020 23:19

Instrument :

BNA_N

ClientSampled :


Tot Ion: 99 Resp: 3369

Ion Ratio Lower Upper

99 100

42 20.9 14.8 22.2




71 34.2 27.3 40.9



Abundance Ion 99.00 (98.70 to 99.70): BN010286.D (-484) (-)

Ion 42.00 (41.70 to 42.70): BN010286.D (-484) (-)

Ion 71.00 (70.70 to 71.70): BN010286.D (-484) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.38 min Scan# 844

Delta R.T. -0.00 min

Lab File: BN010316.D

Acq: 20 Mar 2020 23:19

Tgt Ion: 136 Resp: 13147


Ion Ratio Lower Upper

136 100

137 11.7 9.3 13.9

54 5.2 4.8 7.2

68 4.8 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): BN010286.D (-836) (-)

Ion 137.00 (136.70 to 137.70): BN010286.D (-836) (-)

Ion 54.00 (53.70 to 54.70): BN010286.D (-836) (-)

Ion 68.00 (67.70 to 68.70): BN010286.D (-836) (-)





#8

Nitrobenzene-d5

Concen: 0.574 ng

RT: 8.74 min Scan# 715

Delta R.T. -0.00 min

Lab File: BN010316.D

Acq: 20 Mar 2020 23:19

Instrument :

BNA_N

ClientSampleId :


Tot Ion: 82 Resp: 4832

Ion Ratio Lower Upper

82 100

128 35.3 28.8 43.2




54 51.8 42.1 63.1



Abundance Ion 82.00 (81.70 to 82.70): BN010286.D (-712) (-)

Ion 128.00 (127.70 to 128.70): BN010286.D (-712) (-)

Ion 54.00 (53.70 to 54.70): BN010286.D (-712) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.296 ng

RT: 11.97 min Scan# 1037

Delta R.T. -0.00 min

Lab File: BN010316.D


Acq: 20 Mar 2020 23:19

Tgt Ion: 152 Resp: 6214

Ion Ratio Lower Upper



152 100


151 19.5 15.4 23.2



Abundance Ion 152.00 (151.70 to 152.70): BN010286.D (-1023) (-)

Ion 151.00 (150.70 to 151.70): BN010286.D (-1023) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.24 min Scan# 1313

Delta R.T. -0.01 min

Lab File: BN010316.D

Acq: 20 Mar 2020 23:19

Instrument :

BNA_N

ClientSampleId :


Tot Ion:164 Resp: 7203

Ion Ratio Lower Upper

164 100

162 102.8 78.2 117.2




160 50.5 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.267 ng

RT: 15.73 min Scan# 1447

Delta R.T. -0.00 min

Lab File: BN010316.D

Acq: 20 Mar 2020 23:19


Tgt Ion:330 Resp: 740

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 37.0 29.3 43.9




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.635 ng
RT: 12.86 min Scan# 1190
Delta R.T. -0.00 min
Lab File: BN010316.D
Acq: 20 Mar 2020 23:19




Instrument :
BNA_N
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
172	100		
171	33.4	27.6	41.4
170	22.0	18.5	27.7



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.99 min Scan# 1564
Delta R.T. -0.00 min
Lab File: BN010316.D
Acq: 20 Mar 2020 23:19

Tgt Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	6.5	6.0	9.0





#25

Fluoranthene-d10

Concen: 0.289 ng

RT: 19.02 min Scan# 1864

Delta R.T. -0.01 min

Lab File: BN010316.D

Acq: 20 Mar 2020 23:19

Instrument :

BNA_N

ClientSampled :


Tot Ion:212 Resp: 14695

Ion Ratio Lower Upper

212 100

106 9.2 7.4 11.2




104 5.3 4.2 6.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.19 min Scan# 2174

Delta R.T. -0.00 min

Lab File: BN010316.D

Acq: 20 Mar 2020 23:19


Tgt Ion:240 Resp: 17290

Ion Ratio Lower Upper

240 100

120 5.9 7.9 11.9#



236 26.4 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.515 ng

RT: 19.63 min Scan# 1987

Delta R.T. -0.01 min

Lab File: BN010316.D

Acq: 20 Mar 2020 23:19

Instrument :

BNA_N

ClientSampleId :


Tot Ion:244 Resp: 19232

Ion Ratio Lower Upper




244 100

212 8.0 6.3 9.5

122 9.8 7.6 11.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.36 min Scan# 2567

Delta R.T. -0.01 min

Lab File: BN010316.D

Acq: 20 Mar 2020 23:19


Tgt Ion:264 Resp: 16919

Ion Ratio Lower Upper

264 100

260 24.7 19.5 29.3

265 46.8 32.4 48.6



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

