

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_N\DATA\BN032218\
 Data File : BN000560.D
 Acq On : 23 Mar 2018 02:45
 Operator : JU/SJ
 Sample : J1905-08DL2 300X
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DAM43DL2

Quant Time: Mar 23 06:12:13 2018
 Quant Method : Z:\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN031918.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 23 06:10:38 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.41	152	170352	20.00	ng/ul	0.00
18) Naphthalene-d8	11.25	136	719968	20.00	ng/ul	0.00
35) Acenaphthene-d10	15.03	164	404158	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.76	188	877431	20.00	ng/ul	0.00
75) Chrysene-d12	21.88	240	761179	20.00	ng/ul	0.00
83) Perylene-d12	24.36	264	586569	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	7.55	99	216	0.01	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.71	67	1439	0.16	ng/ul	0.00
9) 2-Chlorophenol-d4	7.94	132	876	0.07	ng/ul	0.00
13) 4-Methylphenol-d8	9.13	113	596	0.05	ng/ul	0.00
19) Nitrobenzene-d5	9.60	128	244	0.04	ng/ul	0.00
22) 2-Nitrophenol-d4	10.33	143	137	0.02	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.87	165	695	0.06	ng/ul	0.00
29) 4-Chloroaniline-d4	11.34	131	1206	0.11	ng/ul	-0.04
43) Dimethylphthalate-d6	14.42	166	3585	0.11	ng/ul	0.00
46) Acenaphthylene-d8	14.73	160	4480	0.11	ng/ul	0.00
51) 4-Nitrophenol-d4	15.22	143	267	0.05	ng/ul	-0.01
57) Fluorene-d10	16.01	176	5420	0.20	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.14	200	541	0.11	ng/ul	0.00
70) Anthracene-d10	17.85	188	6937	0.16	ng/ul	0.00
76) Pyrene-d10	20.11	212	4984	0.12	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.19	264	2518	0.09	ng/ul	-0.01

Target Compounds


					Qvalue
55) 2,3,4,6-Tetrachlorophenol	15.65	232	70963	10.821 ng/ul#	91
68) Pentachlorophenol	17.41	266	588683	118.079 ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_N\DATA\BN032218\
Data File : BN000560.D
Acq On : 23 Mar 2018 02:45
Operator : JU/SJ
Sample : J1905-08DL2 300X
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DAM43DL2

Quant Time: Mar 23 06:12:13 2018
Quant Method : Z:\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN031918.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 23 06:10:38 2018
Response via : Initial Calibration





#55

2,3,4,6-Tetrachlorophenol

Concen: 10.821 ng/ul

RT: 15.65 min Scan# 2076

Delta R.T. -0.01 min

Lab File: BN000560.D

Acq: 23 Mar 2018 02:45

Instrument :

BNA_N

ClientSampleId :

DAM43DL2

Tgt Ion:232 Resp: 70963


Ion Ratio Lower Upper

232 100

131 52.9 48.0 72.0

130 2.9 4.0 6.0#

166 34.7 32.0 48.0






Abundance Ion 232.00 (231.70 to 232.70): E

Ion 131.00 (130.70 to 131.70): E

Ion 130.00 (129.70 to 130.70): E

Ion 166.00 (165.70 to 166.70): E



#68

Pentachlorophenol

Concen: 118.079 ng/ul

RT: 17.41 min Scan# 2376

Delta R.T. -0.00 min

Lab File: BN000560.D

Acq: 23 Mar 2018 02:45


Tgt Ion:266 Resp: 588683

Ion Ratio Lower Upper

266 100

264 62.5 48.2 72.4

268 63.3 52.3 78.5



Abundance Ion 265.70 (265.40 to 266.40): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E

