

Data Path : Z:\HPCHEM1\BNA N\DATA\BN032318\
 Data File : BN000574.D
 Acq On : 23 Mar 2018 13:03
 Operator : JU/SJ
 Sample : J1905-14DL3 800X
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DAM49DL3

Quant Time: Mar 26 01:10:40 2018
 Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 23 17:43:46 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.41	152	156534	20.00	ng/ul	0.00
18) Naphthalene-d8	11.25	136	669399	20.00	ng/ul	0.00
35) Acenaphthene-d10	15.03	164	382345	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.76	188	869640	20.00	ng/ul	0.00
75) Chrysene-d12	21.88	240	830748	20.00	ng/ul	0.00
83) Perylene-d12	24.36	264	725964	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul	
43) Dimethylphthalate-d6	0.00	166	0d	0.00	ng/ul	
46) Acenaphthylene-d8	0.00	160	0d	0.00	ng/ul	
51) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
57) Fluorene-d10	16.01	176	3238	0.13	ng/ul	-0.01
62) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
70) Anthracene-d10	17.85	188	3256	0.08	ng/ul	0.00
76) Pyrene-d10	20.11	212	1632	0.04	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.19	264	1288	0.04	ng/ul	-0.01

Target Compounds


				Ovalue
55) 2,3,4,6-Tetrachlorophenol	15.65	232	67994	10.960 ng/ul# 89
68) Pentachlorophenol	17.41	266	577998	116.974 ng/ul 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA N\DATA\BN032318\
Data File : BN000574.D
Acq On : 23 Mar 2018 13:03
Operator : JU/SJ
Sample : J1905-14DL3 800X
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DAM49DL3

Quant Time: Mar 26 01:10:40 2018
Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 23 17:43:46 2018
Response via : Initial Calibration





#55

2,3,4,6-Tetrachlorophenol

Concen: 10.960 ng/ul

RT: 15.65 min Scan# 2076

Delta R.T. 0.00 min

Lab File: BN000574.D

Acq: 23 Mar 2018 13:03

Instrument :

BNA_N

ClientSampleId :

DAM49DL3

Tot Ion:232 Resp: 67994


Ion Ratio Lower Upper

232 100

131 51.1 48.0 72.0

130 3.0 4.0 6.0#

166 33.6 32.0 48.0






Abundance Ion 232.00 (231.70 to 232.70): E

Ion 131.00 (130.70 to 131.70): E

Ion 130.00 (129.70 to 130.70): E

Ion 166.00 (165.70 to 166.70): E



#68

Pentachlorophenol

Concen: 116.974 ng/ul

RT: 17.41 min Scan# 2375

Delta R.T. 0.00 min

Lab File: BN000574.D

Acq: 23 Mar 2018 13:03


Tgt Ion:266 Resp: 577998

Ion Ratio Lower Upper

266 100

264 63.5 48.2 72.4

268 64.0 52.3 78.5



Abundance Ion 265.70 (265.40 to 266.40): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E

