

Data Path : Z:\HPCHEM1\BNA N\DATA\BN032318\
 Data File : BN000604.D
 Acq On : 24 Mar 2018 06:19
 Operator : JU/SJ
 Sample : J1955-02
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C1002

Quant Time: Mar 24 06:54:02 2018
 Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Mar 24 02:55:44 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.41	152	174351	20.00	ng/ul	0.00
18) Naphthalene-d8	11.25	136	755367	20.00	ng/ul	0.00
35) Acenaphthene-d10	15.03	164	416056	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.75	188	887638	20.00	ng/ul	0.00
75) Chrysene-d12	21.88	240	857693	20.00	ng/ul	0.00
83) Perylene-d12	24.35	264	751576	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.58	96	22921	4.70	ng/uL	0.00
5) Phenol-d5	7.55	99	417217	25.65	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.71	67	257050	27.40	ng/ul	0.00
9) 2-Chlorophenol-d4	7.93	132	313963	25.53	ng/ul	0.00
13) 4-Methylphenol-d8	9.11	113	319224	25.19	ng/ul	0.00
19) Nitrobenzene-d5	9.59	128	150673	24.56	ng/ul	0.00
22) 2-Nitrophenol-d4	10.32	143	160769	25.30	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.86	165	276084	24.23	ng/ul	0.00
29) 4-Chloroaniline-d4	11.38	131	403358	34.49	ng/ul	0.00
43) Dimethylphthalate-d6	14.42	166	888377	27.03	ng/ul	0.00
46) Acenaphthylene-d8	14.72	160	1123420	25.91	ng/ul	0.00
51) 4-Nitrophenol-d4	15.21	143	121102	19.84	ng/ul	0.00
57) Fluorene-d10	16.01	176	750167	26.78	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.12	200	82873	16.30	ng/ul	0.00
70) Anthracene-d10	17.85	188	1115368	26.14	ng/ul	0.00
76) Pyrene-d10	20.11	212	1229549	25.97	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.20	264	979935	27.62	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.46	163	218188	6.711	ng/ul#	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA N\DATA\BN032318\
Data File : BN000604.D
Acq On : 24 Mar 2018 06:19
Operator : JU/SJ
Sample : J1955-02
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C1002

Quant Time: Mar 24 06:54:02 2018
Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Mar 24 02:55:44 2018
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 6.711 ng/ul

RT: 14.46 min Scan# 1874

Delta R.T. -0.01 min

Lab File: BN000604.D

Acq: 24 Mar 2018 06:19

Instrument :

BNA_N

ClientSampleId :

C1002


Tot Ion:163 Resp: 218188

Ion Ratio Lower Upper

163 100

194 3.9 4.0 6.0#

164 10.3 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

