

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032321\
 Data File : BN014056.D
 Acq On : 24 Mar 2021 01:05
 Operator : CG/JU
 Sample : M1735-19
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE131D2-20210317

Quant Time: Mar 24 02:59:28 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 23 11:06:27 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.700	152	5404	0.40	ng	0.00
7) Naphthalene-d8	10.467	136	21137	0.40	ng	#-0.01
13) Acenaphthene-d10	14.321	164	12360	0.40	ng	0.00
19) Phenanthrene-d10	17.055	188	28251	0.40	ng	-0.01
29) Chrysene-d12	21.239	240	26897	0.40	ng	# 0.00
36) Perylene-d12	23.445	264	24613	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.300	112	1604	0.13	ng	0.00
5) Phenol-d6	6.863	99	1226	0.08	ng	0.00
8) Nitrobenzene-d5	8.845	82	3991	0.29	ng	0.00
11) 2-Methylnaphthalene-d10	12.062	152	9984	0.30	ng	0.00
14) 2,4,6-Tribromophenol	15.818	330	1099	0.27	ng	0.00
15) 2-Fluorobiphenyl	12.938	172	13649	0.30	ng	-0.01
27) Fluoranthene-d10	19.089	212	29944	0.38	ng	0.00
31) Terphenyl-d14	19.690	244	25509	0.43	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.239	88	42548	5.97	ng	Qvalue 97
24) Pentachlorophenol	16.714	266	162	0.04	ng	93
34) Bis(2-ethylhexyl)phtha...	21.154	149	13652	0.48	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032321\
Data File : BN014056.D
Acq On : 24 Mar 2021 01:05
Operator : CG/JU
Sample : M1735-19
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE131D2-20210317

Quant Time: Mar 24 02:59:28 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 23 11:06:27 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.700 min Scan# 611
 Delta R.T. 0.000 min
 Lab File: BN014056.D
 Acq: 24 Mar 2021 01:05




Instrument :
 BNA_N
 ClientSampleId :
 RE131D2-20210317


Tgt Ion:152 Resp: 5404
 Ion Ratio Lower Upper
 152 100
 150 156.4 121.8 182.8
 115 60.4 46.6 69.8



#2
 1,4-Dioxane
 Concen: 5.97 ng
 RT: 3.239 min Scan# 57
 Delta R.T. -0.008 min
 Lab File: BN014056.D
 Acq: 24 Mar 2021 01:05

Tgt Ion: 88 Resp: 42548
 Ion Ratio Lower Upper
 88 100
 58 79.0 64.6 96.8
 43 36.8 26.6 40.0









#4
2-Fluorophenol
Concen: 0.13 ng
RT: 5.300 min Scan# 313
Delta R.T. 0.008 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05




Instrument :
BNA_N
ClientSampleId :
RE131D2-20210317


Tgt Ion:	112	Resp:	1604
Ion	Ratio	Lower	Upper
112	100		
64	60.1	44.3	66.5
63	32.4	23.0	34.6



#5
Phenol-d6
Concen: 0.08 ng
RT: 6.863 min Scan# 507
Delta R.T. 0.000 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05

Tgt Ion:	99	Resp:	1226
Ion	Ratio	Lower	Upper
99	100		
42	0.0	15.2	22.8#
71	36.7	26.1	39.1









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.467 min Scan# 857
Delta R.T. -0.012 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05




Instrument :
BNA_N
ClientSampleId :
RE131D2-20210317


Tgt Ion:	136	Resp:	21137
Ion Ratio	Lower	Upper	
136	100		
137	11.6	9.0	13.6
54	10.3	6.4	9.6#
68	7.7	4.5	6.7#



#8
Nitrobenzene-d5
Concen: 0.29 ng
RT: 8.845 min Scan# 729
Delta R.T. 0.000 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05

Tgt Ion:	82	Resp:	3991
Ion Ratio	Lower	Upper	
82	100		
128	44.4	39.2	58.8
54	51.2	40.1	60.1









#11
2-Methylnaphthalene-d10
Concen: 0.30 ng
RT: 12.062 min Scan# 1064
Delta R.T. -0.004 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05




Instrument :
BNA_N
ClientSampleId :
RE131D2-20210317


Tgt Ion:152 Resp: 9984
Ion Ratio Lower Upper
152 100
151 19.9 16.2 24.2



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.321 min Scan# 1307
Delta R.T. 0.000 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05

Tgt Ion:164 Resp: 12360
Ion Ratio Lower Upper
164 100
162 100.2 79.6 119.4
160 44.9 36.0 54.0









#14
2,4,6-Tribromophenol
Concen: 0.27 ng
RT: 15.818 min Scan# 1425
Delta R.T. 0.000 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05




Instrument :
BNA_N
ClientSampleId :
RE131D2-20210317


Tgt Ion: 330 Resp: 1099
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 37.8 26.8 40.2



#15
2-Fluorobiphenyl
Concen: 0.30 ng
RT: 12.938 min Scan# 1198
Delta R.T. -0.012 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05

Tgt Ion: 172 Resp: 13649
Ion Ratio Lower Upper
172 100
171 35.6 28.6 42.8
170 24.9 18.9 28.3









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.055 min Scan# 1526
Delta R.T. -0.012 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05




Instrument :
BNA_N
ClientSampleId :
RE131D2-20210317


Tgt Ion:188	Resp:	28251
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0
80	13.4	9.0



#24
Pentachlorophenol
Concen: 0.04 ng
RT: 16.714 min Scan# 1498
Delta R.T. -0.012 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05

Tgt Ion:266	Resp:	162
Ion Ratio	Lower	Upper
266	100	
264	56.2	51.6
268	71.0	54.6









#27
Fluoranthene-d10
Concen: 0.38 ng
RT: 19.089 min Scan# 1821
Delta R.T. 0.000 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05




Instrument :
BNA_N
ClientSampleId :
RE131D2-20210317


Tgt Ion:212 Resp: 29944
Ion Ratio Lower Upper
212 100
106 12.5 9.7 14.5
104 7.2 5.5 8.3



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.239 min Scan# 2122
Delta R.T. 0.000 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05

Tgt Ion:240 Resp: 26897
Ion Ratio Lower Upper
240 100
120 6.9 10.2 15.4#
236 25.7 21.3 31.9









#31
Terphenyl-d14
Concen: 0.43 ng
RT: 19.690 min Scan# 1942
Delta R.T. 0.000 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05




Instrument :
BNA_N
ClientSampleId :
RE131D2-20210317


Tgt Ion:244 Resp: 25509
Ion Ratio Lower Upper
244 100
212 7.5 6.1 9.1
122 11.3 9.8 14.8



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.48 ng
RT: 21.154 min Scan# 2114
Delta R.T. 0.000 min
Lab File: BN014056.D
Acq: 24 Mar 2021 01:05

Tgt Ion:149 Resp: 13652
Ion Ratio Lower Upper
149 100
167 26.6 22.1 33.1
279 4.1 3.5 5.3





#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.445 min Scan# 2535
 Delta R.T. -0.003 min
 Lab File: BN014056.D
 Acq: 24 Mar 2021 01:05

Instrument :
 BNA_N
 ClientSampleId :
 RE131D2-20210317

Tgt Ion:264	Resp:	24613
Ion Ratio	Lower	Upper
264	100	
260	24.6	19.3 28.9
265	32.9	66.2 99.4#

