

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032321\
 Data File : BN014050.D
 Acq On : 23 Mar 2021 19:42
 Operator : CG/JU
 Sample : M1735-18DL 2X
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE131D1-20210317DL

Quant Time: Mar 24 02:58:39 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 23 11:06:27 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.700	152	6007	0.40	ng	0.00
7) Naphthalene-d8	10.467	136	22696	0.40	ng	#-0.01
13) Acenaphthene-d10	14.321	164	13379	0.40	ng	0.00
19) Phenanthrene-d10	17.055	188	30963	0.40	ng	-0.01
29) Chrysene-d12	21.239	240	29388	0.40	ng	# 0.00
36) Perylene-d12	23.445	264	27511	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.300	112	815	0.06	ng	0.00
5) Phenol-d6	6.863	99	599	0.03	ng	0.00
8) Nitrobenzene-d5	8.845	82	1969	0.13	ng	0.00
11) 2-Methylnaphthalene-d10	12.062	152	4843	0.14	ng	0.00
14) 2,4,6-Tribromophenol	15.818	330	521	0.12	ng	0.00
15) 2-Fluorobiphenyl	12.951	172	6639	0.13	ng	0.00
27) Fluoranthene-d10	19.089	212	15502	0.18	ng	0.00
31) Terphenyl-d14	19.690	244	12956	0.20	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.239	88	23182	2.93	ng	96
34) Bis(2-ethylhexyl)phtha...	21.154	149	4465	0.14	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032321\
Data File : BN014050.D
Acq On : 23 Mar 2021 19:42
Operator : CG/JU
Sample : M1735-18DL 2X
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE131D1-20210317DL

Quant Time: Mar 24 02:58:39 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 23 11:06:27 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.700 min Scan# 611
 Delta R.T. 0.000 min
 Lab File: BN014050.D
 Acq: 23 Mar 2021 19:42

Instrument :
 BNA_N
 ClientSampleId :
 RE131D1-20210317DL

Tgt Ion: 152 Resp: 6007




Ion	Ratio	Lower	Upper
152	100		
150	155.0	121.8	182.8
115	60.0	46.6	69.8




#2
 1,4-Dioxane
 Concen: 2.93 ng
 RT: 3.239 min Scan# 57
 Delta R.T. -0.008 min
 Lab File: BN014050.D
 Acq: 23 Mar 2021 19:42

Tgt Ion: 88 Resp: 23182

Ion	Ratio	Lower	Upper
88	100		
58	78.1	64.6	96.8
43	36.5	26.6	40.0









#4
2-Fluorophenol
Concen: 0.06 ng
RT: 5.300 min Scan# 313
Delta R.T. 0.008 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42




Instrument :
BNA_N
ClientSampleId :
RE131D1-20210317DL


Tgt Ion:	112	Resp:	815
Ion	Ratio	Lower	Upper
112	100		
64	60.6	44.3	66.5
63	33.6	23.0	34.6



#5
Phenol-d6
Concen: 0.03 ng
RT: 6.863 min Scan# 507
Delta R.T. 0.000 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42

Tgt Ion:	99	Resp:	599
Ion	Ratio	Lower	Upper
99	100		
42	48.2	15.2	22.8#
71	45.9	26.1	39.1#









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.467 min Scan# 857
Delta R.T. -0.012 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42




Instrument :
BNA_N
ClientSampleId :
RE131D1-20210317DL


Tgt Ion:	136	Resp:	22696
Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.0	13.6
54	10.8	6.4	9.6#
68	7.8	4.5	6.7#



#8
Nitrobenzene-d5
Concen: 0.13 ng
RT: 8.845 min Scan# 729
Delta R.T. 0.000 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42

Tgt Ion:	82	Resp:	1969
Ion	Ratio	Lower	Upper
82	100		
128	44.1	39.2	58.8
54	54.9	40.1	60.1









#11
2-Methylnaphthalene-d10
Concen: 0.14 ng
RT: 12.062 min Scan# 1064
Delta R.T. -0.004 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42




Instrument :
BNA_N
ClientSampleId :
RE131D1-20210317DL


Tgt Ion:152 Resp: 4843
Ion Ratio Lower Upper
152 100
151 20.4 16.2 24.2



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.321 min Scan# 1307
Delta R.T. 0.000 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42

Tgt Ion:164 Resp: 13379
Ion Ratio Lower Upper
164 100
162 102.5 79.6 119.4
160 46.2 36.0 54.0









#14
2,4,6-Tribromophenol
Concen: 0.12 ng
RT: 15.818 min Scan# 1425
Delta R.T. 0.000 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42




Instrument :
BNA_N
ClientSampleId :
RE131D1-20210317DL


Tgt Ion:330 Resp: 521
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 44.3 26.8 40.2#



#15
2-Fluorobiphenyl
Concen: 0.13 ng
RT: 12.951 min Scan# 1199
Delta R.T. 0.000 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42

Tgt Ion:172 Resp: 6639
Ion Ratio Lower Upper
172 100
171 33.9 28.6 42.8
170 22.4 18.9 28.3









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.055 min Scan# 1526
Delta R.T. -0.012 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42




Instrument :
BNA_N
ClientSampleId :
RE131D1-20210317DL


Tgt Ion:188	Resp:	30963
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0
80	13.1	9.0



#27
Fluoranthene-d10
Concen: 0.18 ng
RT: 19.089 min Scan# 1821
Delta R.T. 0.000 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42

Tgt Ion:212	Resp:	15502
Ion Ratio	Lower	Upper
212	100	
106	12.6	9.7
104	7.4	5.5









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.239 min Scan# 2122
Delta R.T. 0.000 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42




Instrument :
BNA_N
ClientSampleId :
RE131D1-20210317DL


Tgt Ion:240 Resp: 29388
Ion Ratio Lower Upper
240 100
120 6.8 10.2 15.4#
236 25.4 21.3 31.9



#31
Terphenyl-d14
Concen: 0.20 ng
RT: 19.690 min Scan# 1942
Delta R.T. 0.000 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42

Tgt Ion:244 Resp: 12956
Ion Ratio Lower Upper
244 100
212 7.9 6.1 9.1
122 12.0 9.8 14.8









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.14 ng
RT: 21.154 min Scan# 2114
Delta R.T. 0.000 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42

Instrument :
BNA_N
ClientSampleId :
RE131D1-20210317DL

Tgt Ion:149 Resp: 4465
Ion Ratio Lower Upper
149 100
167 27.2 22.1 33.1
279 4.5 3.5 5.3



#36
Perylene-d12
Concen: 0.40 ng
RT: 23.445 min Scan# 2535
Delta R.T. -0.003 min
Lab File: BN014050.D
Acq: 23 Mar 2021 19:42

Tgt Ion:264 Resp: 27511
Ion Ratio Lower Upper
264 100
260 24.3 19.3 28.9
265 31.8 66.2 99.4#

