

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032422\
 Data File : BN019135.D
 Acq On : 24 Mar 2022 20:32
 Operator : CG/JU
 Sample : N2075-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DUP03-20220321

Quant Time: Mar 25 04:29:49 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN031722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 17 13:18:23 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.854	152	4171	0.400	ng	0.00
7) Naphthalene-d8	10.658	136	10402	0.400	ng	# 0.00
13) Acenaphthene-d10	14.484	164	5941	0.400	ng	-0.01
19) Phenanthrene-d10	17.236	188	11330	0.400	ng	0.00
29) Chrysene-d12	21.422	240	8754	0.400	ng	# 0.00
35) Perylene-d12	23.793	264	6983	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.413	112	102	0.011	ng	0.00
5) Phenol-d6	7.031	99	45	0.005	ng	0.02
8) Nitrobenzene-d5	9.025	82	1546	0.206	ng	0.01
11) 2-Methylnaphthalene-d10	12.257	152	4600	0.267	ng	0.00
14) 2,4,6-Tribromophenol	15.995	330	94	0.033	ng	0.01
15) 2-Fluorobiphenyl	13.127	172	5815	0.244	ng	0.00
27) Fluoranthene-d10	19.265	212	13997	0.416	ng	0.00
31) Terphenyl-d14	19.860	244	7691	0.358	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.247	88	15838	3.072	ng	98
20) 4,6-Dinitro-2-methylph...	15.596	198	1	0.110	ng	# 1
34) Bis(2-ethylhexyl)phtha...	21.333	149	1228	0.069	ng	# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032422\
Data File : BN019135.D
Acq On : 24 Mar 2022 20:32
Operator : CG/JU
Sample : N2075-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DUP03-20220321

Quant Time: Mar 25 04:29:49 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN031722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 17 13:18:23 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.854 min Scan# 661
 Delta R.T. 0.000 min
 Lab File: BN019135.D
 Acq: 24 Mar 2022 20:32




Instrument :
 BNA_N
 ClientSampleId :
 DUP03-20220321


Tgt Ion:152 Resp: 4171
 Ion Ratio Lower Upper
 152 100
 150 152.7 123.9 185.9
 115 60.3 48.2 72.4



#2
 1,4-Dioxane
 Concen: 3.072 ng
 RT: 3.247 min Scan# 23
 Delta R.T. 0.000 min
 Lab File: BN019135.D
 Acq: 24 Mar 2022 20:32

Tgt Ion: 88 Resp: 15838
 Ion Ratio Lower Upper
 88 100
 43 32.3 24.6 37.0
 58 79.7 65.4 98.2









#4
2-Fluorophenol
Concen: 0.011 ng
RT: 5.413 min Scan# 311
Delta R.T. 0.007 min
Lab File: BN019135.D
Acq: 24 Mar 2022 20:32




Instrument :
BNA_N
ClientSampleId :
DUP03-20220321


Tgt Ion:112 Resp: 102
Ion Ratio Lower Upper
112 100
64 55.9 47.8 71.8
63 48.0 25.7 38.5#



#5
Phenol-d6
Concen: 0.005 ng
RT: 7.031 min Scan# 547
Delta R.T. 0.022 min
Lab File: BN019135.D
Acq: 24 Mar 2022 20:32

Tgt Ion: 99 Resp: 45
Ion Ratio Lower Upper
99 100
42 82.2 16.2 24.4#
71 300.0 27.7 41.5#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.658 min Scan# 944
Delta R.T. 0.000 min
Lab File: BN019135.D
Acq: 24 Mar 2022 20:32




Instrument :
BNA_N
ClientSampleId :
DUP03-20220321


Tgt Ion:	136	Resp:	10402
Ion Ratio	Lower	Upper	
136	100		
137	11.7	9.0	13.4
54	11.4	5.8	8.6#
68	8.4	4.6	7.0#



#8
Nitrobenzene-d5
Concen: 0.206 ng
RT: 9.025 min Scan# 791
Delta R.T. 0.011 min
Lab File: BN019135.D
Acq: 24 Mar 2022 20:32

Tgt Ion:	82	Resp:	1546
Ion Ratio	Lower	Upper	
82	100		
128	39.7	33.0	49.6
54	57.9	42.5	63.7









#11
2-Methylnaphthalene-d10
Concen: 0.267 ng
RT: 12.257 min Scan# 11
Delta R.T. 0.008 min
Lab File: BN019135.D
Acq: 24 Mar 2022 20:32




Instrument :
BNA_N
ClientSampleId :
DUP03-20220321


Tgt Ion:152 Resp: 4600
Ion Ratio Lower Upper
152 100
151 19.9 16.5 24.7



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.484 min Scan# 1472
Delta R.T. -0.011 min
Lab File: BN019135.D
Acq: 24 Mar 2022 20:32


Tgt Ion:164 Resp: 5941
Ion Ratio Lower Upper
164 100
162 107.1 85.2 127.8
160 52.4 41.5 62.3








#14
2,4,6-Tribromophenol
Concen: 0.033 ng
RT: 15.995 min Scan# 1614
Delta R.T. 0.010 min
Lab File: BN019135.D
Acq: 24 Mar 2022 20:32

Instrument :
BNA_N
ClientSampleId :
DUP03-20220321







Tgt Ion:330 Resp: 94
Ion Ratio Lower Upper
330 100
332 95.7 76.8 115.2
141 31.9 32.2 48.2#



#15
2-Fluorobiphenyl
Concen: 0.244 ng
RT: 13.127 min Scan# 1345
Delta R.T. 0.000 min
Lab File: BN019135.D
Acq: 24 Mar 2022 20:32

Tgt Ion:172 Resp: 5815
Ion Ratio Lower Upper
172 100
171 35.9 28.2 42.2
170 24.5 18.7 28.1





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.236 min Scan# 11

Delta R.T. -0.000 min

Lab File: BN019135.D

Acq: 24 Mar 2022 20:32

Instrument :

BNA_N

ClientSampleId :

DUP03-20220321





Tgt Ion:188 Resp: 11330

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 14.0 11.8 17.8



#20

4,6-Dinitro-2-methylphenol

Concen: 0.110 ng

RT: 15.596 min Scan# 1576

Delta R.T. -0.022 min

Lab File: BN019135.D

Acq: 24 Mar 2022 20:32




Tgt Ion:198 Resp: 1


Ion Ratio Lower Upper

198 100

182 102.2 13.0 19.4#

77 0.0 0.0 0.0









#27
Fluoranthene-d10
Concen: 0.416 ng
RT: 19.265 min Scan# 2109
Delta R.T. 0.000 min
Lab File: BN019135.D
Acq: 24 Mar 2022 20:32




Instrument :
BNA_N
ClientSampleId :
DUP03-20220321


Tgt Ion:212 Resp: 13997
Ion Ratio Lower Upper
212 100
106 15.5 12.7 19.1
104 9.0 7.1 10.7



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.422 min Scan# 2443
Delta R.T. 0.000 min
Lab File: BN019135.D
Acq: 24 Mar 2022 20:32

Tgt Ion:240 Resp: 8754
Ion Ratio Lower Upper
240 100
120 21.5 8.5 12.7#
236 30.2 22.4 33.6









#31
 Terphenyl-d14
 Concen: 0.358 ng
 RT: 19.860 min Scan# 21
 Delta R.T. -0.004 min
 Lab File: BN019135.D
 Acq: 24 Mar 2022 20:32




Instrument :
 BNA_N
 ClientSampleId :
 DUP03-20220321


Tgt Ion:244 Resp: 7691
 Ion Ratio Lower Upper
 244 100
 212 11.9 8.2 12.4
 122 0.0 0.0 0.0



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.069 ng
 RT: 21.333 min Scan# 2433
 Delta R.T. 0.000 min
 Lab File: BN019135.D
 Acq: 24 Mar 2022 20:32


Tgt Ion:149 Resp: 1228
 Ion Ratio Lower Upper
 149 100
 167 27.7 21.8 32.8
 279 4.3 2.0 3.0#





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.793 min Scan# 30
 Delta R.T. 0.003 min
 Lab File: BN019135.D
 Acq: 24 Mar 2022 20:32

Instrument :
 BNA_N
 ClientSampleId :
 DUP03-20220321



Tgt Ion:264 Resp: 6983
 Ion Ratio Lower Upper
 264 100
 260 30.1 22.4 33.6
 265 52.6 25.3 37.9#

