

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032422\
 Data File : BN019127.D
 Acq On : 24 Mar 2022 15:44
 Operator : CG/JU
 Sample : PB143552BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB143552BL

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 03/25/2022
 Supervised By : Jagrut Upadhyay 03/25/2022

Quant Time: Mar 25 04:29:17 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN031722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 17 13:18:23 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.854	152	4134	0.400	ng	0.00
7) Naphthalene-d8	10.658	136	9552	0.400	ng	# 0.00
13) Acenaphthene-d10	14.495	164	5403	0.400	ng	0.00
19) Phenanthrene-d10	17.246	188	9601	0.400	ng	0.00
29) Chrysene-d12	21.422	240	7571	0.400	ng	# 0.00
35) Perylene-d12	23.790	264	6107	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.406	112	3080	0.332	ng	0.00
5) Phenol-d6	7.024	99	2374m	0.244	ng	0.01
8) Nitrobenzene-d5	9.025	82	1678m	0.244	ng	0.01
11) 2-Methylnaphthalene-d10	12.257	152	4897	0.309	ng	0.00
14) 2,4,6-Tribromophenol	15.995	330	431	0.165	ng	0.01
15) 2-Fluorobiphenyl	13.127	172	6280	0.290	ng	0.00
27) Fluoranthene-d10	19.265	212	11530	0.405	ng	0.00
31) Terphenyl-d14	19.864	244	6066	0.326	ng	0.00

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032422\
Data File : BN019127.D
Acq On : 24 Mar 2022 15:44
Operator : CG/JU
Sample : PB143552BL
Misc :
ALS Vial : 3 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
PB143552BL

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 03/25/2022
Supervised By :Jagrut Upadhyay 03/25/2022


Quant Time: Mar 25 04:29:17 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN031722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 17 13:18:23 2022
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.854 min Scan# 661
Delta R.T. 0.000 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44




Instrument :
BNA_N
ClientSampleId :
PB143552BL




Tgt Ion:152 Resp: 4134
Ion Ratio Lower Upper
152 100
150 152.8 123.9 185.9
115 60.5 48.2 72.4

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/25/2022
Supervised By :Jagrut Upadhyay 03/25/2022




#4
2-Fluorophenol
Concen: 0.332 ng
RT: 5.406 min Scan# 322
Delta R.T. -0.000 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44




Tgt Ion:112 Resp: 3080
Ion Ratio Lower Upper
112 100
64 63.2 47.8 71.8
63 32.6 25.7 38.5





#5
Phenol-d6
Concen: 0.244 ng m
RT: 7.024 min Scan# 544
Delta R.T. 0.014 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44




Instrument :
BNA_N
ClientSampleId :
PB143552BL



Tgt Ion: 99 Resp: 2374
Ion Ratio Lower Upper
99 100
42 20.8 16.2 24.4
71 31.3 27.7 41.5




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/25/2022
Supervised By :Jagrut Upadhyay 03/25/2022



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.658 min Scan# 944
Delta R.T. -0.000 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44


Tgt Ion:136 Resp: 9552
Ion Ratio Lower Upper
136 100
137 12.2 9.0 13.4
54 12.4 5.8 8.6#
68 9.5 4.6 7.0#





#8
Nitrobenzene-d5
Concen: 0.244 ng m
RT: 9.025 min Scan# 790
Delta R.T. 0.011 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44




Instrument :
BNA_N
ClientSampleId :
PB143552BL



Tgt Ion: 82 Resp: 1678
Ion Ratio Lower Upper
82 100
128 41.6 33.0 49.6
54 60.5 42.5 63.7




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/25/2022
Supervised By :Jagrut Upadhyay 03/25/2022



#11
2-Methylnaphthalene-d10
Concen: 0.309 ng
RT: 12.257 min Scan# 1221
Delta R.T. 0.007 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44


Tgt Ion:152 Resp: 4897
Ion Ratio Lower Upper
152 100
151 19.6 16.5 24.7





#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.495 min Scan# 1473
Delta R.T. -0.000 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44




Instrument :
BNA_N
ClientSampleId :
PB143552BL




Tgt Ion:164 Resp: 540
Ion Ratio Lower Upper
164 100
162 103.7 85.2 127.8
160 49.5 41.5 62.3

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/25/2022
Supervised By :Jagrut Upadhyay 03/25/2022




#14
2,4,6-Tribromophenol
Concen: 0.165 ng
RT: 15.995 min Scan# 1614
Delta R.T. 0.010 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44



Tgt Ion:330 Resp: 431
Ion Ratio Lower Upper
330 100
332 96.5 76.8 115.2
141 44.8 32.2 48.2





#15
2-Fluorobiphenyl
Concen: 0.290 ng
RT: 13.127 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44

Instrument :

BNA_N

ClientSampleId :





PB143552BL

Tgt Ion:172 Resp: 6280
Ion Ratio Lower Upper
172 100
171 36.6 28.2 42.2
170 24.9 18.7 28.1

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 03/25/2022
Supervised By :Jagrut Upadhyay 03/25/2022



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.246 min Scan# 1736
Delta R.T. 0.010 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44

Tgt Ion:188 Resp: 9601
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.4 11.8 17.8





#27
Fluoranthene-d10
Concen: 0.405 ng
RT: 19.265 min Scan# 2109
Delta R.T. -0.000 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44

Instrument :

BNA_N

ClientSampleId :





PB143552BL

Tgt Ion:212 Resp: 11530
Ion Ratio Lower Upper
212 100
106 16.1 12.7 19.1
104 8.8 7.1 10.7

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 03/25/2022
Supervised By :Jagrut Upadhyay 03/25/2022



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.422 min Scan# 2443
Delta R.T. -0.000 min
Lab File: BN019127.D
Acq: 24 Mar 2022 15:44


Tgt Ion:240 Resp: 7571
Ion Ratio Lower Upper
240 100
120 22.4 8.5 12.7#
236 30.9 22.4 33.6





#31
 Terphenyl-d14
 Concen: 0.326 ng
 RT: 19.864 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BN019127.D
 Acq: 24 Mar 2022 15:44




Instrument :
 BNA_N
 ClientSampleId :
 PB143552BL




Tgt Ion:244 Resp: 606
 Ion Ratio Lower Upper
 244 100
 212 12.6 8.2 12.4
 122 0.0 0.0 0.0

Manual Integrations
 APPROVED

Reviewed By :Christian Giraldo 03/25/2022
 Supervised By :Jagrut Upadhyay 03/25/2022



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.790 min Scan# 3026
 Delta R.T. -0.000 min
 Lab File: BN019127.D
 Acq: 24 Mar 2022 15:44



Tgt Ion:264 Resp: 6107
 Ion Ratio Lower Upper
 264 100
 260 29.4 22.4 33.6
 265 58.5 25.3 37.9

