

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032522\
 Data File : BN019165.D
 Acq On : 25 Mar 2022 19:57
 Operator : CG/JU
 Sample : PB143615BL
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB143615BL

Quant Time: Mar 26 04:22:39 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 25 19:03:12 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.847	152	4080	0.400	ng	0.00
7) Naphthalene-d8	10.648	136	10542	0.400	ng	# 0.00
13) Acenaphthene-d10	14.484	164	5918	0.400	ng	0.00
19) Phenanthrene-d10	17.226	188	12187	0.400	ng	0.00
29) Chrysene-d12	21.422	240	8832	0.400	ng	# 0.00
35) Perylene-d12	23.787	264	7383	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.399	112	3457	0.359	ng	0.00
5) Phenol-d6	7.009	99	3123	0.283	ng	0.00
8) Nitrobenzene-d5	9.003	82	2282	0.279	ng	0.01
11) 2-Methylnaphthalene-d10	12.242	152	5582	0.331	ng	0.00
14) 2,4,6-Tribromophenol	15.974	330	753	0.262	ng	0.00
15) 2-Fluorobiphenyl	13.116	172	7937	0.319	ng	0.01
27) Fluoranthene-d10	19.261	212	13060	0.366	ng	0.00
31) Terphenyl-d14	19.856	244	7398	0.375	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.324	149	442	0.026	ng	# 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032522\
Data File : BN019165.D
Acq On : 25 Mar 2022 19:57
Operator : CG/JU
Sample : PB143615BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB143615BL


Quant Time: Mar 26 04:22:39 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 25 19:03:12 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.847 min Scan# 660
Delta R.T. 0.000 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57

Instrument :
BNA_N
ClientSampleId :
PB143615BL







Tgt Ion:152 Resp: 4080
Ion Ratio Lower Upper
152 100
150 153.9 123.9 185.9
115 62.2 48.2 72.4



#4
2-Fluorophenol
Concen: 0.359 ng
RT: 5.399 min Scan# 321
Delta R.T. -0.000 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57

Tgt Ion:112 Resp: 3457
Ion Ratio Lower Upper
112 100
64 62.5 47.8 71.8
63 33.1 25.7 38.5









#5
Phenol-d6
Concen: 0.283 ng
RT: 7.009 min Scan# 54
Delta R.T. 0.007 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57




Instrument :
BNA_N
ClientSampleId :
PB143615BL


Tgt Ion: 99 Resp: 3123
Ion Ratio Lower Upper
99 100
42 21.3 16.2 24.4
71 35.6 27.7 41.5



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.648 min Scan# 943
Delta R.T. -0.000 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57

Tgt Ion: 136 Resp: 10542
Ion Ratio Lower Upper
136 100
137 11.7 9.0 13.4
54 12.3 5.8 8.6#
68 8.9 4.6 7.0#









#8
Nitrobenzene-d5
Concen: 0.279 ng
RT: 9.003 min Scan# 788
Delta R.T. 0.011 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57




Instrument :
BNA_N
ClientSampleId :
PB143615BL


Tgt Ion: 82 Resp: 2282
Ion Ratio Lower Upper
82 100
128 38.3 33.0 49.6
54 62.5 42.5 63.7



#11
2-Methylnaphthalene-d10
Concen: 0.331 ng
RT: 12.242 min Scan# 1217
Delta R.T. 0.004 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57

Tgt Ion: 152 Resp: 5582
Ion Ratio Lower Upper
152 100
151 20.5 16.5 24.7









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.484 min Scan# 1472
Delta R.T. -0.000 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57




Instrument :
BNA_N
ClientSampleId :
PB143615BL


Tgt Ion:164 Resp: 5918
Ion Ratio Lower Upper
164 100
162 105.1 85.2 127.8
160 48.9 41.5 62.3



#14
2,4,6-Tribromophenol
Concen: 0.262 ng
RT: 15.974 min Scan# 1612
Delta R.T. -0.000 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57

Tgt Ion:330 Resp: 753
Ion Ratio Lower Upper
330 100
332 93.5 76.8 115.2
141 38.5 32.2 48.2









#15
2-Fluorobiphenyl
Concen: 0.319 ng
RT: 13.116 min Scan# 1344
Delta R.T. 0.011 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57




Instrument :
BNA_N
ClientSampleId :
PB143615BL


Tgt Ion:172 Resp: 7937
Ion Ratio Lower Upper
172 100
171 34.5 28.2 42.2
170 23.2 18.7 28.1



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.226 min Scan# 1734
Delta R.T. -0.000 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57

Tgt Ion:188 Resp: 12187
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.2 11.8 17.8









#27
Fluoranthene-d10
Concen: 0.366 ng
RT: 19.261 min Scan# 2108
Delta R.T. 0.004 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57




Instrument :
BNA_N
ClientSampleId :
PB143615BL


Tgt Ion:212 Resp: 13060
Ion Ratio Lower Upper
212 100
106 15.2 12.7 19.1
104 8.8 7.1 10.7



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.422 min Scan# 2443
Delta R.T. 0.009 min
Lab File: BN019165.D
Acq: 25 Mar 2022 19:57

Tgt Ion:240 Resp: 8832
Ion Ratio Lower Upper
240 100
120 17.2 8.5 12.7#
236 29.4 22.4 33.6









#31
 Terphenyl-d14
 Concen: 0.375 ng
 RT: 19.856 min Scan# 21
 Delta R.T. 0.004 min
 Lab File: BN019165.D
 Acq: 25 Mar 2022 19:57




Instrument :
 BNA_N
 ClientSampleId :
 PB143615BL


Tgt Ion:244 Resp: 7398
 Ion Ratio Lower Upper
 244 100
 212 11.1 8.2 12.4
 122 0.0 0.0 0.0



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.026 ng
 RT: 21.324 min Scan# 2432
 Delta R.T. -0.000 min
 Lab File: BN019165.D
 Acq: 25 Mar 2022 19:57


Tgt Ion:149 Resp: 442
 Ion Ratio Lower Upper
 149 100
 167 25.3 21.8 32.8
 279 3.8 2.0 3.0#





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.787 min Scan# 30
 Delta R.T. 0.009 min
 Lab File: BN019165.D
 Acq: 25 Mar 2022 19:57

Instrument :
 BNA_N
 ClientSampleId :
 PB143615BL



Tgt Ion:264 Resp: 7383

Ion	Ratio	Lower	Upper
264	100		
260	28.3	22.4	33.6
265	55.8	25.3	37.9

