

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032522\
 Data File : BN019182.D
 Acq On : 26 Mar 2022 08:33
 Operator : CG/JU
 Sample : N2090-01
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW-46

Quant Time: Mar 28 09:11:21 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 25 19:03:12 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.847	152	4696	0.400	ng	0.00
7) Naphthalene-d8	10.648	136	13011	0.400	ng	# 0.00
13) Acenaphthene-d10	14.484	164	8238	0.400	ng	0.00
19) Phenanthrene-d10	17.225	188	15922	0.400	ng	# 0.00
29) Chrysene-d12	21.413	240	12507	0.400	ng	# 0.00
35) Perylene-d12	23.782	264	11080	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.399	112	1360	0.123	ng	0.00
5) Phenol-d6	7.009	99	808	0.064	ng	0.00
8) Nitrobenzene-d5	9.003	82	2534	0.251	ng	0.01
11) 2-Methylnaphthalene-d10	12.238	152	7212	0.346	ng	0.00
14) 2,4,6-Tribromophenol	15.974	330	1228	0.307	ng	0.00
15) 2-Fluorobiphenyl	13.105	172	13198	0.381	ng	0.00
27) Fluoranthene-d10	19.257	212	19307	0.414	ng	0.00
31) Terphenyl-d14	19.851	244	11676	0.418	ng	0.00
Target Compounds						Qvalue
34) Bis(2-ethylhexyl)phtha...	21.324	149	3539	0.145	ng	# 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032522\
Data File : BN019182.D
Acq On : 26 Mar 2022 08:33
Operator : CG/JU
Sample : N2090-01
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW-46


Quant Time: Mar 28 09:11:21 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 25 19:03:12 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.847 min Scan# 660
Delta R.T. 0.000 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33

Instrument :
BNA_N
ClientSampleId :
MW-46







Tgt Ion:152 Resp: 4696
Ion Ratio Lower Upper
152 100
150 152.7 123.9 185.9
115 61.4 48.2 72.4



#4
2-Fluorophenol
Concen: 0.123 ng
RT: 5.399 min Scan# 321
Delta R.T. -0.000 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33

Tgt Ion:112 Resp: 1360
Ion Ratio Lower Upper
112 100
64 59.8 47.8 71.8
63 30.6 25.7 38.5









#5
Phenol-d6
Concen: 0.064 ng
RT: 7.009 min Scan# 543
Delta R.T. 0.007 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33




Instrument :
BNA_N
ClientSampleId :
MW-46


Tgt Ion: 99 Resp: 808
Ion Ratio Lower Upper
99 100
42 23.6 16.2 24.4
71 48.3 27.7 41.5#



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.648 min Scan# 943
Delta R.T. -0.000 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33

Tgt Ion: 136 Resp: 13011
Ion Ratio Lower Upper
136 100
137 11.8 9.0 13.4
54 10.9 5.8 8.6#
68 8.1 4.6 7.0#









#8
Nitrobenzene-d5
Concen: 0.251 ng
RT: 9.003 min Scan# 788
Delta R.T. 0.011 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33




Instrument :
BNA_N
ClientSampleId :
MW-46


Tgt Ion: 82 Resp: 2534
Ion Ratio Lower Upper
82 100
128 40.1 33.0 49.6
54 57.0 42.5 63.7



#11
2-Methylnaphthalene-d10
Concen: 0.346 ng
RT: 12.238 min Scan# 1216
Delta R.T. -0.000 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33

Tgt Ion: 152 Resp: 7212
Ion Ratio Lower Upper
152 100
151 20.5 16.5 24.7









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.484 min Scan# 1472
Delta R.T. -0.000 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33




Instrument :
BNA_N
ClientSampleId :
MW-46


Tgt Ion:164 Resp: 8238
Ion Ratio Lower Upper
164 100
162 102.8 85.2 127.8
160 47.1 41.5 62.3



#14
2,4,6-Tribromophenol
Concen: 0.307 ng
RT: 15.974 min Scan# 1612
Delta R.T. -0.000 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33

Tgt Ion:330 Resp: 1228
Ion Ratio Lower Upper
330 100
332 94.9 76.8 115.2
141 39.9 32.2 48.2









#15
2-Fluorobiphenyl
Concen: 0.381 ng
RT: 13.105 min Scan# 1343
Delta R.T. -0.000 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33




Instrument :
BNA_N
ClientSampleId :
MW-46


Tgt Ion:172 Resp: 13198
Ion Ratio Lower Upper
172 100
171 35.7 28.2 42.2
170 24.6 18.7 28.1



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.225 min Scan# 1734
Delta R.T. -0.000 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33

Tgt Ion:188 Resp: 15922
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.7 11.8 17.8#









#27
Fluoranthene-d10
Concen: 0.414 ng
RT: 19.257 min Scan# 2107
Delta R.T. -0.000 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33




Instrument :
BNA_N
ClientSampleId :
MW-46


Tgt Ion:212 Resp: 19307
Ion Ratio Lower Upper
212 100
106 16.4 12.7 19.1
104 8.7 7.1 10.7



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.413 min Scan# 2442
Delta R.T. -0.000 min
Lab File: BN019182.D
Acq: 26 Mar 2022 08:33

Tgt Ion:240 Resp: 12507
Ion Ratio Lower Upper
240 100
120 18.8 8.5 12.7#
236 29.7 22.4 33.6









#31
 Terphenyl-d14
 Concen: 0.418 ng
 RT: 19.851 min Scan# 211
 Delta R.T. -0.000 min
 Lab File: BN019182.D
 Acq: 26 Mar 2022 08:33




Instrument :
 BNA_N
 ClientSampleId :
 MW-46


Tgt Ion:244 Resp: 11676
 Ion Ratio Lower Upper
 244 100
 212 11.0 8.2 12.4
 122 0.0 0.0 0.0



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.145 ng
 RT: 21.324 min Scan# 2432
 Delta R.T. -0.000 min
 Lab File: BN019182.D
 Acq: 26 Mar 2022 08:33


Tgt Ion:149 Resp: 3539
 Ion Ratio Lower Upper
 149 100
 167 29.0 21.8 32.8
 279 3.3 2.0 3.0#





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.782 min Scan# 30
 Delta R.T. 0.003 min
 Lab File: BN019182.D
 Acq: 26 Mar 2022 08:33

Instrument :
 BNA_N
 ClientSampleId :
 MW-46



Tgt Ion:264 Resp: 11080

Ion	Ratio	Lower	Upper
264	100		
260	28.2	22.4	33.6
265	44.7	25.3	37.9#

