

Data Path : Z:\HPCHEM1\BNA N\DATA\BN032618\
 Data File : BN000627.D
 Acq On : 26 Mar 2018 19:19
 Operator : JU/SJ
 Sample : J1986-15
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BEEH4

Quant Time: Mar 27 04:06:42 2018
 Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 27 03:53:32 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.41	152	122685	20.00	ng/ul	0.00
18) Naphthalene-d8	11.25	136	555937	20.00	ng/ul	0.00
35) Acenaphthene-d10	15.03	164	329922	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.75	188	731776	20.00	ng/ul	0.00
75) Chrysene-d12	21.88	240	763828	20.00	ng/ul	0.00
83) Perylene-d12	24.36	264	821258	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.58	96	10427	3.04	ng/uL	0.00
5) Phenol-d5	7.55	99	217164	18.97	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.71	67	130556	19.77	ng/ul	0.00
9) 2-Chlorophenol-d4	7.94	132	160994	18.60	ng/ul	0.00
13) 4-Methylphenol-d8	9.12	113	176418	19.79	ng/ul	0.00
19) Nitrobenzene-d5	9.59	128	84331	18.68	ng/ul	0.00
22) 2-Nitrophenol-d4	10.32	143	91637	19.59	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.87	165	156170	18.63	ng/ul	0.00
29) 4-Chloroaniline-d4	11.38	131	207855	24.15	ng/ul	0.00
43) Dimethylphthalate-d6	14.42	166	627943	24.09	ng/ul	0.00
46) Acenaphthylene-d8	14.73	160	723330	21.04	ng/ul	0.00
51) 4-Nitrophenol-d4	15.22	143	109051	22.53	ng/ul	0.00
57) Fluorene-d10	16.01	176	507777	22.86	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.13	200	69780	16.65	ng/ul	0.00
70) Anthracene-d10	17.85	188	818799	23.28	ng/ul	0.00
76) Pyrene-d10	20.11	212	911683	21.62	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.20	264	907280	23.41	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.47	163	102644	3.981	ng/ul#	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA N\DATA\BN032618\
Data File : BN000627.D
Acq On : 26 Mar 2018 19:19
Operator : JU/SJ
Sample : J1986-15
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BEEH4

Quant Time: Mar 27 04:06:42 2018
Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Mar 27 03:53:32 2018
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 3.981 ng/ul

RT: 14.47 min Scan# 1875

Delta R.T. -0.00 min

Lab File: BN000627.D

Acq: 26 Mar 2018 19:19

Instrument :

BNA_N

ClientSampleId :

BEEH4


Tot Ion:163 Resp: 102644

Ion Ratio Lower Upper

163 100

194 3.7 4.0 6.0#

164 9.9 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

