

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032825\
 Data File : BN036804.D
 Acq On : 29 Mar 2025 10:33
 Operator : RC/JU
 Sample : PB167295BS
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB167295BS

Quant Time: Mar 31 02:00:08 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 16:06:28 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.696	152	1794	0.400	ng	-0.03
7) Naphthalene-d8	10.477	136	4263	0.400	ng	-0.03
13) Acenaphthene-d10	14.334	164	2364	0.400	ng	-0.03
19) Phenanthrene-d10	17.087	188	4802	0.400	ng	-0.02
29) Chrysene-d12	21.277	240	3163	0.400	ng	#-0.02
35) Perylene-d12	23.516	264	2660	0.400	ng	-0.04
System Monitoring Compounds						
4) 2-Fluorophenol	5.291	112	1499	0.359	ng	-0.02
5) Phenol-d6	6.872	99	1778	0.344	ng	-0.03
8) Nitrobenzene-d5	8.843	82	1438	0.310	ng	-0.03
11) 2-Methylnaphthalene-d10	12.075	152	3120	0.492	ng	-0.04
14) 2,4,6-Tribromophenol	15.833	330	302	0.282	ng	-0.02
15) 2-Fluorobiphenyl	12.958	172	4528	0.329	ng	-0.03
27) Fluoranthene-d10	19.118	212	4058	0.330	ng	-0.02
31) Terphenyl-d14	19.722	244	2773	0.366	ng	-0.02
Target Compounds						Qvalue
2) 1,4-Dioxane	3.225	88	629	0.316	ng	# 7
3) n-Nitrosodimethylamine	3.536	42	1653	0.411	ng	# 92
6) bis(2-Chloroethyl)ether	7.125	93	1798	0.337	ng	97
9) Naphthalene	10.530	128	4418	0.352	ng	98
10) Hexachlorobutadiene	10.819	225	1110	0.376	ng	# 97
12) 2-Methylnaphthalene	12.151	142	2851	0.357	ng	99
16) Acenaphthylene	14.056	152	4291	0.385	ng	99
17) Acenaphthene	14.398	154	2758	0.378	ng	99
18) Fluorene	15.393	166	3648	0.369	ng	99
20) 4,6-Dinitro-2-methylph...	15.478	198	341	0.424	ng	89
21) 4-Bromophenyl-phenylether	16.280	248	1132	0.376	ng	98
22) Hexachlorobenzene	16.391	284	1372	0.378	ng	97
23) Atrazine	16.565	200	980	0.406	ng	95
24) Pentachlorophenol	16.739	266	579	0.350	ng	97
25) Phenanthrene	17.124	178	5643	0.392	ng	99
26) Anthracene	17.223	178	5086	0.391	ng	99
28) Fluoranthene	19.146	202	6015	0.372	ng	98
30) Pyrene	19.513	202	6044	0.391	ng	100
32) Benzo(a)anthracene	21.259	228	3999	0.364	ng	99
33) Chrysene	21.313	228	4976	0.414	ng	99
34) Bis(2-ethylhexyl)phtha...	21.196	149	2833	0.362	ng	99
36) Indeno(1,2,3-cd)pyrene	25.782	276	3938	0.410	ng	95
37) Benzo(b)fluoranthene	22.841	252	3780	0.390	ng	95
38) Benzo(k)fluoranthene	22.885	252	4216	0.415	ng	96
39) Benzo(a)pyrene	23.420	252	3467	0.425	ng	# 94
40) Dibenzo(a,h)anthracene	25.809	278	2985	0.399	ng	94
41) Benzo(g,h,i)perylene	26.469	276	3297	0.386	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032825\
Data File : BN036804.D
Acq On : 29 Mar 2025 10:33
Operator : RC/JU
Sample : PB167295BS
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB167295BS


Quant Time: Mar 31 02:00:08 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 16:06:28 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.696 min Scan# 61
 Delta R.T. -0.028 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33


Instrument :
 BNA_N
 ClientSampleId :
 PB167295BS





Tgt Ion:152 Resp: 1794
 Ion Ratio Lower Upper
 152 100
 150 154.7 123.7 185.5
 115 66.4 54.3 81.5




#2
 1,4-Dioxane
 Concen: 0.316 ng
 RT: 3.225 min Scan# 20
 Delta R.T. -0.014 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33



Tgt Ion: 88 Resp: 629
 Ion Ratio Lower Upper
 88 100
 43 186.6 37.8 56.8#
 58 110.0 67.4 101.2#









#3
n-Nitrosodimethylamine
Concen: 0.411 ng
RT: 3.536 min Scan# 61
Delta R.T. -0.014 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion: 42 Resp: 1653
Ion Ratio Lower Upper
42 100
74 68.4 60.6 90.8
44 10.3 6.3 9.5#



#4
2-Fluorophenol
Concen: 0.359 ng
RT: 5.291 min Scan# 306
Delta R.T. -0.022 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion: 112 Resp: 1499
Ion Ratio Lower Upper
112 100
64 67.2 53.1 79.7
63 43.8 31.8 47.8









#5
Phenol-d6
Concen: 0.344 ng
RT: 6.872 min Scan# 51
Delta R.T. -0.029 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion: 99 Resp: 1778
Ion Ratio Lower Upper
99 100
42 36.5 26.5 39.7
71 44.9 34.1 51.1



#6
bis(2-Chloroethyl)ether
Concen: 0.337 ng
RT: 7.125 min Scan# 560
Delta R.T. -0.029 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion: 93 Resp: 1798
Ion Ratio Lower Upper
93 100
63 88.0 67.7 101.5
95 31.4 25.6 38.4





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.477 min Scan# 91

Delta R.T. -0.032 min

Lab File: BN036804.D

Acq: 29 Mar 2025 10:33

Instrument :

BNA_N

ClientSampleId :

PB167295BS

Tgt Ion:136 Resp: 4263





Ion Ratio Lower Upper

136 100

137 12.7 10.3 15.5

54 13.9 11.5 17.3

68 8.1 7.0 10.4



#8

Nitrobenzene-d5

Concen: 0.310 ng

RT: 8.843 min Scan# 774

Delta R.T. -0.032 min

Lab File: BN036804.D

Acq: 29 Mar 2025 10:33




Tgt Ion: 82 Resp: 1438


Ion Ratio Lower Upper

82 100

128 36.6 30.6 45.8

54 77.0 52.2 78.4









#9
Naphthalene
Concen: 0.352 ng
RT: 10.530 min Scan# 911
Delta R.T. -0.032 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion:	128	Resp:	4418
Ion Ratio	Lower	Upper	
128	100		
129	13.1	9.8	14.6
127	15.4	11.8	17.8



#10
Hexachlorobutadiene
Concen: 0.376 ng
RT: 10.819 min Scan# 959
Delta R.T. -0.032 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion:	225	Resp:	1110
Ion Ratio	Lower	Upper	
225	100		
223	0.0	0.0	0.0
227	62.3	51.8	77.8









#11
2-Methylnaphthalene-d10
Concen: 0.492 ng
RT: 12.075 min Scan# 1142
Delta R.T. -0.035 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion:152 Resp: 3120
Ion Ratio Lower Upper
152 100
151 13.8 17.0 25.6#



#12
2-Methylnaphthalene
Concen: 0.357 ng
RT: 12.151 min Scan# 1150
Delta R.T. -0.030 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion:142 Resp: 2851
Ion Ratio Lower Upper
142 100
141 90.0 71.7 107.5
115 49.8 38.3 57.5









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.334 min Scan# 14
 Delta R.T. -0.032 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33




Instrument :
 BNA_N
 ClientSampleId :
 PB167295BS


Tgt Ion:164 Resp: 2364
 Ion Ratio Lower Upper
 164 100
 162 105.1 84.2 126.2
 160 53.7 42.2 63.2



#14
 2,4,6-Tribromophenol
 Concen: 0.282 ng
 RT: 15.833 min Scan# 1579
 Delta R.T. -0.025 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33

Tgt Ion:330 Resp: 302
 Ion Ratio Lower Upper
 330 100
 332 93.0 75.2 112.8
 141 52.6 43.4 65.2









#15
2-Fluorobiphenyl
Concen: 0.329 ng
RT: 12.958 min Scan# 11
Delta R.T. -0.030 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion:172 Resp: 4528
Ion Ratio Lower Upper
172 100
171 37.2 29.5 44.3
170 25.7 20.2 30.4



#16
Acenaphthylene
Concen: 0.385 ng
RT: 14.056 min Scan# 1417
Delta R.T. -0.021 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion:152 Resp: 4291
Ion Ratio Lower Upper
152 100
151 19.9 16.2 24.4
153 12.6 10.6 15.8









#17
Acenaphthene
Concen: 0.378 ng
RT: 14.398 min Scan# 1449
Delta R.T. -0.032 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion:154 Resp: 2758
Ion Ratio Lower Upper
154 100
153 116.4 94.1 141.1
152 62.4 49.8 74.6



#18
Fluorene
Concen: 0.369 ng
RT: 15.393 min Scan# 1542
Delta R.T. -0.021 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion:166 Resp: 3648
Ion Ratio Lower Upper
166 100
165 101.1 79.8 119.8
167 14.0 10.6 15.8









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.087 min Scan# 1
Delta R.T. -0.025 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion:188 Resp: 4802
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.9 8.8 13.2



#20
4,6-Dinitro-2-methylphenol
Concen: 0.424 ng
RT: 15.478 min Scan# 1550
Delta R.T. -0.021 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion:198 Resp: 341
Ion Ratio Lower Upper
198 100
51 120.9 107.9 161.9
105 78.4 56.2 84.2









#21
4-Bromophenyl-phenylether
Concen: 0.376 ng
RT: 16.280 min Scan# 1615
Delta R.T. -0.025 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion:248 Resp: 1132
Ion Ratio Lower Upper
248 100
250 91.5 73.0 109.6
141 89.0 68.6 103.0



#22
Hexachlorobenzene
Concen: 0.378 ng
RT: 16.391 min Scan# 1624
Delta R.T. -0.025 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion:284 Resp: 1372
Ion Ratio Lower Upper
284 100
142 49.3 37.0 55.4
249 36.2 28.1 42.1









#23
 Atrazine
 Concen: 0.406 ng
 RT: 16.565 min Scan# 1638
 Delta R.T. -0.012 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33




Instrument :
 BNA_N
 ClientSampleId :
 PB167295BS


Tgt Ion:200 Resp: 980
 Ion Ratio Lower Upper
 200 100
 173 29.9 27.3 40.9
 215 48.3 36.8 55.2



#24
 Pentachlorophenol
 Concen: 0.350 ng
 RT: 16.739 min Scan# 1652
 Delta R.T. -0.037 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33

Tgt Ion:266 Resp: 579
 Ion Ratio Lower Upper
 266 100
 264 62.7 49.6 74.4
 268 67.4 50.9 76.3









#25
Phenanthrene
Concen: 0.392 ng
RT: 17.124 min Scan# 1683
Delta R.T. -0.025 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion:178 Resp: 5643
Ion Ratio Lower Upper
178 100
176 19.6 15.9 23.9
179 15.5 12.2 18.4



#26
Anthracene
Concen: 0.391 ng
RT: 17.223 min Scan# 1691
Delta R.T. -0.025 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion:178 Resp: 5086
Ion Ratio Lower Upper
178 100
176 18.8 15.4 23.2
179 15.9 12.6 18.8









#27
Fluoranthene-d10
Concen: 0.330 ng
RT: 19.118 min Scan# 1925
Delta R.T. -0.023 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion	Ratio	Lower	Upper
212	100		
106	13.1	11.8	17.6
104	7.9	7.3	10.9



#28
Fluoranthene
Concen: 0.372 ng
RT: 19.146 min Scan# 1931
Delta R.T. -0.028 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion	Ratio	Lower	Upper
202	100		
101	10.1	9.4	14.0
203	16.9	13.5	20.3





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.277 min Scan# 21

Delta R.T. -0.018 min

Lab File: BN036804.D

Acq: 29 Mar 2025 10:33

Instrument :

BNA_N

ClientSampleId :

PB167295BS





Tgt Ion:240 Resp: 3163

Ion Ratio Lower Upper

240 100

120 13.7 14.6 22.0#

236 30.2 24.1 36.1



#30

Pyrene

Concen: 0.391 ng

RT: 19.513 min Scan# 2010

Delta R.T. -0.023 min

Lab File: BN036804.D

Acq: 29 Mar 2025 10:33




Tgt Ion:202 Resp: 6044


Ion Ratio Lower Upper

202 100

200 21.5 17.1 25.7

203 17.3 14.1 21.1









#31
 Terphenyl-d14
 Concen: 0.366 ng
 RT: 19.722 min Scan# 2060
 Delta R.T. -0.023 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33




Instrument :
 BNA_N
 ClientSampleId :
 PB167295BS


Tgt Ion:244 Resp: 2773
 Ion Ratio Lower Upper
 244 100
 212 13.2 9.6 14.4
 122 19.1 13.9 20.9



#32
 Benzo(a)anthracene
 Concen: 0.364 ng
 RT: 21.259 min Scan# 2256
 Delta R.T. -0.027 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33

Tgt Ion:228 Resp: 3999
 Ion Ratio Lower Upper
 228 100
 226 28.8 22.5 33.7
 229 21.0 16.6 25.0









#33
 Chrysene
 Concen: 0.414 ng
 RT: 21.313 min Scan# 21
 Delta R.T. -0.018 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33




Instrument :
 BNA_N
 ClientSampleId :
 PB167295BS


Tgt Ion:	228	Resp:	4976
Ion Ratio	Lower	Upper	
228	100		
226	31.3	25.3	37.9
229	20.7	15.8	23.8



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.362 ng
 RT: 21.196 min Scan# 2249
 Delta R.T. -0.018 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33

Tgt Ion:	149	Resp:	2833
Ion Ratio	Lower	Upper	
149	100		
167	26.1	20.7	31.1
279	3.7	3.6	5.4









#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.516 min Scan# 21
 Delta R.T. -0.038 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33




Instrument :
 BNA_N
 ClientSampleId :
 PB167295BS


Tgt Ion:	264	Resp:	2660
Ion Ratio	Lower	Upper	
264	100		
260	27.9	22.6	33.8
265	94.4	88.1	132.1



#36
 Indeno(1,2,3-cd)pyrene
 Concen: 0.410 ng
 RT: 25.782 min Scan# 3539
 Delta R.T. -0.055 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33


Tgt Ion:	276	Resp:	3938
Ion Ratio	Lower	Upper	
276	100		
138	24.2	23.4	35.2
277	24.6	20.0	30.0








#37
Benzo(b)fluoranthene
Concen: 0.390 ng
RT: 22.841 min Scan# 21
Delta R.T. -0.032 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Instrument :
BNA_N
ClientSampleId :
PB167295BS







Tgt Ion:252 Resp: 3780
Ion Ratio Lower Upper
252 100
253 30.8 23.9 35.9
125 17.8 17.4 26.2



#38
Benzo(k)fluoranthene
Concen: 0.415 ng
RT: 22.885 min Scan# 2548
Delta R.T. -0.032 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33

Tgt Ion:252 Resp: 4216
Ion Ratio Lower Upper
252 100
253 30.2 24.6 36.8
125 18.2 17.8 26.8









#39
Benzo(a)pyrene
Concen: 0.425 ng
RT: 23.420 min Scan# 21
Delta R.T. -0.035 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33




Instrument :
BNA_N
ClientSampleId :
PB167295BS


Tgt Ion:252 Resp: 3467
Ion Ratio Lower Upper
252 100
253 33.9 27.8 41.8
125 22.4 22.7 34.1#



#40
Dibenzo(a,h)anthracene
Concen: 0.399 ng
RT: 25.809 min Scan# 3548
Delta R.T. -0.047 min
Lab File: BN036804.D
Acq: 29 Mar 2025 10:33


Tgt Ion:278 Resp: 2985
Ion Ratio Lower Upper
278 100
139 23.6 20.8 31.2
279 40.2 28.8 43.2





#41
 Benzo(g,h,i)perylene
 Concen: 0.386 ng
 RT: 26.469 min Scan# 31
 Delta R.T. -0.061 min
 Lab File: BN036804.D
 Acq: 29 Mar 2025 10:33

Instrument :
 BNA_N
 ClientSampleId :
 PB167295BS



Tgt Ion:	276	Resp:	3297
Ion	Ratio	Lower	Upper
276	100		
277	28.8	22.2	33.4
138	28.8	24.1	36.1

