

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032825\
 Data File : BN036805.D
 Acq On : 29 Mar 2025 11:09
 Operator : RC/JU
 Sample : PB167269BSD
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Mar 31 11:01:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 16:06:28 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.696	152	2084	0.400	ng	-0.03
7) Naphthalene-d8	10.477	136	5176	0.400	ng	-0.03
13) Acenaphthene-d10	14.334	164	2847	0.400	ng	-0.03
19) Phenanthrene-d10	17.087	188	5679	0.400	ng	-0.02
29) Chrysene-d12	21.277	240	3705	0.400	ng	#-0.02
35) Perylene-d12	23.516	264	1747	0.400	ng	-0.04
System Monitoring Compounds						
4) 2-Fluorophenol	5.291	112	2130	0.439	ng	-0.02
5) Phenol-d6	6.872	99	2579	0.430	ng	-0.03
8) Nitrobenzene-d5	8.843	82	2031	0.361	ng	-0.03
11) 2-Methylnaphthalene-d10	12.075	152	5171	0.672	ng	-0.04
14) 2,4,6-Tribromophenol	15.833	330	559	0.433	ng	-0.02
15) 2-Fluorobiphenyl	12.958	172	6390	0.386	ng	-0.03
27) Fluoranthene-d10	19.118	212	5478	0.376	ng	-0.02
31) Terphenyl-d14	19.722	244	3653	0.412	ng	-0.02
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.225	88	752	0.325	ng	# 50
3) n-Nitrosodimethylamine	3.528	42	2081	0.445	ng	# 91
6) bis(2-Chloroethyl)ether	7.125	93	2470	0.398	ng	99
9) Naphthalene	10.530	128	6116	0.402	ng	100
10) Hexachlorobutadiene	10.819	225	1445	0.403	ng	# 98
12) 2-Methylnaphthalene	12.146	142	3919	0.405	ng	98
16) Acenaphthylene	14.056	152	5593	0.416	ng	99
17) Acenaphthene	14.398	154	3722	0.423	ng	98
18) Fluorene	15.393	166	5089	0.428	ng	100
20) 4,6-Dinitro-2-methylph...	15.478	198	520	0.503	ng	# 68
21) 4-Bromophenyl-phenylether	16.280	248	1516	0.426	ng	96
22) Hexachlorobenzene	16.391	284	1804	0.420	ng	97
24) Pentachlorophenol	16.739	266	1591	0.812	ng	100
25) Phenanthrene	17.124	178	7597	0.446	ng	100
26) Anthracene	17.223	178	6720	0.437	ng	100
28) Fluoranthene	19.146	202	8064	0.421	ng	98
30) Pyrene	19.513	202	7567	0.418	ng	100
32) Benzo(a)anthracene	21.259	228	5472	0.425	ng	99
33) Chrysene	21.304	228	6713	0.477	ng	98
34) Bis(2-ethylhexyl)phtha...	21.187	149	3958	0.431	ng	# 99
36) Indeno(1,2,3-cd)pyrene	25.782	276	4397	0.697	ng	96
37) Benzo(b)fluoranthene	22.841	252	4955	0.779	ng	# 93
38) Benzo(k)fluoranthene	22.885	252	5096	0.764	ng	# 94
39) Benzo(a)pyrene	23.417	252	3334	0.623	ng	94
40) Dibenzo(a,h)anthracene	25.800	278	3824	0.779	ng	95
41) Benzo(g,h,i)perylene	26.472	276	3466	0.617	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032825\
Data File : BN036805.D
Acq On : 29 Mar 2025 11:09
Operator : RC/JU
Sample : PB167269BSD
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :


Quant Time: Mar 31 11:01:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 16:06:28 2025
Response via : Initial Calibration







#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.696 min Scan# 61
 Delta R.T. -0.028 min
 Lab File: BN036805.D
 Acq: 29 Mar 2025 11:09

Instrument :
 BNA_N
 ClientSampleId :



Tgt Ion:152 Resp: 2084




Ion	Ratio	Lower	Upper
152	100		
150	153.3	123.7	185.5
115	66.6	54.3	81.5



#2
 1,4-Dioxane
 Concen: 0.325 ng
 RT: 3.225 min Scan# 20
 Delta R.T. -0.014 min
 Lab File: BN036805.D
 Acq: 29 Mar 2025 11:09

Tgt Ion: 88 Resp: 752

Ion	Ratio	Lower	Upper
88	100		
43	121.5	37.8	56.8#
58	98.7	67.4	101.2









#3
 n-Nitrosodimethylamine
 Concen: 0.445 ng
 RT: 3.528 min Scan# 61
 Delta R.T. -0.021 min
 Lab File: BN036805.D
 Acq: 29 Mar 2025 11:09




Instrument :
 BNA_N
 ClientSampleId :

Tgt Ion: 42 Resp: 2081
 Ion Ratio Lower Upper
 42 100
 74 68.0 60.6 90.8
 44 3.5 6.3 9.5#



#4
 2-Fluorophenol
 Concen: 0.439 ng
 RT: 5.291 min Scan# 306
 Delta R.T. -0.021 min
 Lab File: BN036805.D
 Acq: 29 Mar 2025 11:09

Tgt Ion: 112 Resp: 2130
 Ion Ratio Lower Upper
 112 100
 64 66.8 53.1 79.7
 63 43.9 31.8 47.8








#5
Phenol-d6
Concen: 0.430 ng
RT: 6.872 min Scan# 51
Delta R.T. -0.029 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09




Instrument :
BNA_N
ClientSampleId :

Tgt Ion:	99	Resp:	2579
Ion	Ratio	Lower	Upper
99	100		
42	35.4	26.5	39.7
71	48.4	34.1	51.1



#6
bis(2-Chloroethyl)ether
Concen: 0.398 ng
RT: 7.125 min Scan# 560
Delta R.T. -0.029 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09


Tgt Ion:	93	Resp:	2470
Ion	Ratio	Lower	Upper
93	100		
63	84.8	67.7	101.5
95	31.3	25.6	38.4







#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.477 min Scan# 91
Delta R.T. -0.032 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Instrument :
BNA_N
ClientSampleId :






Tgt Ion:	136	Resp:	5176
Ion	Ratio	Lower	Upper
136	100		
137	12.2	10.3	15.5
54	13.0	11.5	17.3
68	7.0	7.0	10.4



#8
Nitrobenzene-d5
Concen: 0.361 ng
RT: 8.843 min Scan# 774
Delta R.T. -0.032 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Tgt Ion:	82	Resp:	2031
Ion	Ratio	Lower	Upper
82	100		
128	36.4	30.6	45.8
54	71.7	52.2	78.4








#9
Naphthalene
Concen: 0.402 ng
RT: 10.530 min Scan# 911
Delta R.T. -0.032 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09




Instrument :
BNA_N
ClientSampleId :

Tgt Ion:128 Resp: 6116
Ion Ratio Lower Upper
128 100
129 12.1 9.8 14.6
127 14.9 11.8 17.8



#10
Hexachlorobutadiene
Concen: 0.403 ng
RT: 10.819 min Scan# 959
Delta R.T. -0.032 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Tgt Ion:225 Resp: 1445
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.0 51.8 77.8








#11
2-Methylnaphthalene-d10
Concen: 0.672 ng
RT: 12.075 min Scan# 1142
Delta R.T. -0.035 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:152 Resp: 5171
Ion Ratio Lower Upper
152 100
151 12.2 17.0 25.6#



#12
2-Methylnaphthalene
Concen: 0.405 ng
RT: 12.146 min Scan# 1149
Delta R.T. -0.035 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09


Tgt Ion:142 Resp: 3919
Ion Ratio Lower Upper
142 100
141 90.7 71.7 107.5
115 49.9 38.3 57.5








#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.334 min Scan# 1443
Delta R.T. -0.032 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:164 Resp: 2847
Ion Ratio Lower Upper
164 100
162 105.3 84.2 126.2
160 54.6 42.2 63.2



#14
2,4,6-Tribromophenol
Concen: 0.433 ng
RT: 15.833 min Scan# 1579
Delta R.T. -0.025 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Tgt Ion:330 Resp: 559
Ion Ratio Lower Upper
330 100
332 97.3 75.2 112.8
141 54.4 43.4 65.2





#15

2-Fluorobiphenyl

Concen: 0.386 ng

RT: 12.958 min Scan# 11

Delta R.T. -0.030 min

Lab File: BN036805.D

Acq: 29 Mar 2025 11:09

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:172 Resp: 6390

Ion Ratio Lower Upper

172 100

171 36.3 29.5 44.3

170 24.7 20.2 30.4



#16

Acenaphthylene

Concen: 0.416 ng

RT: 14.056 min Scan# 1417

Delta R.T. -0.021 min

Lab File: BN036805.D

Acq: 29 Mar 2025 11:09




Tgt Ion:152 Resp: 5593

Ion Ratio Lower Upper

152 100

151 19.9 16.2 24.4


153 13.1 10.6 15.8







#17
Acenaphthene
Concen: 0.423 ng
RT: 14.398 min Scan# 1449
Delta R.T. -0.032 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:154 Resp: 3722
Ion Ratio Lower Upper
154 100
153 120.1 94.1 141.1
152 62.3 49.8 74.6



#18
Fluorene
Concen: 0.428 ng
RT: 15.393 min Scan# 1542
Delta R.T. -0.021 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Tgt Ion:166 Resp: 5089
Ion Ratio Lower Upper
166 100
165 99.4 79.8 119.8
167 13.0 10.6 15.8








#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.087 min Scan# 1
Delta R.T. -0.025 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09




Instrument :
BNA_N
ClientSampleId :

Tgt Ion:188 Resp: 5679
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.5 8.8 13.2



#20
4,6-Dinitro-2-methylphenol
Concen: 0.503 ng
RT: 15.478 min Scan# 1550
Delta R.T. -0.021 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Tgt Ion:198 Resp: 520
Ion Ratio Lower Upper
198 100
51 85.0 107.9 161.9#
105 59.9 56.2 84.2








#21
4-Bromophenyl-phenylether
Concen: 0.426 ng
RT: 16.280 min Scan# 1615
Delta R.T. -0.025 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:248 Resp: 1516
Ion Ratio Lower Upper
248 100
250 95.4 73.0 109.6
141 83.2 68.6 103.0



#22
Hexachlorobenzene
Concen: 0.420 ng
RT: 16.391 min Scan# 1624
Delta R.T. -0.025 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Tgt Ion:284 Resp: 1804
Ion Ratio Lower Upper
284 100
142 49.3 37.0 55.4
249 35.1 28.1 42.1





#24

Pentachlorophenol

Concen: 0.812 ng

RT: 16.739 min Scan# 1652

Delta R.T. -0.037 min

Lab File: BN036805.D

Acq: 29 Mar 2025 11:09

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:266 Resp: 1591

Ion Ratio Lower Upper

266 100

264 61.9 49.6 74.4

268 64.1 50.9 76.3



#25

Phenanthrene

Concen: 0.446 ng

RT: 17.124 min Scan# 1683

Delta R.T. -0.025 min

Lab File: BN036805.D

Acq: 29 Mar 2025 11:09




Tgt Ion:178 Resp: 7597


Ion Ratio Lower Upper

178 100

176 19.9 15.9 23.9

179 15.5 12.2 18.4





#26

Anthracene

Concen: 0.437 ng

RT: 17.223 min Scan# 1

Delta R.T. -0.025 min

Lab File: BN036805.D

Acq: 29 Mar 2025 11:09

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:178 Resp: 6720

Ion Ratio Lower Upper

178 100

176 19.3 15.4 23.2

179 15.4 12.6 18.8



#27

Fluoranthene-d10

Concen: 0.376 ng

RT: 19.118 min Scan# 1925

Delta R.T. -0.023 min

Lab File: BN036805.D

Acq: 29 Mar 2025 11:09




Tgt Ion:212 Resp: 5478


Ion Ratio Lower Upper

212 100

106 13.5 11.8 17.6

104 8.7 7.3 10.9









#28
Fluoranthene
Concen: 0.421 ng
RT: 19.146 min Scan# 1937
Delta R.T. -0.028 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:202 Resp: 8064
Ion Ratio Lower Upper
202 100
101 9.8 9.4 14.0
203 16.6 13.5 20.3



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.277 min Scan# 2258
Delta R.T. -0.018 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Tgt Ion:240 Resp: 3705
Ion Ratio Lower Upper
240 100
120 12.4 14.6 22.0#
236 29.4 24.1 36.1





#30

Pyrene

Concen: 0.418 ng

RT: 19.513 min Scan# 2015

Delta R.T. -0.023 min

Lab File: BN036805.D

Acq: 29 Mar 2025 11:09

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:202 Resp: 7567

Ion Ratio Lower Upper

202 100

200 21.3 17.1 25.7

203 17.8 14.1 21.1



#31

Terphenyl-d14

Concen: 0.412 ng

RT: 19.722 min Scan# 2055

Delta R.T. -0.023 min

Lab File: BN036805.D

Acq: 29 Mar 2025 11:09




Tgt Ion:244 Resp: 3653


Ion Ratio Lower Upper

244 100

212 12.5 9.6 14.4

122 16.8 13.9 20.9









#32
Benzo(a)anthracene
Concen: 0.425 ng
RT: 21.259 min Scan# 21
Delta R.T. -0.027 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:228 Resp: 5472
Ion Ratio Lower Upper
228 100
226 28.7 22.5 33.7
229 20.7 16.6 25.0



#33
Chrysene
Concen: 0.477 ng
RT: 21.304 min Scan# 2261
Delta R.T. -0.027 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Tgt Ion:228 Resp: 6713
Ion Ratio Lower Upper
228 100
226 32.6 25.3 37.9
229 20.4 15.8 23.8









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.431 ng
 RT: 21.187 min Scan# 211
 Delta R.T. -0.027 min
 Lab File: BN036805.D
 Acq: 29 Mar 2025 11:09




Instrument :
 BNA_N
 ClientSampleId :


Tgt Ion:149 Resp: 3958
 Ion Ratio Lower Upper
 149 100
 167 26.4 20.7 31.1
 279 3.5 3.6 5.4#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.516 min Scan# 2764
 Delta R.T. -0.038 min
 Lab File: BN036805.D
 Acq: 29 Mar 2025 11:09


Tgt Ion:264 Resp: 1747
 Ion Ratio Lower Upper
 264 100
 260 31.3 22.6 33.8
 265 121.5 88.1 132.1








#36
 Indeno(1,2,3-cd)pyrene
 Concen: 0.697 ng
 RT: 25.782 min Scan# 3539
 Delta R.T. -0.055 min
 Lab File: BN036805.D
 Acq: 29 Mar 2025 11:09

Instrument :
 BNA_N
 ClientSampleId :







Tgt Ion:276 Resp: 4397
 Ion Ratio Lower Upper
 276 100
 138 25.9 23.4 35.2
 277 24.8 20.0 30.0



#37
 Benzo(b)fluoranthene
 Concen: 0.779 ng
 RT: 22.841 min Scan# 2533
 Delta R.T. -0.032 min
 Lab File: BN036805.D
 Acq: 29 Mar 2025 11:09


Tgt Ion:252 Resp: 4955
 Ion Ratio Lower Upper
 252 100
 253 28.2 23.9 35.9
 125 15.8 17.4 26.2#







#38
Benzo(k)fluoranthene
Concen: 0.764 ng
RT: 22.885 min Scan# 21
Delta R.T. -0.032 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:252 Resp: 5096
Ion Ratio Lower Upper
252 100
253 29.6 24.6 36.8
125 16.8 17.8 26.8#



#39
Benzo(a)pyrene
Concen: 0.623 ng
RT: 23.417 min Scan# 2730
Delta R.T. -0.038 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09


Tgt Ion:252 Resp: 3334
Ion Ratio Lower Upper
252 100
253 36.4 27.8 41.8
125 22.8 22.7 34.1








#40
Dibenzo(a,h)anthracene
Concen: 0.779 ng
RT: 25.800 min Scan# 31
Delta R.T. -0.055 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Instrument :
BNA_N
ClientSampleId :



Tgt Ion:278 Resp: 3824
Ion Ratio Lower Upper
278 100
139 22.6 20.8 31.2
279 34.2 28.8 43.2



#41
Benzo(g,h,i)perylene
Concen: 0.617 ng
RT: 26.472 min Scan# 3775
Delta R.T. -0.058 min
Lab File: BN036805.D
Acq: 29 Mar 2025 11:09

Tgt Ion:276 Resp: 3466
Ion Ratio Lower Upper
276 100
277 27.6 22.2 33.4
138 25.9 24.1 36.1

