

Data Path : Z:\svoasrv\HPCHEM1\BNA\_N\Data\BN032825\  
 Data File : BN036774.D  
 Acq On : 28 Mar 2025 15:49  
 Operator : RC/JU  
 Sample : PB167159BL  
 Misc :  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 BNA\_N  
 ClientSampleId :  
 PB167159BL

Quant Time: Mar 28 16:20:54 2025  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\8270-SIM-BN031025.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Mon Mar 10 16:06:28 2025  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon | Response | Conc  | Units | Dev(Min) |
|-----------------------------|--------|------|----------|-------|-------|----------|
| -----                       |        |      |          |       |       |          |
| Internal Standards          |        |      |          |       |       |          |
| 1) 1,4-Dichlorobenzene-d4   | 7.695  | 152  | 1960     | 0.400 | ng    | -0.03    |
| 7) Naphthalene-d8           | 10.498 | 136  | 4428     | 0.400 | ng    | -0.01    |
| 13) Acenaphthene-d10        | 14.345 | 164  | 2482     | 0.400 | ng    | -0.02    |
| 19) Phenanthrene-d10        | 17.099 | 188  | 5023     | 0.400 | ng    | #-0.01   |
| 29) Chrysene-d12            | 21.277 | 240  | 3996     | 0.400 | ng    | -0.02    |
| 35) Perylene-d12            | 23.525 | 264  | 2091     | 0.400 | ng    | #-0.03   |
|                             |        |      |          |       |       |          |
| System Monitoring Compounds |        |      |          |       |       |          |
| 4) 2-Fluorophenol           | 5.290  | 112  | 1982     | 0.434 | ng    | -0.02    |
| 5) Phenol-d6                | 6.879  | 99   | 2119     | 0.376 | ng    | -0.02    |
| 8) Nitrobenzene-d5          | 8.864  | 82   | 1556     | 0.323 | ng    | -0.01    |
| 11) 2-Methylnaphthalene-d10 | 12.095 | 152  | 2283     | 0.347 | ng    | -0.02    |
| 14) 2,4,6-Tribromophenol    | 15.858 | 330  | 431      | 0.383 | ng    | 0.00     |
| 15) 2-Fluorobiphenyl        | 12.983 | 172  | 4492     | 0.311 | ng    | 0.00     |
| 27) Fluoranthene-d10        | 19.122 | 212  | 5363     | 0.417 | ng    | -0.02    |
| 31) Terphenyl-d14           | 19.726 | 244  | 3691     | 0.386 | ng    | -0.02    |

Target Compounds Qvalue


-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_N\Data\BN032825\  
Data File : BN036774.D  
Acq On : 28 Mar 2025 15:49  
Operator : RC/JU  
Sample : PB167159BL  
Misc :  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
BNA\_N  
ClientSampleId :  
PB167159BL


Quant Time: Mar 28 16:20:54 2025  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\8270-SIM-BN031025.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Mon Mar 10 16:06:28 2025  
Response via : Initial Calibration







#1  
1,4-Dichlorobenzene-d4  
Concen: 0.400 ng  
RT: 7.695 min Scan# 61  
Delta R.T. -0.029 min  
Lab File: BN036774.D  
Acq: 28 Mar 2025 15:49


Instrument :  
BNA\_N  
ClientSampleId :  
PB167159BL





Tgt Ion:152 Resp: 1960  
Ion Ratio Lower Upper  
152 100  
150 155.4 123.7 185.5  
115 70.6 54.3 81.5



#4  
2-Fluorophenol  
Concen: 0.434 ng  
RT: 5.290 min Scan# 306  
Delta R.T. -0.022 min  
Lab File: BN036774.D  
Acq: 28 Mar 2025 15:49



Tgt Ion:112 Resp: 1982  
Ion Ratio Lower Upper  
112 100  
64 67.8 53.1 79.7  
63 43.0 31.8 47.8








#5  
Phenol-d6  
Concen: 0.376 ng  
RT: 6.879 min Scan# 51  
Delta R.T. -0.022 min  
Lab File: BN036774.D  
Acq: 28 Mar 2025 15:49




Instrument :  
BNA\_N  
ClientSampleId :  
PB167159BL

Tgt Ion: 99 Resp: 2119  
Ion Ratio Lower Upper  
99 100  
42 33.4 26.5 39.7  
71 48.0 34.1 51.1



#7  
Naphthalene-d8  
Concen: 0.400 ng  
RT: 10.498 min Scan# 929  
Delta R.T. -0.011 min  
Lab File: BN036774.D  
Acq: 28 Mar 2025 15:49

Tgt Ion: 136 Resp: 4428  
Ion Ratio Lower Upper  
136 100  
137 13.4 10.3 15.5  
54 13.2 11.5 17.3  
68 8.0 7.0 10.4








#8  
 Nitrobenzene-d5  
 Concen: 0.323 ng  
 RT: 8.864 min Scan# 71  
 Delta R.T. -0.011 min  
 Lab File: BN036774.D  
 Acq: 28 Mar 2025 15:49




Instrument :  
 BNA\_N  
 ClientSampleId :  
 PB167159BL

Tgt Ion: 82 Resp: 1556  
 Ion Ratio Lower Upper  
 82 100  
 128 42.2 30.6 45.8  
 54 71.2 52.2 78.4



#11  
 2-Methylnaphthalene-d10  
 Concen: 0.347 ng  
 RT: 12.095 min Scan# 1139  
 Delta R.T. -0.015 min  
 Lab File: BN036774.D  
 Acq: 28 Mar 2025 15:49

Tgt Ion: 152 Resp: 2283  
 Ion Ratio Lower Upper  
 152 100  
 151 22.1 17.0 25.6








#13  
Acenaphthene-d10  
Concen: 0.400 ng  
RT: 14.345 min Scan# 1444  
Delta R.T. -0.021 min  
Lab File: BN036774.D  
Acq: 28 Mar 2025 15:49




Instrument :  
BNA\_N  
ClientSampleId :  
PB167159BL


Tgt Ion:164 Resp: 2482  
Ion Ratio Lower Upper  
164 100  
162 107.4 84.2 126.2  
160 56.6 42.2 63.2



#14  
2,4,6-Tribromophenol  
Concen: 0.383 ng  
RT: 15.858 min Scan# 1581  
Delta R.T. -0.000 min  
Lab File: BN036774.D  
Acq: 28 Mar 2025 15:49

Tgt Ion:330 Resp: 431  
Ion Ratio Lower Upper  
330 100  
332 93.5 75.2 112.8  
141 49.9 43.4 65.2









#15  
2-Fluorobiphenyl  
Concen: 0.311 ng  
RT: 12.983 min Scan# 11  
Delta R.T. -0.005 min  
Lab File: BN036774.D  
Acq: 28 Mar 2025 15:49




Instrument :  
BNA\_N  
ClientSampleId :  
PB167159BL


Tgt Ion:172 Resp: 4492  
Ion Ratio Lower Upper  
172 100  
171 37.4 29.5 44.3  
170 26.0 20.2 30.4



#19  
Phenanthrene-d10  
Concen: 0.400 ng  
RT: 17.099 min Scan# 1681  
Delta R.T. -0.012 min  
Lab File: BN036774.D  
Acq: 28 Mar 2025 15:49

Tgt Ion:188 Resp: 5023  
Ion Ratio Lower Upper  
188 100  
94 0.0 0.0 0.0  
80 14.0 8.8 13.2#









#27  
Fluoranthene-d10  
Concen: 0.417 ng  
RT: 19.122 min Scan# 1926  
Delta R.T. -0.019 min  
Lab File: BN036774.D  
Acq: 28 Mar 2025 15:49




Instrument :  
BNA\_N  
ClientSampleId :  
PB167159BL


Tgt Ion:212 Resp: 5363  
Ion Ratio Lower Upper  
212 100  
106 13.6 11.8 17.6  
104 8.1 7.3 10.9



#29  
Chrysene-d12  
Concen: 0.400 ng  
RT: 21.277 min Scan# 2258  
Delta R.T. -0.018 min  
Lab File: BN036774.D  
Acq: 28 Mar 2025 15:49

Tgt Ion:240 Resp: 3996  
Ion Ratio Lower Upper  
240 100  
120 20.6 14.6 22.0  
236 30.9 24.1 36.1









#31  
 Terphenyl-d14  
 Concen: 0.386 ng  
 RT: 19.726 min Scan# 2060  
 Delta R.T. -0.019 min  
 Lab File: BN036774.D  
 Acq: 28 Mar 2025 15:49

Instrument :  
 BNA\_N  
 ClientSampleId :  
 PB167159BL

Tgt Ion:244 Resp: 3691  
 Ion Ratio Lower Upper  
 244 100  
 212 12.5 9.6 14.4  
 122 17.1 13.9 20.9



#35  
 Perylene-d12  
 Concen: 0.400 ng  
 RT: 23.525 min Scan# 2767  
 Delta R.T. -0.029 min  
 Lab File: BN036774.D  
 Acq: 28 Mar 2025 15:49

Tgt Ion:264 Resp: 2091  
 Ion Ratio Lower Upper  
 264 100  
 260 30.8 22.6 33.8  
 265 135.4 88.1 132.1#

