

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN033121\
 Data File : BN014168.D
 Acq On : 01 Apr 2021 08:03
 Operator : CG/JU
 Sample : M1843-02
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW179D1-20210324

Quant Time: Apr 01 08:40:56 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 31 12:15:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.692	152	6959	0.40	ng	0.00
7) Naphthalene-d8	10.467	136	26332	0.40	ng	0.00
13) Acenaphthene-d10	14.321	164	14649	0.40	ng	0.00
19) Phenanthrene-d10	17.067	188	29318	0.40	ng	0.00
29) Chrysene-d12	21.247	240	25132	0.40	ng	0.00
36) Perylene-d12	23.466	264	22174	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.284	112	2688	0.15	ng	0.00
5) Phenol-d6	6.855	99	1922	0.08	ng	0.00
8) Nitrobenzene-d5	8.832	82	6688	0.37	ng	0.00
11) 2-Methylnaphthalene-d10	12.057	152	15417	0.39	ng	0.00
14) 2,4,6-Tribromophenol	15.818	330	1717	0.36	ng	0.01
15) 2-Fluorobiphenyl	12.938	172	23531	0.43	ng	0.00
27) Fluoranthene-d10	19.096	212	36191	0.47	ng	0.00
31) Terphenyl-d14	19.697	244	31106	0.54	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.231	88	2535	0.28	ng	# 73
25) Phenanthrene	17.104	178	2188	0.03	ng	96
34) Bis(2-ethylhexyl)phtha...	21.173	149	2499	0.12	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN033121\
Data File : BN014168.D
Acq On : 01 Apr 2021 08:03
Operator : CG/JU
Sample : M1843-02
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW179D1-20210324

Quant Time: Apr 01 08:40:56 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 31 12:15:38 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.692 min Scan# 610
 Delta R.T. 0.008 min
 Lab File: BN014168.D
 Acq: 01 Apr 2021 08:03

Instrument :
 BNA_N
 ClientSampleId :
 MW179D1-20210324

Tgt Ion: 152 Resp: 6959




Ion	Ratio	Lower	Upper
152	100		
150	151.6	121.2	181.8
115	57.6	46.2	69.2




#2
 1,4-Dioxane
 Concen: 0.28 ng
 RT: 3.231 min Scan# 56
 Delta R.T. -0.008 min
 Lab File: BN014168.D
 Acq: 01 Apr 2021 08:03

Tgt Ion: 88 Resp: 2535

Ion	Ratio	Lower	Upper
88	100		
58	83.6	63.1	94.7
43	78.1	26.2	39.2









#4
2-Fluorophenol
Concen: 0.15 ng
RT: 5.284 min Scan# 311
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03




Instrument :
BNA_N
ClientSampleId :
MW179D1-20210324


Tgt Ion:	112	Resp:	2688
Ion	Ratio	Lower	Upper
112	100		
64	60.1	48.3	72.5
63	31.5	25.4	38.0



#5
Phenol-d6
Concen: 0.08 ng
RT: 6.855 min Scan# 506
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03

Tgt Ion:	99	Resp:	1922
Ion	Ratio	Lower	Upper
99	100		
42	0.0	18.2	27.4#
71	39.7	26.7	40.1









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.467 min Scan# 857
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03




Instrument :
BNA_N
ClientSampleId :
MW179D1-20210324


Tgt Ion:	136	Resp:	26332
Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.1	13.7
54	5.8	4.3	6.5
68	4.6	3.4	5.2



#8
Nitrobenzene-d5
Concen: 0.37 ng
RT: 8.832 min Scan# 728
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03

Tgt Ion:	82	Resp:	6688
Ion	Ratio	Lower	Upper
82	100		
128	40.7	33.5	50.3
54	51.6	40.3	60.5









#11
2-Methylnaphthalene-d10
Concen: 0.39 ng
RT: 12.057 min Scan# 1063
Delta R.T. 0.004 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03




Instrument :
BNA_N
ClientSampleId :
MW179D1-20210324


Tgt Ion:152 Resp: 15417
Ion Ratio Lower Upper
152 100
151 20.1 16.1 24.1



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.321 min Scan# 1307
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03

Tgt Ion:164 Resp: 14649
Ion Ratio Lower Upper
164 100
162 97.4 81.4 122.2
160 43.3 37.5 56.3









#14
2,4,6-Tribromophenol
Concen: 0.36 ng
RT: 15.818 min Scan# 1425
Delta R.T. 0.013 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03




Instrument :
BNA_N
ClientSampleId :
MW179D1-20210324


Tgt Ion:330 Resp: 1717
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 40.9 31.2 46.8



#15
2-Fluorobiphenyl
Concen: 0.43 ng
RT: 12.938 min Scan# 1198
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03

Tgt Ion:172 Resp: 23531
Ion Ratio Lower Upper
172 100
171 34.7 26.9 40.3
170 23.0 17.8 26.8









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.067 min Scan# 1527
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03




Instrument :
BNA_N
ClientSampleId :
MW179D1-20210324


Tgt Ion:188	Resp:	29318
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0
80	7.0	5.2



#25
Phenanthrene
Concen: 0.03 ng
RT: 17.104 min Scan# 1530
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03

Tgt Ion:178	Resp:	2188
Ion Ratio	Lower	Upper
178	100	
176	17.9	15.0
179	17.8	12.4









#27
Fluoranthene-d10
Concen: 0.47 ng
RT: 19.096 min Scan# 1824
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03




Instrument :
BNA_N
ClientSampleId :
MW179D1-20210324


Tgt Ion:212 Resp: 36191
Ion Ratio Lower Upper
212 100
106 12.9 10.1 15.1
104 7.2 5.5 8.3



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.247 min Scan# 2124
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03

Tgt Ion:240 Resp: 25132
Ion Ratio Lower Upper
240 100
120 12.1 8.4 12.6
236 26.3 21.0 31.6









#31
Terphenyl-d14
Concen: 0.54 ng
RT: 19.697 min Scan# 1945
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03




Instrument :
BNA_N
ClientSampleId :
MW179D1-20210324


Tgt Ion:244 Resp: 31106
Ion Ratio Lower Upper
244 100
212 7.5 6.0 9.0
122 12.1 8.6 13.0



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.12 ng
RT: 21.173 min Scan# 2117
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03

Tgt Ion:149 Resp: 2499
Ion Ratio Lower Upper
149 100
167 25.8 21.4 32.2
279 5.0 3.5 5.3





#36
Perylene-d12
Concen: 0.40 ng
RT: 23.466 min Scan# 2543
Delta R.T. -0.000 min
Lab File: BN014168.D
Acq: 01 Apr 2021 08:03

Instrument :
BNA_N
ClientSampleId :
MW179D1-20210324

Tgt Ion:264	Resp:	22174
Ion	Ratio	Lower Upper
264	100	
260	24.3	19.8 29.8
265	32.7	30.7 46.1

