

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN033125\
 Data File : BN036809.D
 Acq On : 31 Mar 2025 10:39
 Operator : RC/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Quant Time: Mar 31 12:10:51 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 16:06:28 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.695	152	1888	0.400	ng	-0.03
7) Naphthalene-d8	10.477	136	4656	0.400	ng	-0.03
13) Acenaphthene-d10	14.334	164	2798	0.400	ng	-0.03
19) Phenanthrene-d10	17.086	188	5809	0.400	ng	-0.02
29) Chrysene-d12	21.277	240	4586	0.400	ng	#-0.02
35) Perylene-d12	23.522	264	3945	0.400	ng	#-0.03
System Monitoring Compounds						
4) 2-Fluorophenol	5.283	112	1544	0.351	ng	-0.03
5) Phenol-d6	6.865	99	1799	0.331	ng	-0.04
8) Nitrobenzene-d5	8.843	82	1689	0.333	ng	-0.03
11) 2-Methylnaphthalene-d10	12.075	152	2501	0.361	ng	-0.04
14) 2,4,6-Tribromophenol	15.833	330	451	0.355	ng	-0.02
15) 2-Fluorobiphenyl	12.958	172	5537	0.340	ng	-0.03
27) Fluoranthene-d10	19.118	212	5750	0.386	ng	-0.02
31) Terphenyl-d14	19.722	244	3660	0.333	ng	-0.02
Target Compounds						Qvalue
2) 1,4-Dioxane	3.225	88	857	0.409	ng	96
3) n-Nitrosodimethylamine	3.535	42	1677	0.396	ng	93
6) bis(2-Chloroethyl)ether	7.125	93	1889	0.336	ng	98
9) Naphthalene	10.530	128	4851	0.354	ng	99
10) Hexachlorobutadiene	10.818	225	1142	0.354	ng	# 98
12) 2-Methylnaphthalene	12.151	142	3144	0.361	ng	99
16) Acenaphthylene	14.056	152	4617	0.350	ng	99
17) Acenaphthene	14.398	154	3162	0.366	ng	99
18) Fluorene	15.382	166	4232	0.362	ng	99
20) 4,6-Dinitro-2-methylph...	15.478	198	405	0.419	ng	86
21) 4-Bromophenyl-phenylether	16.280	248	1292	0.355	ng	93
22) Hexachlorobenzene	16.391	284	1587	0.361	ng	97
23) Atrazine	16.553	200	1096	0.376	ng	98
24) Pentachlorophenol	16.739	266	743	0.371	ng	98
25) Phenanthrene	17.124	178	6581	0.378	ng	100
26) Anthracene	17.211	178	5583	0.355	ng	100
28) Fluoranthene	19.150	202	7591	0.388	ng	99
30) Pyrene	19.513	202	7799	0.348	ng	100
32) Benzo(a)anthracene	21.259	228	5377	0.337	ng	98
33) Chrysene	21.313	228	6640	0.381	ng	98
34) Bis(2-ethylhexyl)phtha...	21.196	149	4143	0.365	ng	# 99
36) Indeno(1,2,3-cd)pyrene	25.782	276	5019	0.352	ng	94
37) Benzo(b)fluoranthene	22.844	252	5495	0.383	ng	98
38) Benzo(k)fluoranthene	22.844	252	5495	0.365	ng	97
39) Benzo(a)pyrene	23.423	252	4679	0.387	ng	96
40) Dibenzo(a,h)anthracene	25.805	278	3655	0.330	ng	99
41) Benzo(g,h,i)perylene	26.472	276	4543	0.358	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN033125\
 Data File : BN036809.D
 Acq On : 31 Mar 2025 10:39
 Operator : RC/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Quant Time: Mar 31 12:10:51 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 16:06:28 2025
 Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.695 min Scan# 61
 Delta R.T. -0.029 min
 Lab File: BN036809.D
 Acq: 31 Mar 2025 10:39




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4


Tgt Ion:152 Resp: 1888
 Ion Ratio Lower Upper
 152 100
 150 147.6 123.7 185.5
 115 65.7 54.3 81.5



#2
 1,4-Dioxane
 Concen: 0.409 ng
 RT: 3.225 min Scan# 20
 Delta R.T. -0.014 min
 Lab File: BN036809.D
 Acq: 31 Mar 2025 10:39

Tgt Ion: 88 Resp: 857
 Ion Ratio Lower Upper
 88 100
 43 50.1 37.8 56.8
 58 80.6 67.4 101.2









#3
n-Nitrosodimethylamine
Concen: 0.396 ng
RT: 3.535 min Scan# 61
Delta R.T. -0.014 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion: 42 Resp: 1677
Ion Ratio Lower Upper
42 100
74 69.2 60.6 90.8
44 8.2 6.3 9.5



#4
2-Fluorophenol
Concen: 0.351 ng
RT: 5.283 min Scan# 305
Delta R.T. -0.029 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion: 112 Resp: 1544
Ion Ratio Lower Upper
112 100
64 69.6 53.1 79.7
63 40.8 31.8 47.8









#5
Phenol-d6
Concen: 0.331 ng
RT: 6.865 min Scan# 51
Delta R.T. -0.036 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:	99	Resp:	1799
Ion	Ratio	Lower	Upper
99	100		
42	37.9	26.5	39.7
71	44.8	34.1	51.1



#6
bis(2-Chloroethyl)ether
Concen: 0.336 ng
RT: 7.125 min Scan# 560
Delta R.T. -0.029 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:	93	Resp:	1889
Ion	Ratio	Lower	Upper
93	100		
63	87.3	67.7	101.5
95	31.9	25.6	38.4









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.477 min Scan# 91
Delta R.T. -0.032 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:	136	Resp:	4656
Ion	Ratio	Lower	Upper
136	100		
137	12.5	10.3	15.5
54	13.9	11.5	17.3
68	7.5	7.0	10.4



#8
Nitrobenzene-d5
Concen: 0.333 ng
RT: 8.843 min Scan# 774
Delta R.T. -0.032 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:	82	Resp:	1689
Ion	Ratio	Lower	Upper
82	100		
128	36.1	30.6	45.8
54	72.1	52.2	78.4









#9
Naphthalene
Concen: 0.354 ng
RT: 10.530 min Scan# 911
Delta R.T. -0.032 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:	128	Resp:	4851
Ion	Ratio	Lower	Upper
128	100		
129	12.8	9.8	14.6
127	15.0	11.8	17.8



#10
Hexachlorobutadiene
Concen: 0.354 ng
RT: 10.818 min Scan# 959
Delta R.T. -0.032 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:	225	Resp:	1142
Ion	Ratio	Lower	Upper
225	100		
223	0.0	0.0	0.0
227	63.1	51.8	77.8









#11
2-Methylnaphthalene-d10
Concen: 0.361 ng
RT: 12.075 min Scan# 1142
Delta R.T. -0.035 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:152 Resp: 2501
Ion Ratio Lower Upper
152 100
151 20.8 17.0 25.6



#12
2-Methylnaphthalene
Concen: 0.361 ng
RT: 12.151 min Scan# 1150
Delta R.T. -0.030 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:142 Resp: 3144
Ion Ratio Lower Upper
142 100
141 91.4 71.7 107.5
115 47.8 38.3 57.5









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.334 min Scan# 1446
Delta R.T. -0.032 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:164 Resp: 2798
Ion Ratio Lower Upper
164 100
162 107.5 84.2 126.2
160 54.6 42.2 63.2



#14
2,4,6-Tribromophenol
Concen: 0.355 ng
RT: 15.833 min Scan# 1579
Delta R.T. -0.025 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:330 Resp: 451
Ion Ratio Lower Upper
330 100
332 95.3 75.2 112.8
141 53.9 43.4 65.2





#15

2-Fluorobiphenyl

Concen: 0.340 ng

RT: 12.958 min Scan# 11

Delta R.T. -0.030 min

Lab File: BN036809.D

Acq: 31 Mar 2025 10:39

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:172 Resp: 5537

Ion Ratio Lower Upper

172 100

171 36.6 29.5 44.3

170 24.8 20.2 30.4



#16

Acenaphthylene

Concen: 0.350 ng

RT: 14.056 min Scan# 1417

Delta R.T. -0.021 min

Lab File: BN036809.D

Acq: 31 Mar 2025 10:39




Tgt Ion:152 Resp: 4617


Ion Ratio Lower Upper

152 100

151 19.5 16.2 24.4

153 13.2 10.6 15.8









#17
Acenaphthene
Concen: 0.366 ng
RT: 14.398 min Scan# 1449
Delta R.T. -0.032 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:154 Resp: 3162
Ion Ratio Lower Upper
154 100
153 116.9 94.1 141.1
152 62.4 49.8 74.6



#18
Fluorene
Concen: 0.362 ng
RT: 15.382 min Scan# 1541
Delta R.T. -0.032 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:166 Resp: 4232
Ion Ratio Lower Upper
166 100
165 100.4 79.8 119.8
167 13.2 10.6 15.8









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.086 min Scan# 1
Delta R.T. -0.025 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:188 Resp: 5809
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.9 8.8 13.2



#20
4,6-Dinitro-2-methylphenol
Concen: 0.419 ng
RT: 15.478 min Scan# 1550
Delta R.T. -0.021 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:198 Resp: 405
Ion Ratio Lower Upper
198 100
51 114.5 107.9 161.9
105 63.8 56.2 84.2









#21
4-Bromophenyl-phenylether
Concen: 0.355 ng
RT: 16.280 min Scan# 1615
Delta R.T. -0.025 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:248 Resp: 1292
Ion Ratio Lower Upper
248 100
250 99.2 73.0 109.6
141 80.5 68.6 103.0



#22
Hexachlorobenzene
Concen: 0.361 ng
RT: 16.391 min Scan# 1624
Delta R.T. -0.025 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:284 Resp: 1587
Ion Ratio Lower Upper
284 100
142 49.0 37.0 55.4
249 35.5 28.1 42.1









#23
 Atrazine
 Concen: 0.376 ng
 RT: 16.553 min Scan# 1637
 Delta R.T. -0.025 min
 Lab File: BN036809.D
 Acq: 31 Mar 2025 10:39




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4


Tgt Ion:200 Resp: 1096
 Ion Ratio Lower Upper
 200 100
 173 32.5 27.3 40.9
 215 46.5 36.8 55.2



#24
 Pentachlorophenol
 Concen: 0.371 ng
 RT: 16.739 min Scan# 1652
 Delta R.T. -0.037 min
 Lab File: BN036809.D
 Acq: 31 Mar 2025 10:39

Tgt Ion:266 Resp: 743
 Ion Ratio Lower Upper
 266 100
 264 61.8 49.6 74.4
 268 66.6 50.9 76.3





#25

Phenanthrene

Concen: 0.378 ng

RT: 17.124 min Scan# 1683

Delta R.T. -0.025 min

Lab File: BN036809.D

Acq: 31 Mar 2025 10:39

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:178 Resp: 6581

Ion Ratio Lower Upper

178 100

176 19.7 15.9 23.9

179 15.1 12.2 18.4



#26

Anthracene

Concen: 0.355 ng

RT: 17.211 min Scan# 1690

Delta R.T. -0.037 min

Lab File: BN036809.D

Acq: 31 Mar 2025 10:39




Tgt Ion:178 Resp: 5583


Ion Ratio Lower Upper

178 100

176 19.3 15.4 23.2

179 15.3 12.6 18.8









#27
Fluoranthene-d10
Concen: 0.386 ng
RT: 19.118 min Scan# 1918
Delta R.T. -0.023 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:212 Resp: 5750
Ion Ratio Lower Upper
212 100
106 13.6 11.8 17.6
104 8.5 7.3 10.9



#28
Fluoranthene
Concen: 0.388 ng
RT: 19.150 min Scan# 1932
Delta R.T. -0.023 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:202 Resp: 7591
Ion Ratio Lower Upper
202 100
101 11.2 9.4 14.0
203 17.1 13.5 20.3









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.277 min Scan# 21
Delta R.T. -0.018 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:240 Resp: 4586
Ion Ratio Lower Upper
240 100
120 12.7 14.6 22.0#
236 28.6 24.1 36.1



#30
Pyrene
Concen: 0.348 ng
RT: 19.513 min Scan# 2010
Delta R.T. -0.023 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:202 Resp: 7799
Ion Ratio Lower Upper
202 100
200 21.1 17.1 25.7
203 17.5 14.1 21.1









#31
Terphenyl-d14
Concen: 0.333 ng
RT: 19.722 min Scan# 2060
Delta R.T. -0.023 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:244 Resp: 3660
Ion Ratio Lower Upper
244 100
212 12.2 9.6 14.4
122 17.7 13.9 20.9



#32
Benzo(a)anthracene
Concen: 0.337 ng
RT: 21.259 min Scan# 2256
Delta R.T. -0.027 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:228 Resp: 5377
Ion Ratio Lower Upper
228 100
226 29.3 22.5 33.7
229 20.2 16.6 25.0









#33
 Chrysene
 Concen: 0.381 ng
 RT: 21.313 min Scan# 21
 Delta R.T. -0.018 min
 Lab File: BN036809.D
 Acq: 31 Mar 2025 10:39




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4


Tgt Ion:228 Resp: 6640
 Ion Ratio Lower Upper
 228 100
 226 30.4 25.3 37.9
 229 20.1 15.8 23.8



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.365 ng
 RT: 21.196 min Scan# 2249
 Delta R.T. -0.018 min
 Lab File: BN036809.D
 Acq: 31 Mar 2025 10:39

Tgt Ion:149 Resp: 4143
 Ion Ratio Lower Upper
 149 100
 167 26.0 20.7 31.1
 279 3.0 3.6 5.4#





#35

Perylene-d12

Concen: 0.400 ng

RT: 23.522 min Scan# 21

Delta R.T. -0.032 min

Lab File: BN036809.D

Acq: 31 Mar 2025 10:39

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:264 Resp: 3945

Ion Ratio Lower Upper

264 100

260 27.0 22.6 33.8

265 74.3 88.1 132.1#



#36

Indeno(1,2,3-cd)pyrene

Concen: 0.352 ng

RT: 25.782 min Scan# 3539

Delta R.T. -0.056 min

Lab File: BN036809.D

Acq: 31 Mar 2025 10:39




Tgt Ion:276 Resp: 5019


Ion Ratio Lower Upper

276 100

138 24.2 23.4 35.2

277 24.6 20.0 30.0









#37
Benzo(b)fluoranthene
Concen: 0.383 ng
RT: 22.844 min Scan# 2534
Delta R.T. -0.029 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:252 Resp: 5495
Ion Ratio Lower Upper
252 100
253 28.7 23.9 35.9
125 20.8 17.4 26.2



#38
Benzo(k)fluoranthene
Concen: 0.365 ng
RT: 22.844 min Scan# 2534
Delta R.T. -0.073 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:252 Resp: 5495
Ion Ratio Lower Upper
252 100
253 28.7 24.6 36.8
125 20.8 17.8 26.8









#39
Benzo(a)pyrene
Concen: 0.387 ng
RT: 23.423 min Scan# 21
Delta R.T. -0.032 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:	252	Resp:	4679
Ion Ratio	Lower	Upper	
252	100		
253	33.3	27.8	41.8
125	31.2	22.7	34.1



#40
Dibenzo(a,h)anthracene
Concen: 0.330 ng
RT: 25.805 min Scan# 3547
Delta R.T. -0.050 min
Lab File: BN036809.D
Acq: 31 Mar 2025 10:39

Tgt Ion:	278	Resp:	3655
Ion Ratio	Lower	Upper	
278	100		
139	24.4	20.8	31.2
279	35.9	28.8	43.2





#41
 Benzo(g,h,i)perylene
 Concen: 0.358 ng
 RT: 26.472 min Scan# 31
 Delta R.T. -0.058 min
 Lab File: BN036809.D
 Acq: 31 Mar 2025 10:39

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Tgt Ion:276 Resp: 4543
 Ion Ratio Lower Upper
 276 100
 277 26.8 22.2 33.4
 138 27.6 24.1 36.1

