

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN033125\
 Data File : BN036815.D
 Acq On : 31 Mar 2025 15:08
 Operator : RC/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC

Quant Time: Mar 31 15:30:13 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 16:06:28 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.696	152	1563	0.400	ng	-0.03
7) Naphthalene-d8	10.477	136	4089	0.400	ng	-0.03
13) Acenaphthene-d10	14.334	164	2524	0.400	ng	-0.03
19) Phenanthrene-d10	17.087	188	5032	0.400	ng	-0.02
29) Chrysene-d12	21.277	240	3863	0.400	ng	-0.02
35) Perylene-d12	23.525	264	3435	0.400	ng	#-0.03
System Monitoring Compounds						
4) 2-Fluorophenol	5.283	112	1311	0.360	ng	-0.03
5) Phenol-d6	6.865	99	1525	0.339	ng	-0.04
8) Nitrobenzene-d5	8.843	82	1424	0.320	ng	-0.03
11) 2-Methylnaphthalene-d10	12.075	152	2219	0.365	ng	-0.04
14) 2,4,6-Tribromophenol	15.833	330	402	0.351	ng	-0.02
15) 2-Fluorobiphenyl	12.963	172	4939	0.336	ng	-0.03
27) Fluoranthene-d10	19.118	212	5000	0.388	ng	-0.02
31) Terphenyl-d14	19.726	244	3254	0.352	ng	-0.02
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.225	88	698	0.403	ng	97
3) n-Nitrosodimethylamine	3.536	42	1430	0.408	ng	93
6) bis(2-Chloroethyl)ether	7.118	93	1597	0.343	ng	98
9) Naphthalene	10.530	128	4210	0.350	ng	99
10) Hexachlorobutadiene	10.818	225	998	0.352	ng	# 99
12) 2-Methylnaphthalene	12.151	142	2722	0.356	ng	99
16) Acenaphthylene	14.056	152	4054	0.340	ng	100
17) Acenaphthene	14.398	154	2777	0.356	ng	99
18) Fluorene	15.393	166	3732	0.354	ng	99
20) 4,6-Dinitro-2-methylph...	15.478	198	396	0.454	ng	85
21) 4-Bromophenyl-phenylether	16.280	248	1144	0.363	ng	94
22) Hexachlorobenzene	16.391	284	1380	0.363	ng	95
23) Atrazine	16.553	200	954	0.377	ng	97
24) Pentachlorophenol	16.739	266	651	0.375	ng	97
25) Phenanthrene	17.124	178	5703	0.378	ng	100
26) Anthracene	17.223	178	4933	0.362	ng	99
28) Fluoranthene	19.150	202	6761	0.399	ng	98
30) Pyrene	19.513	202	6826	0.361	ng	100
32) Benzo(a)anthracene	21.268	228	4715	0.351	ng	99
33) Chrysene	21.313	228	5650	0.385	ng	100
34) Bis(2-ethylhexyl)phtha...	21.196	149	3477	0.364	ng	# 99
36) Indeno(1,2,3-cd)pyrene	25.800	276	4428	0.357	ng	94
37) Benzo(b)fluoranthene	22.850	252	4732	0.379	ng	98
38) Benzo(k)fluoranthene	22.850	252	4732	0.361	ng	98
39) Benzo(a)pyrene	23.429	252	4200	0.399	ng	97
40) Dibenzo(a,h)anthracene	25.811	278	3277	0.340	ng	97
41) Benzo(g,h,i)perylene	26.484	276	4006	0.363	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN033125\
Data File : BN036815.D
Acq On : 31 Mar 2025 15:08
Operator : RC/JU
Sample : SSTDCCC0.4
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Quant Time: Mar 31 15:30:13 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 16:06:28 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.696 min Scan# 61
 Delta R.T. -0.028 min
 Lab File: BN036815.D
 Acq: 31 Mar 2025 15:08




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC


Tgt Ion:152 Resp: 1563
 Ion Ratio Lower Upper
 152 100
 150 152.8 123.7 185.5
 115 66.9 54.3 81.5



#2
 1,4-Dioxane
 Concen: 0.403 ng
 RT: 3.225 min Scan# 20
 Delta R.T. -0.014 min
 Lab File: BN036815.D
 Acq: 31 Mar 2025 15:08

Tgt Ion: 88 Resp: 698
 Ion Ratio Lower Upper
 88 100
 43 51.7 37.8 56.8
 58 85.5 67.4 101.2









#3
 n-Nitrosodimethylamine
 Concen: 0.408 ng
 RT: 3.536 min Scan# 61
 Delta R.T. -0.014 min
 Lab File: BN036815.D
 Acq: 31 Mar 2025 15:08




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC

Tgt Ion: 42 Resp: 1430
 Ion Ratio Lower Upper
 42 100
 74 69.3 60.6 90.8
 44 6.6 6.3 9.5



#4
 2-Fluorophenol
 Concen: 0.360 ng
 RT: 5.283 min Scan# 305
 Delta R.T. -0.029 min
 Lab File: BN036815.D
 Acq: 31 Mar 2025 15:08

Tgt Ion: 112 Resp: 1311
 Ion Ratio Lower Upper
 112 100
 64 69.4 53.1 79.7
 63 43.9 31.8 47.8








#5
Phenol-d6
Concen: 0.339 ng
RT: 6.865 min Scan# 51
Delta R.T. -0.036 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion: 99 Resp: 1525
Ion Ratio Lower Upper
99 100
42 37.5 26.5 39.7
71 48.4 34.1 51.1



#6
bis(2-Chloroethyl)ether
Concen: 0.343 ng
RT: 7.118 min Scan# 559
Delta R.T. -0.036 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion: 93 Resp: 1597
Ion Ratio Lower Upper
93 100
63 82.9 67.7 101.5
95 30.6 25.6 38.4








#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.477 min Scan# 91
Delta R.T. -0.032 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:	136	Resp:	4089
Ion	Ratio	Lower	Upper
136	100		
137	13.1	10.3	15.5
54	13.6	11.5	17.3
68	7.7	7.0	10.4



#8
Nitrobenzene-d5
Concen: 0.320 ng
RT: 8.843 min Scan# 774
Delta R.T. -0.032 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:	82	Resp:	1424
Ion	Ratio	Lower	Upper
82	100		
128	36.6	30.6	45.8
54	74.3	52.2	78.4








#9
Naphthalene
Concen: 0.350 ng
RT: 10.530 min Scan# 910
Delta R.T. -0.032 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:	128	Resp:	4210
Ion	Ratio	Lower	Upper
128	100		
129	13.0	9.8	14.6
127	14.8	11.8	17.8



#10
Hexachlorobutadiene
Concen: 0.352 ng
RT: 10.818 min Scan# 959
Delta R.T. -0.032 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:	225	Resp:	998
Ion	Ratio	Lower	Upper
225	100		
223	0.0	0.0	0.0
227	64.0	51.8	77.8








#11
2-Methylnaphthalene-d10
Concen: 0.365 ng
RT: 12.075 min Scan# 1142
Delta R.T. -0.035 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:152 Resp: 2219
Ion Ratio Lower Upper
152 100
151 21.2 17.0 25.6



#12
2-Methylnaphthalene
Concen: 0.356 ng
RT: 12.151 min Scan# 1150
Delta R.T. -0.030 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:142 Resp: 2722
Ion Ratio Lower Upper
142 100
141 88.8 71.7 107.5
115 49.4 38.3 57.5








#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.334 min Scan# 1446
Delta R.T. -0.032 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:164 Resp: 2524
Ion Ratio Lower Upper
164 100
162 104.9 84.2 126.2
160 54.2 42.2 63.2



#14
2,4,6-Tribromophenol
Concen: 0.351 ng
RT: 15.833 min Scan# 1579
Delta R.T. -0.025 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:330 Resp: 402
Ion Ratio Lower Upper
330 100
332 94.8 75.2 112.8
141 51.0 43.4 65.2









#15
2-Fluorobiphenyl
Concen: 0.336 ng
RT: 12.963 min Scan# 11
Delta R.T. -0.025 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:172 Resp: 4939
Ion Ratio Lower Upper
172 100
171 37.3 29.5 44.3
170 25.2 20.2 30.4



#16
Acenaphthylene
Concen: 0.340 ng
RT: 14.056 min Scan# 1417
Delta R.T. -0.021 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:152 Resp: 4054
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.4
153 13.5 10.6 15.8








#17
Acenaphthene
Concen: 0.356 ng
RT: 14.398 min Scan# 1449
Delta R.T. -0.032 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:154 Resp: 2777
Ion Ratio Lower Upper
154 100
153 118.7 94.1 141.1
152 62.5 49.8 74.6



#18
Fluorene
Concen: 0.354 ng
RT: 15.393 min Scan# 1542
Delta R.T. -0.021 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:166 Resp: 3732
Ion Ratio Lower Upper
166 100
165 100.8 79.8 119.8
167 13.4 10.6 15.8





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.087 min Scan# 1

Delta R.T. -0.025 min

Lab File: BN036815.D

Acq: 31 Mar 2025 15:08

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC





Tgt Ion:188 Resp: 5032

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 10.4 8.8 13.2



#20

4,6-Dinitro-2-methylphenol

Concen: 0.454 ng

RT: 15.478 min Scan# 1550

Delta R.T. -0.021 min

Lab File: BN036815.D

Acq: 31 Mar 2025 15:08




Tgt Ion:198 Resp: 396

Ion Ratio Lower Upper

198 100

51 113.8 107.9 161.9

105 62.6 56.2 84.2








#21
4-Bromophenyl-phenylether
Concen: 0.363 ng
RT: 16.280 min Scan# 1615
Delta R.T. -0.025 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:248 Resp: 1144
Ion Ratio Lower Upper
248 100
250 93.1 73.0 109.6
141 95.8 68.6 103.0



#22
Hexachlorobenzene
Concen: 0.363 ng
RT: 16.391 min Scan# 1624
Delta R.T. -0.025 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:284 Resp: 1380
Ion Ratio Lower Upper
284 100
142 51.9 37.0 55.4
249 34.7 28.1 42.1








#23
Atrazine
Concen: 0.377 ng
RT: 16.553 min Scan# 1637
Delta R.T. -0.025 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:200 Resp: 954
Ion Ratio Lower Upper
200 100
173 36.6 27.3 40.9
215 47.6 36.8 55.2



#24
Pentachlorophenol
Concen: 0.375 ng
RT: 16.739 min Scan# 1652
Delta R.T. -0.037 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:266 Resp: 651
Ion Ratio Lower Upper
266 100
264 64.8 49.6 74.4
268 65.4 50.9 76.3









#25
Phenanthrene
Concen: 0.378 ng
RT: 17.124 min Scan# 1683
Delta R.T. -0.025 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:178 Resp: 5703
Ion Ratio Lower Upper
178 100
176 19.9 15.9 23.9
179 15.7 12.2 18.4



#26
Anthracene
Concen: 0.362 ng
RT: 17.223 min Scan# 1691
Delta R.T. -0.025 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:178 Resp: 4933
Ion Ratio Lower Upper
178 100
176 18.9 15.4 23.2
179 15.6 12.6 18.8








#27
Fluoranthene-d10
Concen: 0.388 ng
RT: 19.118 min Scan# 1925
Delta R.T. -0.023 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:212 Resp: 5000
Ion Ratio Lower Upper
212 100
106 13.2 11.8 17.6
104 8.4 7.3 10.9



#28
Fluoranthene
Concen: 0.399 ng
RT: 19.150 min Scan# 1932
Delta R.T. -0.023 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:202 Resp: 6761
Ion Ratio Lower Upper
202 100
101 10.4 9.4 14.0
203 16.5 13.5 20.3








#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.277 min Scan# 21
Delta R.T. -0.018 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:240 Resp: 3863
Ion Ratio Lower Upper
240 100
120 17.3 14.6 22.0
236 30.2 24.1 36.1



#30
Pyrene
Concen: 0.361 ng
RT: 19.513 min Scan# 2010
Delta R.T. -0.023 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:202 Resp: 6826
Ion Ratio Lower Upper
202 100
200 21.6 17.1 25.7
203 17.8 14.1 21.1








#31
Terphenyl-d14
Concen: 0.352 ng
RT: 19.726 min Scan# 2056
Delta R.T. -0.018 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:244 Resp: 3254
Ion Ratio Lower Upper
244 100
212 12.9 9.6 14.4
122 16.9 13.9 20.9



#32
Benzo(a)anthracene
Concen: 0.351 ng
RT: 21.268 min Scan# 2257
Delta R.T. -0.018 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:228 Resp: 4715
Ion Ratio Lower Upper
228 100
226 27.7 22.5 33.7
229 20.6 16.6 25.0









#33
Chrysene
Concen: 0.385 ng
RT: 21.313 min Scan# 21
Delta R.T. -0.018 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:228 Resp: 5650
Ion Ratio Lower Upper
228 100
226 31.4 25.3 37.9
229 19.6 15.8 23.8



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.364 ng
RT: 21.196 min Scan# 2249
Delta R.T. -0.018 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:149 Resp: 3477
Ion Ratio Lower Upper
149 100
167 26.4 20.7 31.1
279 3.1 3.6 5.4#








#35
Perylene-d12
Concen: 0.400 ng
RT: 23.525 min Scan# 21
Delta R.T. -0.029 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:264 Resp: 3435
Ion Ratio Lower Upper
264 100
260 26.9 22.6 33.8
265 79.0 88.1 132.1#



#36
Indeno(1,2,3-cd)pyrene
Concen: 0.357 ng
RT: 25.800 min Scan# 3545
Delta R.T. -0.038 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:276 Resp: 4428
Ion Ratio Lower Upper
276 100
138 24.1 23.4 35.2
277 23.9 20.0 30.0








#37
Benzo(b)fluoranthene
Concen: 0.379 ng
RT: 22.850 min Scan# 2536
Delta R.T. -0.023 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:252 Resp: 4732
Ion Ratio Lower Upper
252 100
253 29.0 23.9 35.9
125 22.9 17.4 26.2



#38
Benzo(k)fluoranthene
Concen: 0.361 ng
RT: 22.850 min Scan# 2536
Delta R.T. -0.067 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Tgt Ion:252 Resp: 4732
Ion Ratio Lower Upper
252 100
253 29.0 24.6 36.8
125 22.9 17.8 26.8





#39

Benzo(a)pyrene

Concen: 0.399 ng

RT: 23.429 min Scan# 21

Delta R.T. -0.026 min

Lab File: BN036815.D

Acq: 31 Mar 2025 15:08

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4EC




Tgt Ion:252 Resp: 4200

Ion Ratio Lower Upper

252 100

253 34.9 27.8 41.8

125 32.3 22.7 34.1



#40

Dibenzo(a,h)anthracene

Concen: 0.340 ng

RT: 25.811 min Scan# 3549

Delta R.T. -0.044 min

Lab File: BN036815.D

Acq: 31 Mar 2025 15:08




Tgt Ion:278 Resp: 3277

Ion Ratio Lower Upper

278 100

139 22.5 20.8 31.2


279 36.2 28.8 43.2





#41
Benzo(g,h,i)perylene
Concen: 0.363 ng
RT: 26.484 min Scan# 31
Delta R.T. -0.047 min
Lab File: BN036815.D
Acq: 31 Mar 2025 15:08

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC



Tgt Ion:	276	Resp:	4006
Ion	Ratio	Lower	Upper
276	100		
277	27.7	22.2	33.4
138	27.6	24.1	36.1

