

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA N\DATA\BN040218\
 Data File : BN000693.D
 Acq On : 02 Apr 2018 14:05
 Operator : JU/SJ
 Sample : J2082-01
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 ET2Q5

Quant Time: Apr 03 02:18:31 2018
 Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Apr 03 02:09:38 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.41	152	174752	20.00	ng/ul	0.00
18) Naphthalene-d8	11.24	136	767617	20.00	ng/ul	0.00
35) Acenaphthene-d10	15.02	164	426543	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.75	188	905428	20.00	ng/ul	0.00
75) Chrysene-d12	21.87	240	800823	20.00	ng/ul	0.00
83) Perylene-d12	24.35	264	657224	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.58	96	27377	5.60	ng/uL	0.00
5) Phenol-d5	7.55	99	548335	33.63	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.71	67	336457	35.78	ng/ul	0.00
9) 2-Chlorophenol-d4	7.93	132	408725	33.16	ng/ul	0.00
13) 4-Methylphenol-d8	9.12	113	454138	35.76	ng/ul	0.00
19) Nitrobenzene-d5	9.59	128	207069	33.21	ng/ul	0.00
22) 2-Nitrophenol-d4	10.32	143	228370	35.36	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.87	165	383330	33.11	ng/ul	0.00
29) 4-Chloroaniline-d4	11.37	131	558651	47.01	ng/ul	0.00
43) Dimethylphthalate-d6	14.41	166	1263585	37.50	ng/ul	0.00
46) Acenaphthylene-d8	14.72	160	1560131	35.09	ng/ul	0.00
51) 4-Nitrophenol-d4	15.23	143	153999	24.61	ng/ul	0.00
57) Fluorene-d10	16.01	176	1034837	36.04	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.12	200	95172	18.35	ng/ul	0.00
70) Anthracene-d10	17.85	188	1567990	36.03	ng/ul	0.00
76) Pyrene-d10	20.11	212	1627130	36.81	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.20	264	1157097	37.30	ng/ul	0.00

Target Compounds


				Ovalue	
6) Phenol	7.58	94	44240	2.660	ng/ul 94
44) Dimethylphthalate	14.46	163	242086	7.263	ng/ul# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA N\DATA\BN040218\
Data File : BN000693.D
Acq On : 02 Apr 2018 14:05
Operator : JU/SJ
Sample : J2082-01
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
ET2Q5

Quant Time: Apr 03 02:18:31 2018
Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 03 02:09:38 2018
Response via : Initial Calibration






#6

Phenol




Concen: 2.660 ng/ul
 RT: 7.58 min Scan# 705
 Delta R.T. 0.00 min
 Lab File: BN000693.D
 Acq: 02 Apr 2018 14:05

Instrument :
 BNA_N
 ClientSampleId :
 ET2Q5

Tot Ion: 94 Resp: 44240
 Ion Ratio Lower Upper
 94 100
 65 26.2 23.0 34.6
 66 33.4 30.4 45.6



Abundance Ion 94.00 (93.70 to 94.70): BN0
 Ion 65.00 (64.70 to 65.70): BN0
 Ion 66.00 (65.70 to 66.70): BN0




#44

Dimethylphthalate

Concen: 7.263 ng/ul
 RT: 14.46 min Scan# 1874
 Delta R.T. 0.00 min
 Lab File: BN000693.D
 Acq: 02 Apr 2018 14:05

Tgt Ion:163 Resp: 242086
 Ion Ratio Lower Upper
 163 100
 194 4.0 4.0 6.0#
 164 9.9 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E

