

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA N\DATA\BN040218\
 Data File : BN000696.D
 Acq On : 02 Apr 2018 15:48
 Operator : JU/SJ
 Sample : J2082-04
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 ET2Q8

Quant Time: Apr 03 02:11:10 2018
 Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Apr 03 02:09:38 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.40	152	171130	20.00	ng/ul	0.00
18) Naphthalene-d8	11.24	136	741648	20.00	ng/ul	0.00
35) Acenaphthene-d10	15.02	164	414515	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.75	188	893331	20.00	ng/ul	0.00
75) Chrysene-d12	21.88	240	834564	20.00	ng/ul	0.00
83) Perylene-d12	24.37	264	692006	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.58	96	21501	4.49	ng/uL	0.00
5) Phenol-d5	7.55	99	426291	26.70	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.71	67	257212	27.93	ng/ul	0.00
9) 2-Chlorophenol-d4	7.93	132	309961	25.68	ng/ul	0.00
13) 4-Methylphenol-d8	9.12	113	346036	27.83	ng/ul	0.00
19) Nitrobenzene-d5	9.58	128	154043	25.57	ng/ul	0.00
22) 2-Nitrophenol-d4	10.31	143	167454	26.84	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.87	165	284792	25.46	ng/ul	0.00
29) 4-Chloroaniline-d4	11.37	131	436220	38.00	ng/ul	0.00
43) Dimethylphthalate-d6	14.41	166	997254	30.45	ng/ul	0.00
46) Acenaphthylene-d8	14.72	160	1209580	28.00	ng/ul	0.00
51) 4-Nitrophenol-d4	15.23	143	127487	20.97	ng/ul	0.00
57) Fluorene-d10	16.01	176	813678	29.16	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.12	200	83031	16.23	ng/ul	0.00
70) Anthracene-d10	17.85	188	1266499	29.50	ng/ul	0.00
76) Pyrene-d10	20.11	212	1346617	29.23	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.21	264	1014849	31.07	ng/ul	0.00

Target Compounds


				Ovalue	
6) Phenol	7.58	94	36141	2.219	ng/ul 97
44) Dimethylphthalate	14.46	163	188341	5.814	ng/ul# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA N\DATA\BN040218\
Data File : BN000696.D
Acq On : 02 Apr 2018 15:48
Operator : JU/SJ
Sample : J2082-04
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
ET2Q8

Quant Time: Apr 03 02:11:10 2018
Quant Method : Z:\HPCHEM1\BNA N\METHODS\SOM-EPA-BN031918.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 03 02:09:38 2018
Response via : Initial Calibration









#6

Phenol

Concen: 2.219 ng/ul
 RT: 7.58 min Scan# 705
 Delta R.T. 0.00 min
 Lab File: BN000696.D
 Acq: 02 Apr 2018 15:48

Instrument :
 BNA_N
 ClientSampled :
 ET2Q8

Tot Ion: 94 Resp: 36141
 Ion Ratio Lower Upper
 94 100
 65 26.2 23.0 34.6
 66 37.1 30.4 45.6



#44

Dimethylphthalate

Concen: 5.814 ng/ul
 RT: 14.46 min Scan# 1874
 Delta R.T. 0.00 min
 Lab File: BN000696.D
 Acq: 02 Apr 2018 15:48

Tgt Ion: 163 Resp: 188341
 Ion Ratio Lower Upper
 163 100
 194 3.8 4.0 6.0#
 164 9.9 8.4 12.6

