

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN040324\
 Data File : BN030605.D
 Acq On : 02 Apr 2024 02:42
 Operator : MA/JU
 Sample : PB159927BS
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS927

Quant Time: Apr 02 03:32:10 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN032724.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 02 02:09:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.696	152	7482	0.400	ng/ul	0.00
4) Naphthalene-d8	10.481	136	23319	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.336	164	13195	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.084	188	29237	0.400	ng/ul	0.00
17) Chrysene-d12	21.279	240	23093	0.400	ng/ul	0.00
23) Perylene-d12	23.514	264	17990	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.202	96	4924	0.601	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.076	152	10859	0.309	ng/ul	0.00
18) Fluoranthene-d10	19.115	212	23842	0.334	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.232	88	13809	1.662	ng/ul#	84
5) Naphthalene	10.530	128	20455	0.322	ng/ul	100
7) 2-Methylnaphthalene	12.147	142	13282	0.316	ng/ul	99
8) 1-Methylnaphthalene	12.367	142	13699	0.308	ng/ul	100
10) Acenaphthylene	14.054	152	19353	0.325	ng/ul	99
11) Acenaphthene	14.401	153	15105	0.326	ng/ul	97
12) Fluorene	15.391	166	17145	0.314	ng/ul	99
14) Pentachlorophenol	16.729	266	3344	0.626	ng/ul	100
15) Phenanthrene	17.126	178	28995	0.330	ng/ul	99
16) Anthracene	17.219	178	24293	0.329	ng/ul	99
19) Fluoranthene	19.148	202	32513	0.341	ng/ul	99
20) Pyrene	19.510	202	32930	0.351	ng/ul	99
21) Benzo(a)anthracene	21.261	228	27552	0.346	ng/ul	99
22) Chrysene	21.314	228	29941	0.340	ng/ul	100
24) Benzo(b)fluoranthene	22.842	252	25350	0.346	ng/ul	97
25) Benzo(k)fluoranthene	22.886	252	26422	0.342	ng/ul	98
26) Benzo(a)pyrene	23.415	252	21316	0.359	ng/ul	96
27) Indeno(1,2,3-cd)pyrene	25.774	276	23332	0.347	ng/ul#	100
28) Dibenzo(a,h)anthracene	25.794	278	18673	0.350	ng/ul	99
29) Benzo(g,h,i)perylene	26.464	276	19217	0.336	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN040324\
Data File : BN030605.D
Acq On : 02 Apr 2024 02:42
Operator : MA/JU
Sample : PB159927BS
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SLCS927

Quant Time: Apr 02 03:32:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN032724.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 02 02:09:33 2024
Response via : Initial Calibration

