

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN040419\
 Data File : BN005101.D
 Acq On : 04 Apr 2019 19:53
 Operator : JU/SJ
 Sample : K2245-15
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TP-3D

Quant Time: Apr 05 03:58:12 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-BN032619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 27 05:27:09 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	7143	20.00	ng	-0.02
21) Naphthalene-d8	10.43	136	30341	20.00	ng	-0.03
39) Acenaphthene-d10	14.30	164	18549	20.00	ng	-0.03
64) Phenanthrene-d10	17.05	188	43981	20.00	ng	-0.02
76) Chrysene-d12	21.25	240	50179	20.00	ng	-0.02
87) Perylene-d12	23.48	264	48407	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	35625	86.23	ng	-0.03
7) Phenol-d6	6.83	99	49047	89.50	ng	-0.03
23) Nitrobenzene-d5	8.82	82	27563	54.95	ng	-0.03
42) 2,4,6-Tribromophenol	15.80	330	26282	87.85	ng	-0.02
45) 2-Fluorobiphenyl	12.91	172	84152	60.12	ng	-0.03
79) Terphenyl-d14	19.69	244	152231	58.41	ng	-0.02
Target Compounds						
50) Dimethylphthalate	13.76	163	7612	4.995	ng	Qvalue # 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN040419\
Data File : BN005101.D
Acq On : 04 Apr 2019 19:53
Operator : JU/SJ
Sample : K2245-15
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
TP-3D

Quant Time: Apr 05 03:58:12 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-BN032619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 27 05:27:09 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.65 min Scan# 793
Delta R.T. -0.02 min
Lab File: BN005101.D
Acq: 04 Apr 2019 19:53

Instrument :
BNA_N
ClientSampleId :
TP-3D

Tgt Ion:152 Resp: 7143
Ion Ratio Lower Upper
152 100
150 156.3 126.9 190.3
115 58.5 47.8 71.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 86.227 ng
RT: 5.24 min Scan# 383
Delta R.T. -0.03 min
Lab File: BN005101.D
Acq: 04 Apr 2019 19:53

Tgt Ion:112 Resp: 35625
Ion Ratio Lower Upper
112 100
64 51.7 41.9 62.9
63 26.0 21.4 32.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#7

Phenol-d6

Concen: 89.505 ng

RT: 6.83 min Scan# 653

Delta R.T. -0.03 min

Lab File: BN005101.D

Acq: 04 Apr 2019 19:53

Instrument :

BNA_N

ClientSampleId :

TP-3D


Tgt Ion: 99 Resp: 49047

Ion Ratio Lower Upper

99 100

42 14.0 11.4 17.0




71 32.0 25.8 38.8



Abundance Ion 99.00 (98.70 to 99.70): BN004974.D (-651) (-)

Ion 42.00 (41.70 to 42.70): BN004974.D (-651) (-)

Ion 71.00 (70.70 to 71.70): BN004974.D (-651) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.43 min Scan# 1266

Delta R.T. -0.03 min

Lab File: BN005101.D

Acq: 04 Apr 2019 19:53

Tgt Ion: 136 Resp: 30341


Ion Ratio Lower Upper

136 100

137 11.1 8.9 13.3

54 6.4 5.3 7.9

68 5.5 4.6 6.8





Abundance Ion 136.00 (135.70 to 136.70): BN004974.D (-1264) (-)

Ion 137.00 (136.70 to 137.70): BN004974.D (-1264) (-)

Ion 54.00 (53.70 to 54.70): BN004974.D (-1264) (-)

Ion 68.00 (67.70 to 68.70): BN004974.D (-1264) (-)









#23
Nitrobenzene-d5
Concen: 54.953 ng
RT: 8.82 min Scan# 991
Delta R.T. -0.03 min
Lab File: BN005101.D
Acq: 04 Apr 2019 19:53

Instrument :
BNA_N
ClientSampleId :
TP-3D

Tgt Ion: 82 Resp: 27563
Ion Ratio Lower Upper
82 100
128 50.2 40.6 60.8
54 42.7 35.2 52.8




Abundance Ion 82.00 (81.70 to 82.70): BN0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BN0






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.30 min Scan# 1923
Delta R.T. -0.03 min
Lab File: BN005101.D
Acq: 04 Apr 2019 19:53

Tgt Ion: 164 Resp: 18549
Ion Ratio Lower Upper
164 100
162 102.9 83.4 125.0
160 45.2 36.6 55.0



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 87.852 ng
 RT: 15.80 min Scan# 2178
 Delta R.T. -0.02 min
 Lab File: BN005101.D
 Acq: 04 Apr 2019 19:53

Instrument :
 BNA_N
 ClientSampled :
 TP-3D

Tgt Ion:330 Resp: 26282
 Ion Ratio Lower Upper
 330 100
 332 97.3 77.4 116.0
 141 24.6 22.1 33.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 60.118 ng
 RT: 12.91 min Scan# 1687
 Delta R.T. -0.03 min
 Lab File: BN005101.D
 Acq: 04 Apr 2019 19:53

Tgt Ion:172 Resp: 84152
 Ion Ratio Lower Upper
 172 100
 171 35.8 28.6 42.8
 170 23.2 18.9 28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 4.995 ng

RT: 13.76 min Scan# 1831

Delta R.T. -0.03 min

Lab File: BN005101.D

Acq: 04 Apr 2019 19:53

Instrument :

BNA_N

ClientSampleId :

TP-3D


Tgt Ion:163 Resp: 7612

Ion Ratio Lower Upper

163 100

194 0.0 3.4 5.0#




164 10.3 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.05 min Scan# 2391

Delta R.T. -0.02 min

Lab File: BN005101.D

Acq: 04 Apr 2019 19:53


Tgt Ion:188 Resp: 43981

Ion Ratio Lower Upper

188 100

94 8.5 7.2 10.8



80 9.2 7.8 11.6




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.25 min Scan# 3105
 Delta R.T. -0.02 min
 Lab File: BN005101.D
 Acq: 04 Apr 2019 19:53




Instrument :
 BNA_N
 ClientSampleId :
 TP-3D


Tgt Ion:240 Resp: 50179
 Ion Ratio Lower Upper
 240 100
 120 9.8 8.5 12.7
 236 25.7 21.2 31.8



#79
 Terphenyl-d14
 Concen: 58.407 ng
 RT: 19.69 min Scan# 2839
 Delta R.T. -0.02 min
 Lab File: BN005101.D
 Acq: 04 Apr 2019 19:53

Tgt Ion:244 Resp: 152231
 Ion Ratio Lower Upper
 244 100
 212 6.4 5.4 8.0
 122 9.1 7.4 11.2






#87
Perylene-d12
Concen: 20.000 ng
RT: 23.48 min Scan# 3484
Delta R.T. -0.03 min
Lab File: BN005101.D
Acq: 04 Apr 2019 19:53

Instrument :
BNA_N
ClientSampleId :
TP-3D

Tgt Ion:264 Resp: 48407
Ion Ratio Lower Upper
264 100
260 23.3 19.0 28.4
265 21.5 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

