

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN040419\
 Data File : BN005112.D
 Acq On : 05 Apr 2019 02:22
 Operator : JU/SJ
 Sample : K2227-03
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 CONCRETE-PILE-1-B

Quant Time: Apr 05 04:22:58 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-BN032619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 27 05:27:09 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	9267	20.00	ng	-0.02
21) Naphthalene-d8	10.43	136	37497	20.00	ng	-0.03
39) Acenaphthene-d10	14.30	164	21191	20.00	ng	-0.03
64) Phenanthrene-d10	17.05	188	45160	20.00	ng	-0.02
76) Chrysene-d12	21.24	240	39518	20.00	ng	-0.03
87) Perylene-d12	23.47	264	40599	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	53716	100.22	ng	-0.02
7) Phenol-d6	6.83	99	80789	113.64	ng	-0.02
23) Nitrobenzene-d5	8.82	82	51615	83.27	ng	-0.03
42) 2,4,6-Tribromophenol	15.80	330	34454	100.81	ng	-0.02
45) 2-Fluorobiphenyl	12.92	172	147507	92.24	ng	-0.02
79) Terphenyl-d14	19.69	244	206527	100.62	ng	-0.02
Target Compounds						
50) Dimethylphthalate	13.76	163	12179	6.995	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN040419\
Data File : BN005112.D
Acq On : 05 Apr 2019 02:22
Operator : JU/SJ
Sample : K2227-03
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
CONCRETE-PILE-1-B

Quant Time: Apr 05 04:22:58 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-BN032619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 27 05:27:09 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.65 min Scan# 793
Delta R.T. -0.02 min
Lab File: BN005112.D
Acq: 05 Apr 2019 02:22

Instrument :
BNA_N
ClientSampleId :
CONCRETE-PILE-1-B

Tgt Ion:152 Resp: 9267
Ion Ratio Lower Upper
152 100
150 154.0 126.9 190.3
115 58.0 47.8 71.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 100.215 ng
RT: 5.25 min Scan# 384
Delta R.T. -0.02 min
Lab File: BN005112.D
Acq: 05 Apr 2019 02:22

Tgt Ion:112 Resp: 53716
Ion Ratio Lower Upper
112 100
64 49.8 41.9 62.9
63 24.9 21.4 32.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#7

Phenol-d6

Concen: 113.639 ng

RT: 6.83 min Scan# 654

Delta R.T. -0.02 min

Lab File: BN005112.D

Acq: 05 Apr 2019 02:22

Instrument :

BNA_N

ClientSampleId :

CONCRETE-PILE-1-B


Tgt Ion: 99 Resp: 80789

Ion Ratio Lower Upper

99 100

42 13.5 11.4 17.0




71 32.3 25.8 38.8



Abundance Ion 99.00 (98.70 to 99.70): BN004974.D (-651) (-)

Ion 42.00 (41.70 to 42.70): BN004974.D (-651) (-)

Ion 71.00 (70.70 to 71.70): BN004974.D (-651) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.43 min Scan# 1266

Delta R.T. -0.03 min

Lab File: BN005112.D

Acq: 05 Apr 2019 02:22

Tgt Ion: 136 Resp: 37497


Ion Ratio Lower Upper

136 100

137 10.9 8.9 13.3

54 6.2 5.3 7.9

68 5.1 4.6 6.8






Abundance Ion 136.00 (135.70 to 136.70): BN004974.D (-1264) (-)

Ion 137.00 (136.70 to 137.70): BN004974.D (-1264) (-)

Ion 54.00 (53.70 to 54.70): BN004974.D (-1264) (-)

Ion 68.00 (67.70 to 68.70): BN004974.D (-1264) (-)









#23
 Nitrobenzene-d5
 Concen: 83.267 ng
 RT: 8.82 min Scan# 991
 Delta R.T. -0.03 min
 Lab File: BN005112.D
 Acq: 05 Apr 2019 02:22

Instrument :
 BNA_N
 ClientSampleId :
 CONCRETE-PILE-1-B

Tgt Ion: 82 Resp: 51615
 Ion Ratio Lower Upper
 82 100
 128 51.0 40.6 60.8
 54 42.4 35.2 52.8




Abundance Ion 82.00 (81.70 to 82.70): BN0
 Ion 128.00 (127.70 to 128.70): BN0
 Ion 54.00 (53.70 to 54.70): BN0






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.30 min Scan# 1923
 Delta R.T. -0.03 min
 Lab File: BN005112.D
 Acq: 05 Apr 2019 02:22

Tgt Ion: 164 Resp: 21191
 Ion Ratio Lower Upper
 164 100
 162 105.0 83.4 125.0
 160 45.0 36.6 55.0



Abundance Ion 164.00 (163.70 to 164.70): BN0
 Ion 162.00 (161.70 to 162.70): BN0
 Ion 160.00 (159.70 to 160.70): BN0









#42
 2,4,6-Tribromophenol
 Concen: 100.810 ng
 RT: 15.80 min Scan# 2178
 Delta R.T. -0.02 min
 Lab File: BN005112.D
 Acq: 05 Apr 2019 02:22




Instrument :
 BNA_N
 ClientSampleId :
 CONCRETE-PILE-1-B


Tgt Ion:330 Resp: 34454
 Ion Ratio Lower Upper
 330 100
 332 96.3 77.4 116.0
 141 24.3 22.1 33.1



#45
 2-Fluorobiphenyl
 Concen: 92.240 ng
 RT: 12.92 min Scan# 1688
 Delta R.T. -0.02 min
 Lab File: BN005112.D
 Acq: 05 Apr 2019 02:22

Tgt Ion:172 Resp: 147507
 Ion Ratio Lower Upper
 172 100
 171 36.7 28.6 42.8
 170 23.2 18.9 28.3





#50

Dimethylphthalate

Concen: 6.995 ng

RT: 13.76 min Scan# 1831

Delta R.T. -0.03 min

Lab File: BN005112.D

Acq: 05 Apr 2019 02:22

Instrument :

BNA_N

ClientSampleId :

CONCRETE-PILE-1-B


Tgt Ion:163 Resp: 12179

Ion Ratio Lower Upper

163 100

194 4.4 3.4 5.0




164 9.7 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.05 min Scan# 2391

Delta R.T. -0.02 min

Lab File: BN005112.D

Acq: 05 Apr 2019 02:22


Tgt Ion:188 Resp: 45160

Ion Ratio Lower Upper

188 100

94 8.2 7.2 10.8



80 9.1 7.8 11.6




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.24 min Scan# 3104
Delta R.T. -0.03 min
Lab File: BN005112.D
Acq: 05 Apr 2019 02:22

Instrument :
BNA_N
ClientSampleId :
CONCRETE-PILE-1-B

Tgt Ion:240 Resp: 39518
Ion Ratio Lower Upper
240 100
120 9.9 8.5 12.7
236 25.2 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#79
Terphenyl-d14
Concen: 100.616 ng
RT: 19.69 min Scan# 2839
Delta R.T. -0.02 min
Lab File: BN005112.D
Acq: 05 Apr 2019 02:22

Tgt Ion:244 Resp: 206527
Ion Ratio Lower Upper
244 100
212 6.5 5.4 8.0
122 9.1 7.4 11.2



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 23.47 min Scan# 3483
Delta R.T. -0.04 min
Lab File: BN005112.D
Acq: 05 Apr 2019 02:22

Instrument :
BNA_N
ClientSampleId :
CONCRETE-PILE-1-B

Tgt Ion:264 Resp: 40599
Ion Ratio Lower Upper
264 100
260 23.7 19.0 28.4
265 21.9 17.2 25.8

