

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN041122\
 Data File : BN019416.D
 Acq On : 11 Apr 2022 17:24
 Operator : CG/JU
 Sample : N2334-08
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW-19D

Quant Time: Apr 12 07:32:43 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN040422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 04 17:40:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.825	152	4810	0.400	ng	0.00
7) Naphthalene-d8	10.637	136	12849	0.400	ng	# 0.01
13) Acenaphthene-d10	14.463	164	7127	0.400	ng	0.00
19) Phenanthrene-d10	17.205	188	13299	0.400	ng	0.00
29) Chrysene-d12	21.386	240	9559	0.400	ng	# 0.00
35) Perylene-d12	23.741	264	7977	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.384	112	1878	0.146	ng	0.00
5) Phenol-d6	7.009	99	1022	0.066	ng	0.02
8) Nitrobenzene-d5	8.993	82	2604	0.223	ng	0.01
11) 2-Methylnaphthalene-d10	12.227	152	5780	0.256	ng	0.00
14) 2,4,6-Tribromophenol	15.964	330	1077	0.249	ng	0.01
15) 2-Fluorobiphenyl	13.095	172	7804	0.263	ng	0.00
27) Fluoranthene-d10	19.236	212	15270	0.356	ng	0.00
31) Terphenyl-d14	19.830	244	8825	0.425	ng	0.00
Target Compounds						Qvalue
3) n-Nitrosodimethylamine	3.550	42	167	0.022	ng	# 5
34) Bis(2-ethylhexyl)phtha...	21.297	149	2453	0.093	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN041122\
Data File : BN019416.D
Acq On : 11 Apr 2022 17:24
Operator : CG/JU
Sample : N2334-08
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW-19D

Quant Time: Apr 12 07:32:43 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN040422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 04 17:40:00 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.825 min Scan# 61
 Delta R.T. 0.000 min
 Lab File: BN019416.D
 Acq: 11 Apr 2022 17:24




Instrument :
 BNA_N
 ClientSampleId :
 MW-19D


Tgt Ion:152 Resp: 4810
 Ion Ratio Lower Upper
 152 100
 150 157.2 123.9 185.9
 115 65.4 48.2 72.4



#3
 n-Nitrosodimethylamine
 Concen: 0.022 ng
 RT: 3.550 min Scan# 65
 Delta R.T. 0.007 min
 Lab File: BN019416.D
 Acq: 11 Apr 2022 17:24

Tgt Ion: 42 Resp: 167
 Ion Ratio Lower Upper
 42 100
 74 9.6 96.9 145.3#
 44 0.0 7.3 10.9#









#4
2-Fluorophenol
Concen: 0.146 ng
RT: 5.384 min Scan# 319
Delta R.T. -0.000 min
Lab File: BN019416.D
Acq: 11 Apr 2022 17:24




Instrument :
BNA_N
ClientSampleId :
MW-19D


Tgt Ion:112 Resp: 1878
Ion Ratio Lower Upper
112 100
64 62.4 47.8 71.8
63 33.9 25.7 38.5



#5
Phenol-d6
Concen: 0.066 ng
RT: 7.009 min Scan# 544
Delta R.T. 0.022 min
Lab File: BN019416.D
Acq: 11 Apr 2022 17:24

Tgt Ion: 99 Resp: 1022
Ion Ratio Lower Upper
99 100
42 23.6 16.2 24.4
71 45.1 27.7 41.5#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.637 min Scan# 941
Delta R.T. 0.011 min
Lab File: BN019416.D
Acq: 11 Apr 2022 17:24




Instrument :
BNA_N
ClientSampleId :
MW-19D


Tgt Ion:	136	Resp:	12849
Ion Ratio	Lower	Upper	
136	100		
137	11.5	9.0	13.4
54	9.2	5.8	8.6#
68	7.2	4.6	7.0#



#8
Nitrobenzene-d5
Concen: 0.223 ng
RT: 8.993 min Scan# 788
Delta R.T. 0.011 min
Lab File: BN019416.D
Acq: 11 Apr 2022 17:24

Tgt Ion:	82	Resp:	2604
Ion Ratio	Lower	Upper	
82	100		
128	41.4	33.0	49.6
54	60.1	42.5	63.7









#11
2-Methylnaphthalene-d10
Concen: 0.256 ng
RT: 12.227 min Scan# 11
Delta R.T. 0.004 min
Lab File: BN019416.D
Acq: 11 Apr 2022 17:24




Instrument :
BNA_N
ClientSampleId :
MW-19D


Tgt Ion:152 Resp: 5780
Ion Ratio Lower Upper
152 100
151 19.7 16.5 24.7



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.463 min Scan# 1470
Delta R.T. 0.000 min
Lab File: BN019416.D
Acq: 11 Apr 2022 17:24

Tgt Ion:164 Resp: 7127
Ion Ratio Lower Upper
164 100
162 105.4 85.2 127.8
160 49.1 41.5 62.3









#14
 2,4,6-Tribromophenol
 Concen: 0.249 ng
 RT: 15.964 min Scan# 1611
 Delta R.T. 0.010 min
 Lab File: BN019416.D
 Acq: 11 Apr 2022 17:24




Instrument :
 BNA_N
 ClientSampleId :
 MW-19D


Tgt Ion: 330 Resp: 1077
 Ion Ratio Lower Upper
 330 100
 332 95.9 76.8 115.2
 141 42.0 32.2 48.2



#15
 2-Fluorobiphenyl
 Concen: 0.263 ng
 RT: 13.095 min Scan# 1342
 Delta R.T. 0.000 min
 Lab File: BN019416.D
 Acq: 11 Apr 2022 17:24

Tgt Ion: 172 Resp: 7804
 Ion Ratio Lower Upper
 172 100
 171 35.8 28.2 42.2
 170 25.0 18.7 28.1









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.205 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN019416.D
Acq: 11 Apr 2022 17:24




Instrument :
BNA_N
ClientSampleId :
MW-19D


Tgt Ion:188 Resp: 13299
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.6 11.8 17.8



#27
Fluoranthene-d10
Concen: 0.356 ng
RT: 19.236 min Scan# 2102
Delta R.T. -0.004 min
Lab File: BN019416.D
Acq: 11 Apr 2022 17:24

Tgt Ion:212 Resp: 15270
Ion Ratio Lower Upper
212 100
106 14.6 12.7 19.1
104 8.6 7.1 10.7





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.386 min Scan# 2439

Delta R.T. -0.009 min

Lab File: BN019416.D

Acq: 11 Apr 2022 17:24

Instrument :

BNA_N

ClientSampleId :

MW-19D





Tgt Ion:240 Resp: 9559

Ion Ratio Lower Upper

240 100

120 21.0 8.5 12.7#

236 30.3 22.4 33.6



#31

Terphenyl-d14

Concen: 0.425 ng

RT: 19.830 min Scan# 2243

Delta R.T. -0.004 min

Lab File: BN019416.D

Acq: 11 Apr 2022 17:24




Tgt Ion:244 Resp: 8825


Ion Ratio Lower Upper

244 100

212 11.2 8.2 12.4

122 0.0 0.0 0.0









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.093 ng
 RT: 21.297 min Scan# 2430
 Delta R.T. -0.009 min
 Lab File: BN019416.D
 Acq: 11 Apr 2022 17:24

Instrument :
 BNA_N
 ClientSampleId :
 MW-19D

Tgt Ion:149 Resp: 2453
 Ion Ratio Lower Upper
 149 100
 167 29.1 21.8 32.8
 279 3.9 2.0 3.0#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.741 min Scan# 3009
 Delta R.T. -0.009 min
 Lab File: BN019416.D
 Acq: 11 Apr 2022 17:24

Tgt Ion:264 Resp: 7977
 Ion Ratio Lower Upper
 264 100
 260 28.8 22.4 33.6
 265 44.6 25.3 37.9#

