

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN041324\
 Data File : BN030887.D
 Acq On : 13 Apr 2024 19:24
 Operator : MA/JU
 Sample : P2050-08
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0RB2

Quant Time: Apr 14 22:48:02 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN032824.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sun Apr 14 22:12:55 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.663	152	169010	20.000	ng/u1	0.00
20) Naphthalene-d8	10.446	136	754086	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.310	164	498216	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.057	188	1108662	20.000	ng/u1	0.00
79) Chrysene-d12	21.292	240	1233608	20.000	ng/u1	0.00
88) Perylene-d12	24.215	264	1379208	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.175	96	13915	3.860	ng/uL	0.00
4) Pyridine-d5	3.587	84	97996	9.067	ng/u1	0.00
7) Phenol-d5	6.834	99	80594	5.895	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.005	67	266031	31.503	ng/u1	0.00
11) 2-Chlorophenol-d4	7.199	132	265575	25.606	ng/u1	0.00
15) 4-Methylphenol-d8	8.369	113	163784	14.294	ng/u1	0.00
21) Nitrobenzene-d5	8.822	128	178170	34.060	ng/u1	0.00
24) 2-Nitrophenol-d4	9.534	143	164867	34.452	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.069	165	312844	29.862	ng/u1	0.00
31) 4-Chloroaniline-d4	10.587	131	457478	26.524	ng/u1	0.00
46) Dimethylphthalate-d6	13.722	166	1251037	37.610	ng/u1	0.00
49) Acenaphthylene-d8	13.998	160	1364642	35.681	ng/u1	0.00
54) 4-Nitrophenol-d4	14.516	143	33302	5.234	ng/u1	0.00
60) Fluorene-d10	15.304	176	1126380	38.696	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.428	200	145259	29.684	ng/u1	0.00
73) Anthracene-d10	17.157	188	1858948	38.916	ng/u1	0.00
81) Pyrene-d10	19.457	212	2429509	36.631	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.021	264	2634154	41.450	ng/u1	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN041324\
Data File : BN030887.D
Acq On : 13 Apr 2024 19:24
Operator : MA/JU
Sample : P2050-08
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0RB2

Quant Time: Apr 14 22:48:02 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN032824.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sun Apr 14 22:12:55 2024
Response via : Initial Calibration

